

© Joint United Nations Programme on HIV/AIDS (UNAIDS), 2024

Some rights reserved. This work is available under the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 IGO licence (CC BY-NC-SA 3.0 IGO; https://creativecommons.org/licenses/by-nc-sa/3.0/igo/).

Under the terms of this licence, you may copy, redistribute and adapt the work for non-commercial purposes, provided the work is appropriately cited, as indicated below. In any use of this work, there should be no suggestion that UNAIDS endorses any specific organization, products or services. The use of the UNAIDS logo is not permitted. If you adapt the work, then you must license your work under the same or equivalent Creative Commons licence. If you create a translation of this work, you should add the following disclaimer along with the suggested citation: "This translation was not created by UNAIDS. UNAIDS is not responsible for the content or accuracy of this translation. The original English edition shall be the binding and authentic edition".

Any mediation relating to disputes arising under the licence shall be conducted in accordance with the mediation rules of the World Intellectual Property Organization (http://www.wipo.int/amc/en/mediation/rules).

Suggested citation. UNAIDS DATA 2024. Geneva: Joint United Nations Programme on HIV/AIDS; 2024. Licence: CC BY-NC-SA 3.0 IGO.

Third-party materials. If you wish to reuse material from this work that is attributed to a third party, such as tables, figures or images, it is your responsibility to determine whether permission is needed for that reuse and to obtain permission from the copyright holder. The risk of claims resulting from infringement of any third-party-owned component in the work rests solely with the user.

The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of UNAIDS concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by UNAIDS in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by UNAIDS to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall UNAIDS be liable for damages arising from its use.

UNAIDS/JC3126E

CONTENTS


Asia and the Pacific	2
Country tables	14
Caribbean	68
Country tables	78
Eastern and southern Africa	104
Country tables	114
Eastern Europe and central Asia	156
Country tables	166
Latin America	194
Country tables	204
Middle East and North Africa	238
Country tables	246
Western and central Africa	282
Country tables	290
Western and central Europe and North America	336
Country tables	346
Annex on methods	400

ASIA AND THE PACIFIC

In 2023, 6.7 million [6.1 million–7.5 million] people living with HIV were residing in Asia and the Pacific, making this the world's largest epidemic after eastern and southern Africa. The region accounts for a quarter of annual new HIV infections globally (23%). People from key populations and their sex partners are disproportionately affected. Among countries with available data, HIV epidemics are growing in Afghanistan, Bangladesh, Fiji, the Lao People's Democratic Republic, Papua New Guinea and the Philippines. Between 2010 and 2022, numbers of new HIV infections increased by 32% among gay men and other men who have sex with men and by 85% among non-client sex partners of people from key populations (1) (Figure 1.2).

Numbers of new HIV infections are declining, but not fast enough

Figure 1.1 Numbers of new HIV infections and AIDS-related deaths, Asia and the Pacific, 2000–2023



Source: UNAIDS epidemiological estimates, 2024 (https://aidsinfo.unaids.org/).



2023 DATA

- 13% decrease in new HIV infections since 2010
- **51%** decrease in AIDS-related deaths since 2010
- People living with HIV: 6.7 million
 [6.1 million–7.5 million]
- New HIV infections:300 000 [270 000–370 000]
- AIDS-related deaths:
 150 000 [110 000–200 000]

Testing and treatment cascade (all ages):

- % of people living with HIV who know their HIV status: 78 [62–91]
- % of people living with HIV who are on treatment:
 67 [53–78]
- % of people living with HIV who have a suppressed viral load: 65 [58-73]

Financing the HIV response

 Resource availability for HIV: US\$ 3.3 billion [64% gap to meet the 2025 target] Efforts aimed at broadening access to combination HIV prevention services—including harm reduction, self-testing, online services and pre-exposure prophylaxis (PrEP)—continue across much of the region, but major gaps persist.

Median coverage of prevention services for people who inject drugs was only 21% in 2023 (six reporting countries¹). Coverage of opioid agonist maintenance therapy was even lower, at 9% (nine reporting countries²). Only three countries³ reported distributing more than 200 needles and syringes per person who injects drugs per year. Legal and societal barriers prevent many people who use drugs from accessing necessary services.

PrEP is included in national HIV guidelines in 20 countries and is being provided in 17 of them, with notable progress reported in Australia, Cambodia, New Zealand, Thailand and Viet Nam. Regional PrEP coverage remains below 10%. Only 204 000 people used PrEP at least once in 2023, compared with the target of 8.2 million people by 2025. HIV self-testing is part of the national policy in 23 countries. Virtual interventions to create demand for services and to reach and engage clients in services are expanding, but significant gaps persist in prevention service coverage for people from key populations. Young people from key populations face significant barriers to HIV services and are highly vulnerable, but frequently overlooked; HIV prevention programmess need to better address their needs (2).

Numbers of AIDS-related deaths in the region have declined by 51% since 2010 (Figure 1.1). Progress towards the testing, treatment and viral load suppression targets varies across countries and populations in the region. Antiretroviral coverage for people living with HIV reached over 80% in Cambodia, Nepal, New Zealand and Thailand, but was below 50% in eight⁴ of the 21 countries in the region where data were available. Less than half of estimated people living with HIV were on treatment in Afghanistan (9%), Bangladesh (49%), Fiji (28%), Indonesia (31%), the Islamic Republic of Iran (43%), Mongolia (39%), Pakistan (15%) and the Philippines (43%). The transition to dolutegravir as the first-line HIV treatment regimen across the region is expected to improve treatment outcomes.

¹ Bangladesh, Indonesia, Islamic Republic of Iran, Malaysia, Thailand, Viet Nam.


² Bangladesh, Cambodia Indonesia, Islamic Republic of Iran, Malaysia, Myanmar, Nepal, Thailand, Viet Nam.

³ Bangladesh, China, Myanmar.

⁴ Afghanistan, Bangladesh, Fiji, Indonesia, Islamic Republic of Iran, Mongolia, Pakistan, Philippines.

The majority of new HIV infections in Asia and the Pacific are among people from key populations

Figure 1.2 Distribution of new HIV infections and percentage change among adults, Asia and the Pacific, 2010 and 2022



Source: Korenromp EL, Sabin K, Stover J, Brown T, Johnson LF, Martin-Hughes R, et al. New HIV infections among key populations and their partners in 2010 and 2022, by world region: a multisources estimation. J Acquir Immune Defic Syndr. 2024;95(1S):e34–e45.

In the region, there are 120 000 [100 000–140 000] children aged 0–14 years living with HIV, making up 9% of the total number of children living with HIV globally. Indonesia comprises 26% of the regional total of new HIV infections among children, followed by India (23%) and Papua New Guinea (8%).

To address the continuing disparities in access to HIV services and to improve the overall effectiveness of HIV strategies in the region, countries should scale up HIV investments, focus their HIV programmes on the populations that are most affected, and deploy new technologies and innovations, including HIV self-testing, PrEP and virtual interventions.


The widespread use of social media offers further avenues for generating knowledge about HIV and facilitating access to services, although it also requires protective policies to create supportive environments. Many countries in the region lack comprehensive legal protections for LGBTQI+ people, which exposes them to stigma, discrimination and violence and leads to poor health outcomes. Polarization and backlashes from conservative groups against LGBTQI+ people, women and girls and other vulnerable populations are growing (3, 4), including in online spaces (5).

A median of 15% of sex workers (10 reporting countries), 4% of gay men and other men who have sex with men (eight reporting countries), 22% of people who inject drugs (six reporting countries) and 19% of transgender people (eight reporting countries) reported avoiding accessing health-care services in the past 12 months due to stigma and discrimination.

- A median of 7% of sex workers (three reporting countries), 9% of gay men and other men who have sex with men (two reporting countries), 36% of people who inject drugs (two reporting countries) and 60% of transgender people (three reporting countries) reported experiencing stigma and discrimination in the past six months.
- A median of 9% of sex workers (five reporting countries), 6% of gay men and other men who have sex with men (four reporting countries), 20% of people who inject drugs (two reporting countries) and 27% of transgender people (five reporting countries) reported experiencing physical or sexual violence in the past 12 months.

HIV prevention programmes for key populations are underfunded

Figure 1.3 Proportion of spending on prevention programmes for people from key populations out of total HIV expenditure, selected countries in Asia and the Pacific where data are available, 2024



 $Source: UNAIDS\ financial\ estimates,\ July,\ 2024\ (http://hivfinancial.unaids.org/hivfinancialdashboards.html);\ Global\ AIDS\ Monitoring,\ 2024\ (https://aidsinfo.unaids.org/hivfinancialdashboards.html);\ Global\ AIDS\ Monitoring,\ 2024\ (https://aidsinfo.unaids.html);\ Global\ AIDS\ Monitoring,\ 2024\ (https://aidsinfo.unaids.ht$

Over the past decade, external funding for HIV programmes has decreased by 60%, dropping from its peak of US\$ 1.4 billion in 2011 to US\$ 591 million in 2023. During the same period, the contribution of domestic resources has risen by 47%, increasing the share of domestic resources from 58% of total HIV funding in 2011 to 82% in 2023. HIV prevention is crucial in this region, but recent data reported to Global AIDS Monitoring show that 12 of 17 countries rely on international sources for more than 50% of their prevention financing. There are also inadequate investments in programming for key populations: in 2022 79% of new HIV infections occurred among people from key populations and their sex partners in the region, but recent data reported to Global AIDS Monitoring show that in nine of 13 countries, less than 15% of HIV expenditure was devoted to prevention programmes for key populations (Figure 1.3).

Empowered communities are essential for the region's HIV response, but community-led responses remain underfunded. Social contracting, whereby governments partner with and procure services from communityled organizations, continues to be a potentially powerful but underused option for reaching people from key populations. Continued donor funding will also be critical for the sustainability of community-led responses in the region.

Figure 1.4 HIV prevalence among people from key populations compared with adults (aged 15–49 years), reporting countries in Asia and the Pacific, 2019–2023



Source: Global AIDS Monitoring, 2020–2024; UNAIDS epidemiological estimates, 2024 (https://aidsinfo.unaids.org/). Note: n = number of countries. Total number of reporting countries = 39.

The adult prevalence uncertainty bounds define the range within which the true value lies (if it can be measured). Narrow bounds indicate that an estimate is precise, while wide bounds indicate greater uncertainty regarding the estimate

Table 1.1 Reported estimated size of key populations, Asia and the Pacific, 2019–2023

Country	National adult population (aged 15–49 years) for 2023 or relevant year	Sex workers	Sex workers as percentage of adult population (aged 15–49 years)	Gay men and other men who have sex with men	Gay men and other men who have sex with men as percentage of adult population (aged 15–49 years)	People who inject drugs	People who inject drugs as percentage of adult population (aged 15–49 years)	Transgender people	Transgender people as percentage of adult population (aged 15–49 years)	People in prisons and other closed settings	People in prisons and other closed settings as percentage of adult population (aged 15–49 years)
Afghanistan	20 880 000			10 100		25 700					
Bangladesh	96 798 000										
Bhutan	479 000	600	0.13%								
Cambodia	8 650 000	52 300	0.61%	94 000	1.09%			15 700	0.18%		
India	782 743 000									2 255 800	0.29%
Indonesia	146 314 000	271 800	0.19%	847 300	0.58%			43 100	0.03%	268 000	0.19%
Islamic Republic of Iran	48 515 000									244 400	0.50%
Lao People's Democratic Republic	4 205 000										
Malaysia	19 129 000					60 000	0.32%				
Mongolia	1 735 000	7300	0.43%					800			
Myanmar	29 277 000	77 500	0.26%			116 400	0.40%				
Nepal	17 024 000	85 500	0.50%			33 900	0.20%				
New Zealand	2 434 000					2800		10 400	0.43%	8400	0.35%
Papua New Guinea	5 527 000			77 700	1.41%			5100			
Philippines	62 157 000	127 700	0.21%	800 500	1.29%	7700		239 100	0.38%	125 000	0.20%
Singapore	2 871 000									8000	0.28%
Thailand	33 723 000	106 600	0.32%	600 100	1.78%	56 700	0.17%			269 700	0.80%
Timor-Leste	722 000	5600	0.78%	6800	0.93%			3100	0.42%		
Viet Nam	51 838 000			256 000	0.49%			9100			
Estimated regional more proportion as percent population (aged 15-	tage of adult		0.30%		0.79%		0.15%		0.09%		-

National population size estimate Local population size estimate Insufficient data No data

Global AIDS Monitoring, 2020–2024 (https://aidsinfo.unaids.org/).; Spectrum DemProj module, 2024.; United Nations Population Division, World Population Prospects: The 2022 revision (https://population.un.org/dataportal/home?df=b97292bf-b220-4cce-9978-f1820bb65792).

Guide for updating Spectrum HIV estimates, UNAIDS 2024 (https://hivtools.unaids.org/hiv-estimates-training-material-en/). Estimates shown are government-provided estimates reported for 2019–2023. Additional and alternative estimates may be available from different sources, including the Key Populations Atlas (https://kpatlas.unaids.org/), academic publications and institutional documents. The regions covered by the local population states are as follows: Notes:

size estimates are as follows:

Afghanistan: Herat, Jalalabad, Kabul, Kandahar, Kunduz, Mazar (gay men and other men who have sex with men); Faizabad, Herat, Jalalabad, Kabul, Kandahar, Kunduz, Mazar,

Zaranj (people who inject drugs)

Mongolia: Ülaanbaatar New Zealand: Northern Region

Papua New Guinea: Lae, Mount Hagen, Port Moresby Philippines: Cebu province

Viet Nam: Ha Noi


Note on methodology

The estimated size of key populations refers to reported values through Global AIDS Monitoring since 2019 only. A comprehensive review of the data was conducted during these reporting rounds and therefore estimates should not be compared with data presented in previous UNAIDS reports. As a result of this process, the estimates reported can be categorized as follows: "National population size estimate" refers to estimates that are empirically derived using one of the following methods: multiplier, capture-recapture, mapping/enumeration, network scale-up method (NSUM) or population-based survey, or respondent-driven sampling-successive sampling (RDS-SS). Estimates had to be national or a combination of multiple sites with a clear approach to extrapolating to a national estimate.

[&]quot;Local population size estimate" refers to estimates that are empirically derived using one of the before mentioned methods but only for a subnational group of sites that are insufficient for national extrapolation.


[&]quot;Insufficient data" refers to estimates derived from expert opinions, Delphi, wisdom of the crowds, programmatic results or registry, regional benchmarks or unknown methods. Estimates may or may not be national.

Figure 1.5 HIV testing and treatment cascade, by age and sex, Asia and the Pacific, 2023



Source: Further analysis of UNAIDS epidemiological estimates, 2024.

Figure 1.6 Distribution of people living with HIV by recent infection, knowledge of status, treatment and viral load suppression, adults (aged 15+ years), Asia and the Pacific, 2019–2023



Source: Further analysis of UNAIDS epidemiological estimates, 2024.

Table 1.2 Laws and policies scorecard, Asia and the Pacific, 2024

Country	Criminalization of transgender people°	Criminalization of sex work ^b	Criminalization of same-sex sexual acts in private	Criminalization of possession of small amounts of drugs ^c	Laws criminalizing HIV nondisclosure, exposure or transmission ^d	Laws or policies restricting the entry, stay and residence of people living with HIV	Parental or guardian consent for adolescents to access HIV testing
Afghanistan	1	1	29	1	1	7	1
Australia	8		29	38	47	7	
Bangladesh	1		1,30		1	7	
Bhutan	3		31	39	48	7	59
Brunei Darussalam			29	40	47		4
Cambodia	1		1			7	
China	1		3		49	7	
Cook Islands		11	32		47	7	
Democratic People's Republic of Korea		12	29		47	7	
Fiji	6	13	29	6	50	7	3
India	2		2	41	51	7	4
Indonesia	1,8		33		1	7	
Iran (Islamic Republic of)	2		1		2	7	
Japan		14	29		47	7	
Kiribati	3		34	4	47	7	3
Lao People's Democratic Republic	2		2		2	7	3
Malaysia	2	15	2		52	7	1
Maldives	8	16	29	42	47	7	60
Marshall Islands	6	17	29	43	53	7	6
Micronesia (Federated States of)	6	18	29	6	6	7	6
Mongolia	1		1		54	7	4
Myanmar	1		1		1	7	
Nauru	6	19	29		47	7	6
Nepal	1		1		55	7	1
New Zealand	2	2	2		2	7	2
Niue	6	6	6		6	7	6
Pakistan	1		1		56	7	1
Palau	6	20	29	44	47	7	6
Papua New Guinea	3		35		2	7	3
Philippines	1	21	1		1	7	61
Republic of Korea	4		36		4	7	4
Samoa	6	22	29	45	47	7	5
Singapore	1		1		1	7	3
Solomon Islands		23	29		47	7	
Sri Lanka	1		37	3	57	7	1,62
Thailand	1		1		1	7	1,63
Timor-Leste		24	29	46	47	7	
Tonga	6	25	29		47	7	6
Tuvalu	6	26	29		47	7	6
Vanuatu		27	29	6	6	7	6
Viet Nam	4	28	4		58	7	4

Country	Mandatory HIV testing for marriage, work or residence permits or for people from certain groups	Laws protecting against discrimination on the basis of HIV status	Constitutional or other nondiscrimination provisions for sex work*	Constitutional or other nondiscrimination provisions for sexual orientation°	Constitutional or other nondiscrimination provisions for gender identity*	Constitutional or other nondiscrimination provisions for people who inject drugs*
Afghanistan	1	1	1	1	1	1
Australia						
Bangladesh	1	1	1	1	1	1
Bhutan	3					
Brunei Darussalam	4					
Cambodia	1	1	1	1	3	1
China	1	1				3
Cook Islands						
Democratic People's Republic of Korea						
Fiji						6
India	1	1			2	3
Indonesia	1	1	1	1	1	
Iran (Islamic Republic of)	1	1				
Japan	3					
Kiribati	4					4
Lao People's Democratic Republic	1	2	2	2	2	2
Malaysia	1					
Maldives		_				
Marshall Islands	6					6
Micronesia (Federated States of)	6					
Mongolia	1	1	1	1	1	
Myanmar		1		1	1	
Nauru	4					
Nepal	1	1	1	1	1	
New Zealand	2	2		2	2	2
Niue	6		_			6
Pakistan	1	1	1	1	1	
Palau	6					
Papua New Guinea	3		3	3		
Philippines	1	1	1	1		
Republic of Korea	4					
Samoa	5					6
Singapore	1	1	1	1	1	
Solomon Islands	4					
Sri Lanka	1	1	1	1	1	1
Thailand	1	1		1	1	
Timor-Leste						
Tonga	6					6
Tuvalu	6					
Vanuatu	6					
Viet Nam	4					4

Criminalization of transgender people Criminalization of sex work Criminalization of same-sex sexual acts in private Yes Any criminalization or punitive regulation of sex work Death penalty No Sex work is not subject to punitive regulations Imprisonment (14 years-life, up to 14 years) or is not criminalized or no penalty specified Data not available Data not available Criminalization of possession of small Laws criminalizing HIV nondisclosure, Laws or policies restricting the entry, stay amounts of drugs exposure or transmission and residence of people living with HIV Deport, prohibit short and/or long stay, and require HIV testing or disclosure for some permits Yes, HIV is explicitly criminalized No Yes, HIV is criminalized within a broader disease law or Prohibit short and/or long stay and require HIV testing or disclosure for some permits prosecutions exist based on general criminal laws Data not available Require HIV testing or disclosure for some permits Data not available No restrictions Parental or guardian consent for adolescents to access HIV testing Mandatory HIV testing for marriage, work or residence Laws protecting against discrimination on the basis of HIV status permits or for people from certain groups Yes, for adolescents aged 17–18 years Yes, for adolescents aged 15–16 years No Yes Yes, for adolescents aged 13-14 years Data not available Data not available Yes, for adolescents aged 12 years or younger Not addressed in laws or policy Data not available Constitutional or other nondiscrimination Constitutional or other nondiscrimination Constitutional or other nondiscrimination provisions for sex work provisions for sexual orientation provisions for gender identity No No Yes Yes Yes Data not available Data not available Data not available Constitutional or other nondiscrimination provisions for people who inject drugs Data not available

- Criminalization of transgender people refers to laws that criminalize people based on their gender identity or expresssion, such as laws against cross-dressing or impersonating the
- Criminalization of sex work refers to criminalization of any aspect of sex work, including buying sexual services, selling sexual services, ancillary activities associated with buying or selling sexual services, and profiting from organizing or managing sex work
- Criminalization of possession of small amounts of drugs refers to the criminalization of possession of any quantity of drugs, including possession of a quantity of drugs sufficient only for personal use. A country is considered to criminalize possession of small amounts of drugs even if marijuana has been decriminalized.

 HIV nondisclosure, exposure or transmission may be explicitly criminalized in an HIV-specific law or within a law that covers a broader range of communicable diseases and mentions HIV. They may also be criminalized under a law that covers a broader range of communicable diseases but does not specifically mention HIV. Laws may limit criminalization to cases of actual and intentional transmission. This refers to cases where a person knows their HIV-positive status, acts with the intention to transmit HIV and does in fact transmit it, in line with the UNDP 2021 Guidance for Prosecutors on HIV-related Criminal Cases. Some countries do not have a law specifically criminalizing HIV nondisclosure, exposure or transmission but the general law
- has been used to prosecute cases in the past 10 years.

 e Constitutional or legislative protections against discrimination refer to whether gender identity or sexual orientation is specified as a protected attribute or whether courts or government have legally recognized that gender identity/sexual orientation/involvement in sex work/involvement in drug use or possession are protected under another attribute.

 This figure does not capture where key populations may be de facto criminalized through the misuse of other laws, such as vagrancy or public morality laws, or the use of the above laws for

different populations, e.g. transgender people may be targeted using laws criminalizing same-sex sexual activity, or gay men and other men who have sex with men may be targeted using HIV criminalization laws.

Carr	rco	
Jou	ice	

- National Commitments and Policy Instrument, 2024 (http://lawsand policies.unaids.org/).
- National Commitments and Policy Instrument, 2022 (http://lawsand policies.unaids.org/). National Commitments and Policy Instrument, 2021 (http://lawsand policies.unaids.org/). National Commitments and Policy Instrument, 2019 (http://lawsand policies.unaids.org/).
- 5
- National Commitments and Policy Instrument, 2018 (http://lawsand policies.unaids.org/). National Commitments and Policy Instrument, 2017 (http://lawsand policies.unaids.org/).
- Still not welcome: HIV-related travel restrictions. Geneva: UNAIDS and United Nations Development Programme; 2019 (https://www.unaids.org/sites/default/files/media_asset/hiv-related-travel-restrictions-explainer_en.pdf).
- Chiam Z, Duffy S, González Gil M, Goodwin L, Mpemba Patel NT. Trans legal mapping report 2019: recognition before the law. Geneva: ILGA World; 2020.
 Australia. South Australia. Summary Offences Act 1953, Section 25; Victoria. Sex Work Act 1994, Section 13; New South Wales. Summary Offence Act 1988, Section 19;
- 8
- 10
- Adstralia. South Adstralia. Summary Orientes Act 1735, Section 25, Victoria. Sex Work Act 1774, Section 13, New South Wales. Summary Orientes Act 1736, Section 17, Western Australia. Prostitution Act 2000, Section 25.

 Brunei Darussalam. Penal Code, Article 294A (https://www.wipo.int/edocs/lexdocs/laws/en/bn/bn024en.pdf); Women and Girls Protection Act (https://www.agc.gov.bn/AGC%20Images/LOB/PDF/Chp.120.pdf).

 Cook Islands (Avarua: Government of Cook Islands). Crimes Act 169, Articles 160–163 (https://www.legal-tools.org/doc/ed378f/pdf, accessed 6 July 2023).

 Democratic People's Republic of Korea. Criminal Law, Articles 18 and 261 (https://www.hrnk.org/uploads/pdfs/The%20Criminal%20Law%20of%20the%20Democratic%20
- 13
- Republic%20of%20Korea_2009_%20(1).pdf).

 Fiji. Crimes Decree, 2009, Article 230 (https://ihl-databases.icrc.org/applic/ihl/ihl-nat.nsf/0/152337C8E9F5B6D4C12576BA004EF21F#:~:text=The%20 Decree%20provides%20 for%20imprisonment, years)%20for%20the%20other%20crimes).

 Sex work and the Law in Asia and the Pacific, UNDP, 2012 (https://www.undp.org/sites/g/files/zskgke326/files/publications/HIV-2012-SexWorkAndLaw.pdf).

 Malaysia. Penal Code, Article 372 (http://www.agc.gov.my/agcportal/uploads/files/Publications/LOM/EN/Penal%20Code%20%5BAct%20574%5D2. pdf); National Commitments

- 15
- and Policy Instrument, 2022.

 Maldives. Penal Code, Articles 620 and 621 (https://www.law.upenn.edu/live/files/4203-maldives-penal-code-2014).

 Marshall Islands. Criminal Code, 2011, Article 251 (http://rmiparliament.org/cms/images/LEGISLATION/PRINCIPAL/2011/2011-0059/CriminalCode2011_1.pdf).

 Federated States of Micronesia. Chuuk State Code. Title 12, Chapter 28 (http://fsmlaw.org/chuuk/code/title12/T12_CH28.htm).
- 16
- 17
- 18
- 19 Nauru. Crimes Act 2016. Section 107 (https://tbinternet.ohchr.org/Treaties/CEDAW/Shared%20Documents/NRU/INT_CEDAW_ARL_NRU_28029_E.pdf)

Palau. Code of Palau. Anti-Prostitution Act. Chapter 36 (https://www.legal-tools.org/doc/1c32a2/pdf/).

Philippines. Penal Code, Article 202 (https://www.un.org/depts/los/LEGISLATIONANDTREATIES/PDFFILES/PHL_revised_penal_code.pdf) Samoa. Crimes Act 2013, Sections 72-76 (https://www.ilo.org/dyn/natlex/natlex4.detail?p_isn=93579&p_lang=en). Solomon Islands. Penal Code, Section 153 (http://www.paclii.org/sb/legis/consol_act/pc66/). 22 23 24 25 Timor-Leste. Penal Code, Article 174 (https://natlex.ilo.org/dyn/natlex2/r/natlex2fe/details?p3_isn=106091).
Tonga. Criminal Offences Act, Section 81 (https://ago.gov.to/cms/images/LEGISLATION/PRINCIPAL/1924/1924-0010/CriminalOffencesAct_2.pdf). 26 27 Tuvalu. Penal Code, Sections 145 and 146 (https://tuvalu-legislation.tv/cms/images/LEGISLATION/PRINCIPAL/1965/1965-0007/1965-0007_2.pdf). Vanuatu. Penal Code, Section 148 (https://natlex.ilo.org/dyn/natlex/fr/natlex/fe/details?p3_isn=105150). Viet Nam. Criminal Code, Articles 327-328 (https://derechos.org/intlaw/doc/vnm1.html). 28 29 30 ILGA. World database (https://database.ilga.org/).
Bangladesh. Penal Code, Article 377 (http://bdlaws.minlaw.gov.bd/act-11/section-3233.html). Bangiadesh. Penal Code, Article 37 (http://bdiaws.miniaw.gov.bd/act-1/section-323).html). Bhutan. Penal Code (Amendment), 2021 (https://oag.gov.bt/wp-content/uploads/2021/04/Penal_Code_Amendment_Act_of_Bhutan_2021.pdf). Avarua: Government of Cook Islands. Crimes (Sexual Offences) Amendment Bill, 2023 (https://parliament.gov.ck/parliamentary-business/bills/, accessed 6 July 2023). Indonesia. Aceh (Syariah Law 2014); Provincial Ordinance on the Eradication of Immoral Behaviour (No. 13/2002) in South Sumatra. Kiribati. Penal Code [Cap 67], Revised Edition 1977, section 153, 154, and 155 (https://www.ilo.org/dyn/natlex/natlex4.detail?p_lang=en&p_ isn=70701&p_country=KIR&p_ 31 32 33 34 count=62&p_classification=01&p_classcount=21). Papua New Guinea. Criminal Code, Section 210 (http://www.paclii.org/pg/legis/consol_act/cca1974115.pdf).
Republic of Korea. Military Criminal Act, Article 92-6 (https://elaw.klri.re.kr/eng_service/lawView.do?hseq=40239&lang=ENG). 35 36 Sri Lanka. Penal Code, Article 365 (http://hrlibrary.umn.edu/research/srilanka/statutes/Penal_Code.pdf).

Australia. Drugs of Dependence (Personal Use) Amendment Bill, 2021 (https://www.legislation.act.gov.au/b/db_63822/) 37 38 39 40 Kuensel Online. The laws & drugs, 2019 (https://kuenselonline.com/the-laws-drugs/). Brunei Darussalam. Drug Laws (https://www.narcotics.gov.bn/SitePages/Drug%20Laws.aspx). 41 India. The Narcotic Drugs and Psychotropic Substances Act, 1985 (https://legislative.gov.in/sites/default/files/A1985-61.pdf). Maldives. UNGASS Goals on Control of Precursors - South Asia (https://www.unodc.org/pdf/india/publications/ungass_Goals/19_annexureiv-countryreport-maldives.pdf). Marshall Islands. Narcotics Drugs (Prohibition and Control), Act 1987 (http://www.paclii.org/mh/legis/consol_act/ndaca1987390/). 42 43 Marshall Islands. Narcotics Drugs (Prohibition and Control), Act 198/ (http://www.paclii.org/mh/legis/consol_act/ndaca198/390/).
Palau. Public Health, Safety and Welfare, Title 34 (http://www.paclii.org/pw/legis/consol_act_2019/na1967114.pdf).
Samoa. Narcotics Act 1967, Section 18 (http://www.paclii.org/ws/legis/consol_act_2019/na1967114.pdf).
Timor-Leste. Lei n.º 2/ 2017, de 25 de Lei n.º 2/2017, de 25 de Aprova a lei de combate ao tráfico e consumo ilícito de droga (https://www.mj.gov.tl/jornal/public/docs/2017/ traducao/Traducao_Lei_Combate_Droga%20final_1.pdf).
HIV Justice Network. Amsterdam: HIV Justice Foundation; 2022 (https://www.hivjustice.net).
Penal Code of Bhutan Article 410 (https://www.warnathgroup.com/wp-content/uploads/2015/03/Bhutan-Penal-Code.pdf).
China. Decree of the State Council (No. 457 of 2006), Articles 38 and 62 (https://www.yumpu.com/en/document/read/27920310/decree-of-the-state-council-of-the-peoples-possessite of the state Council (No. 457 of 2006), Articles 38 and 62 (https://www.yumpu.com/en/document/read/27920310/decree-of-the-state-council-of-the-peoples-possessite of the state Council (No. 457 of 2006), Articles 38 and 62 (https://www.yumpu.com/en/document/read/27920310/decree-of-the-state-council-of-the-peoples-possessite of the state Council (No. 457 of 2006), Articles 38 and 62 (https://www.yumpu.com/en/document/read/27920310/decree-of-the-state-council-of-the-peoples-possessite of the state Council (No. 457 of 2006), Articles 38 and 62 (https://www.yumpu.com/en/document/read/27920310/decree-of-the-state-council-of-the-peoples-possessite of the state Council (No. 457 of 2006), Articles 38 and 62 (https://www.yumpu.com/en/document/read/27920310/decree-of-the-state-council-of-the-peoples-possessite of the state Council (No. 457 of 2006), Articles 38 and 62 (https://www.yumpu.com/en/document/read/27920310/decree-of-the-state-council-of-the-peoples-possessite of the state Council (No. 457 of 2006), Articles 38 and 62 (https://www.yumpu.com/en/document/read/27920310/decree-of-the 44 45 46 47 48 49 republic-of-china-no-457).
Fiji. Penal Code, Section 193 (http://www.paclii.org/fj/legis/consol_act_OK/pc66/). 50 Thir ena Code, Articles 269-270 (https://www.indiacode.nic.in/handle/123456789/2263?view_type=search&sam_handle=123456789/1362).

Malaysia. Penal Code, Articles 269-270 (https://www.indiacode.nic.in/handle/123456789/2263?view_type=search&sam_handle=123456789/1362).

Malaysia. Penal Code, Articles 269-270 (https://www.ilo.org/dyn/natlex/docs/ELECTRONIC/61339/117909/F-833274986/MYS61339%202018.pdf). 51 Marshall Islands. Communicable Diseases Prevention and Control Act 1988, Section 1511 (https://rmiparliament.org/cms/images/LEGISLATION/PRINCIPAL/1988/1988-0028/CommunicableDiseasesPreventionandControlAct1988_1.pdf). 53 Mongolia. Criminal Code (Revised), Article 105 (https://www.warnathgroup.com/wp-content/uploads/2015/03/Mongolia-Criminal-Code.pdf). 54 55 Nepal. National Penal Code (Revised) Act, 2017, Article 105 (https://www.moljpa.gov.np/en/wp-content/uploads/2018/12/Penal-Code-English-Revised-1.pdf). Pakistan. Penal Code and Sindh Act No. LII of 2013 - HIV and Aids Control, Treatment and Protection Act. 56 57 Sri Lanka.Penal Code, Articles 262-263 (http://hrlibrary.umn.edu/research/srilanka/statutes/Penal_Code.pdf). Viet Nam. Law on HIV/AIDS Prevention and Control (https://datafiles.chinhphu.vn/cpp/files/vbpg/2021/02/71.siqned.pdf). 58 Net Nam. Law on FIV/AIDS Prevention and Control (https://datafiles.cninnpnu.vn/cpp/files/vpoq/2021/02/11.signed.pdf).

Bhutan. Legal Environment Assessment of HIV, 2016 (https://hivlawcommission.org/wp-content/uploads/2019/10/LEA-Report-Bhutan-FINAL_2016.pdf), National Guidelines for HIV Counseling and Testing, 2021 (https://www.moh.gov.bt/wp-content/uploads/21/2/National-Guidelines-on-HIV-Counseling-and-Testing-2021.pdf).


Maldives. Guidelines for the Establishment of Voluntary Counseling and Testing Centers, 2009 (https://website.hpa.gov.mv/wp-content/uploads/2023/04/Guidelines-for-the-Establishment-of-Voluntary-Counselling-and-Testing-Centers-in-the-Maldives-.pdf); Law No 6/2014. Penal Code (https://www.law.upenn.edu/live/files/4203-maldives-penal-59 60 61 Philippines. Republic Act No. 11166, Section 29 (https://lawphil.net/statutes/repacts/ra2018/ra_11166_2018.html#:~:text=%2D%20Unless%20otherwise%20provided%20in%20

Figure 1.7 Resource availability for HIV, Asia and the Pacific, 2010–2023

Section, has %20 been %20 exposed %20 to %20 HIV).

Problem of Adolescent Pregnancy, 2019.

63



Sri Lanka. National HIV Testing Guideline, 2023 (https://www.aidscontrol.gov.lk/images/publications/guidelines/National_testing_guideline_2023.pdf).
Thailand. Guidelines for the Implementation of the Ministerial Regulation Determining the Types of Services, Facilities and the Facility Operations for Preventing and Solving the

Source: UNAIDS financial estimates, July, 2024 (http://hivfinancial.unaids.org/hivfinancialdashboards.html).

REFERENCES

- 1
- Korenromp EL, Sabin K, Stover J, Brown T, Johnson LF, Martin-Hughes R, et al. New HIV infections among key populations and their partners in 2010 and 2022, by world region: a multisources estimation. J Acquir Immune Defic Syndr. 2024;95(1S):e34–e45.

 Putting young key populations first: HIV and young people from key populations in the Asia and Pacific region 2022. Geneva: Joint United Nations Programme on HIV/AIDS; 2022 (https://www.aidsdatahub.org/sites/default/files/resource/unaids-2022-hiv-young-people-key-populations-ap-2022.pdf).

 Bartlett-Imadegawa R, Imahashi R. LGBT- rights in Asia: small steps forward and big steps back. Tokyo: Nikkei Asia; 2022 (https://asia.nikkei.com/Spotlight/Asia-Insight/LGBT-rights-in-2
- 3
- Bartiett-imadegawa K, Imanashi K. LGG1+ rights in Asia: small steps forward and big steps back. Tokyo: Nikkel Asia; 2022 (https://asia.nikkel.com/spotlight/Asia-insight/LGG1+ rights-in-Asia-Small-steps-forward-and-big-steps-back).

 Recognizing, documenting, and addressing anti-gender opposition. New York: GATE; 2024 (https://gate.ngo/wp-content/uploads/2024/02/2024-GATE-Recognizing_Documenting_and_Addressing_Anti-Gender_Opposition.pdf).

 Big data analysis on hate speech and misogyny in four countries: Bangladesh, Indonesia, the Philippines and Thailand. Bangkok: UN Women Regional Office for Asia and the Pacific (https://asiapacific.unwomen.org/sites/default/files/2023-03/ap-pve-big-data-misogyny-brief-s.pdf).

AFGHANISTAN

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	610	930	1700
	[<500–1800]	[<500–3600]	[<500–9200]
New HIV infections (0–14)	<100	<100	<100
	[<100-<100]	[<100- <200]	[<100- <500]
New HIV infections (15-24)	<200	<500	<500
	[<100- <500]	[<100–980]	[<100–2600]
New HIV infections (women, 15+)	<100	<200	<200
	[<100-<500]	[<100- <500]	[<100–820]
New HIV infections (men, 15+)	<500	770	1500
	[<200–1400]	[<500–3000]	[<500–8100]
HIV incidence as new infections per 1000 uninfected population	<0.1 [<0.01–<0.1]	<0.1 [<0.01–0.11]	<0.1 [<0.01–0.22]
AIDS-related deaths			
AIDS-related deaths (all ages)	<500	<500	620
	[<200–550]	[<200–900]	[<200–2500]
AIDS-related deaths (0–14)	<100	<100	<100
	[<100-<100]	[<100- <100]	[<100- <200]
AIDS-related deaths (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <200]	[<100- <500]
AIDS-related deaths (men, 15+)	<200	<500	520
	[<100- <500]	[<200–690]	[<200–2200]
People living with HIV			
People living with HIV (all ages)	4100	6500	13 000
	[1900–10 000]	[2900–20 000]	[4200–54 000]
People living with HIV (0-14)	<200	<500	<500
	[<100- <500]	[<200–560]	[<200–1100]
People living with HIV (women, 15+)	710	990	1600
	[<500–1800]	[<500–2900]	[620–6400]
People living with HIV (men, 15+)	3200	5300	11 000
	[1500–8200]	[2300–16 000]	[3500–47 000]
HIV prevalence (15–49) (%)	<0.1 [<0.1–<0.1]	<0.1 [<0.1–0.1]	<0.1 [<0.1–0.2]


LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	No
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	Yes, imprisonment (up to 14 years)
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 18 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV		
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		•••
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND VIC	LENC	E
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in		

hitting or beating his wife for specific reasons


EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2023	224 978	0	0	0	0	3 765 503

EPIDEMIC TRANSITION METRICS



3 000 people 2 500 2 000 of 1 500 Number 1 000 500 2010 - AIDS-related deaths

80 60 监 40 20 0 2010 Incidence:prevalence • • • • • Target



Change in new **HIV** infections **175%** since 2010

Change in AIDS-168% related deaths since 2010

Incidence: = 13.3 prevalence ratio

Incidence: 2.41 mortality ratio


KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population					
HIV prevalence					
HIV testing and status awareness					
Antiretroviral therapy coverage					
Condom use					
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	19 [8–36]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV TESTING AND TREATMENT CASCADE



HIV PREVENTION

Prevalence of adults (15+) living with HIV with unsuppressed viral load	<0.1%
Knowledge of HIV prevention among young	

people aged 15-24 years

— Women — Men

Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15-49 years

— Men

Women aged 15-49 years who have their demand for family planning satisfied by modern methods

— Women

Not Men aged 15-49 years who are circumcised applicable

Voluntary medical male circumcisions Not performed according to national standards applicable

People who received PrEP at least once

— Use of sterile injecting equipment at last injection

during the reporting period

Harm reduction

- Needles and syringes distributed per person who injects
 - Coverage of agonist maintenance therapy
- Naloxone available (2024) Yes

ELIMINATION OF VERTICAL TRANSMISSION

	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	7% [2–15%]	21% [5–58%]
Final vertical transmission rate including during breastfeeding	44.1% [39.4–50.0%]	39.0% [26.8–47.2%]
Early infant diagnosis	% [–%]	2.9% [0.7–8.0%]

AUSTRALIA

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	1100	950	
	[1100–1100]	[900–1000]	[–]
New HIV infections (0–14)			
	[–]	[–]	[]
New HIV infections (15-24)	<100	<100	
	[<100- <200]	[<100-<100]	[]
New HIV infections (women, 15+)	<200	<100	
	[<200- <200]	[<100- <200]	[]
New HIV infections (men, 15+)	970	850	
	[930–1000]	[800–900]	[]
HIV incidence as new infections per 1000 uninfected population	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]	[]
AIDS-related deaths			
AIDS-related deaths (all ages)	<200	<100	<100
	[<100- <200]	[<100- <200]	[<100- <200]
AIDS-related deaths (0–14)			
	[–]	[]	[–]
AIDS-related deaths (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (men, 15+)	<200	<100	<100
	[<100- <200]	[<100-<100]	[<100- <100]
People living with HIV			
People living with HIV (all ages)	20 000	25 000	29 000
	[19 000–22 000]	[23 000–27 000]	[26 000–33 000]
People living with HIV (0–14)			
	[–]	[–]	[]
People living with HIV (women, 15+)	2500	3000	3700
	[2300–2700]	[2800–3300]	[3300–4100]
People living with HIV (men, 15+)	18 000	22 000	25 000
	[17 000–20 000]	[20 000–24 000]	[22 000–29 000]
HIV prevalence (15–49) (%)	0.1 [<0.1–0.1]	0.1 [<0.1–0.1]	<0.1 [<0.1–0.1]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	No, but the general law has been used to prosecute cases in the past 10 years
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	No
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	Require HIV testing or disclosure for some permits
Parental consent for adolescents to access HIV testing	Data not available
Spousal consent for married women to access sexual and reproductive health services	Data not available
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Data not available

	STIGMA A	AND DISC	CRIMINATIO	NC
--	----------	----------	------------	----

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV

Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months


Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months

GENDER INEQUALITY AND VIOLENCE

Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months

Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons

EPIDEMIC TRANSITION METRICS



^{*} The incidence:mortality in 2023 is not published if the country has not achieved antiretroviral therapy coverage of 91% (95% x 95%) or higher (the testing and treatment target for 2025).

KEY POPULATIONS					
	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population	•••				38 800
HIV prevalence					
HIV testing and status awareness					
Antiretroviral therapy coverage					
Condom use					
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

Prevalence of adults (15+) living with HIV with unsuppressed viral load	
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period (2023)	45 244
Harm reduction	
 Use of sterile injecting equipment at last injection (2018) 	73%
 Needles and syringes distributed per person who injects 	
 Coverage of agonist maintenance therapy 	
— Naloxone available (2024)	Data not available

HIV PREVENTION

BANGLADESH

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	950	1300	1100
	[940–960]	[1300–1300]	[1100–1100]
New HIV infections (0–14)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100-<100]
New HIV infections (15-24)	<500	<500	<500
	[<200- <500]	[<500-<500]	[<200-<500]
New HIV infections (women, 15+)	<500	<500	<500
	[<500-<500]	[<500-<500]	[<500-<500]
New HIV infections (men, 15+)	590	900	710
	[590–590]	[900–900]	[710–710]
HIV incidence as new infections per 1000 uninfected population	<0.01 [<0.01–<0.01]	<0.01 [<0.01–<0.01]	<0.01 [<0.01–<0.01]
AIDS-related deaths			
AIDS-related deaths (all ages)	<500	<500	<500
	[<500-<500]	[<500-<500]	[<500-<500]
AIDS-related deaths (0–14)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (women, 15+)	<100	<200	<200
	[<100- <100]	[<200- <200]	[<200- <200]
AIDS-related deaths (men, 15+)	<200	<500	<500
	[<200- <500]	[<500- <500]	[<500-<500]
People living with HIV			
People living with HIV (all ages)	7200	11 000	15 000
	[7100–7300]	[11 000–11 000]	[15 000–16 000]
People living with HIV (0-14)	<200	<500	<500
	[<200- <200]	[<500-<500]	[<500- <500]
People living with HIV (women, 15+)	2100	3300	5000
	[2100–2100]	[3300–3400]	[4900–5200]
People living with HIV (men, 15+)	4900	7200	10 000
	[4800–5000]	[7000–7400]	[9600–11 000]
HIV prevalence (15–49) (%)	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]


No, but the general law has been used to prosecute cases in the past 10 years
Yes
Yes, imprisonment (14 years - life)
Yes
No
No restrictions
Yes, for adolescents younger than 18 years
No
No

Percentage of women and men aged 15–49 years who report discriminatory attitudes	2013	2019
towards people living with HIV		
(2019 refers to women only)	34.6	44.7
Percentage of people living with HIV who		
report experienced stigma and discrimination in the general community in the last 12 months		
Percentage of people living with HIV who report experiences of HIV-related		
discrimination in health-care settings in the last		
12 months		
	OLEN	CE
GENDER INEQUALITY AND VI	OLEN	CE
GENDER INEQUALITY AND VI Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate	OLEN	CE
GENDER INEQUALITY AND VI Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate	OLEN	
GENDER INEQUALITY AND VI Proportion of ever-married or partnered women aged 15–49 years who experienced	OLEN	 2019


EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	2 162 624	0	0	6 231 779	154 826	8 549 229

(Refers to women only)

EPIDEMIC TRANSITION METRICS



700 600 500 400 200 100 2010 AIDS-related deaths 15
10
2010
Incidence:prevalence ratio
Target



Change in new
HIV infections
since 2010

Change in new

Elivation = 20%

Change in AIDSrelated deaths = 56% since 2010 Incidence:
prevalence = 7.4
ratio

Incidence: = 2

2.31


KEY POPULATIONS Men who People who People in Sex workers have sex inject drugs people prisons with men Estimated size of population **HIV** prevalence 0.1% 1.7% 2.4% 0.9% HIV testing and status 100%** 100%** 100%** 100%** awareness **Antiretroviral therapy** 84.8%** coverage 73.7% 53.2% 48.6% 40% Condom use Coverage of HIV prevention 73.4% 53.7% 64.5% programmes Avoidance of health care

because of stigma and 6.8% 4.3% 13.1% 28.3% discrimination

Experience of sexual and/or

physical violence

HIV TESTING AND TREATMENT CASCADE



All ages	62% [60–65%]	49% [47–51%]	44% [42–46%]
	9602	7560	6826
Children (0-14)	88% [79–95%]	86% [78–94%]	53% [47–57%]
	354	349	214
Women (15+)	58% [56–60%]	48% [46–50%]	44% [42–46%]
	2925	2410	2216
Men (15+)	63% [60–66%]	48% [46–50%]	44% [42–46%]
	6323	4801	4397

ELIMINATION OF VERTICAL TRANSMISSION

	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	20% [18–23%]	28% [25–32%]
Final vertical transmission rate including during breastfeeding	49.9% [47.7–52.3%]	44.5% [42.6–46.4%]
Early infant diagnosis	13.3% [11.7–15.3%]	13.5% [12.2–15.4%]

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	740 [380–1200]
People living with HIV who started TB preventive therapy (2023)	8%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV PREVENTION

Prevalence of adults (15+) living with HIV with unsuppressed viral load

<0.1%

Knowledge of HIV prevention among young people aged 15–24 years

— Women

— Men

...

Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years

— Women

— Men

...

Women aged 15–49 years who have their demand for family planning satisfied by modern methods (2022)

73.9%

Men aged 15–49 years who are circumcised

Not applicable

Voluntary medical male circumcisions performed according to national standards

Not applicable

People who received PrEP at least once during the reporting period (2022)

206

95.4%

233

Harm reduction

- Use of sterile injecting equipment at last injection (2020)
- Needles and syringes distributed per person who injects (2020)
 - Coverage of agonist maintenance therapy (2021) 9.6%
- Naloxone available (2024) No

^{**} Programme data—not representative.

BHUTAN

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	<100	<100	<100
	[<100– <200]	[<100- <200]	[<100- <200]
New HIV infections (0–14)			
	[]	[]	[–]
New HIV infections (15-24)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100-<100]
New HIV infections (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (men, 15+)	<100	<100	<100
	[<100-<100]	[<100- <100]	[<100- <100]
HIV incidence as new infections per 1000 uninfected population	0.13 [0.11–0.15]	0.11 [<0.1–0.14]	<0.1 [<0.1–0.15]
AIDS-related deaths			
AIDS-related deaths (all ages)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (0–14)			
	[–]	[–]	[]
AIDS-related deaths (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (men, 15+)	<100	<100	<100
	[<100-<100]	[<100- <100]	[<100- <100]
People living with HIV			
People living with HIV (all ages)	820	980	1300
	[720–920]	[830–1100]	[1000–1600]
People living with HIV (0–14)			
	[–]	[–]	[–]
People living with HIV (women, 15+)	<500	<500	550
	[<500-<500]	[<500- <500]	[<500–680]
People living with HIV (men, 15+)	<500	530	690
	[<500–520]	[<500–590]	[520–870]
HIV prevalence (15–49) (%)	0.2 [0.2–0.2]	0.2 [0.2–0.2]	0.2 [0.2–0.3]


LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, under law covering communicable diseases not specifically mentioning HIV
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	No law requiring parental/guardian consent
Spousal consent for married women to access sexual and reproductive health services	Data not available
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV		
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		•••
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND VIC	DLEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		


Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons

EXPENDITURES (in US dollars)						
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	0	0	0	249 549	0	249 549


EPIDEMIC TRANSITION METRICS




Change in new
HIV infections = -17%
since 2010



Change in AIDSrelated deaths = -27% since 2010



Incidence:
prevalence = 5.9
ratio




Incidence: = 2

KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population	600				
HIV prevalence					
HIV testing and status awareness					
Antiretroviral therapy coverage					
Condom use					
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TRANSMISSION

	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	% [–%]	% [–%]
Final vertical transmission rate including during breastfeeding	% [–%]	% [–%]
Early infant diagnosis	% [–%]	% [–%]

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	9 [3–19]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV PREVENTION

Prevalence of adults (15+) living with HIV with unsuppressed viral load	0.1%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	

Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years

_	Women	
_	Men	

Women aged 15–49 years who have their demand for family planning satisfied by modern methods

Men aged 15–49 years who are circumcised	Not applicable	
Voluntary medical male circumcisions performed according to national standards	Not applicable	
People who received PrEP at least once during the reporting period		

Harm reduction

- Use of sterile injecting equipment at last injection
- Needles and syringes distributed per person who injects
- Coverage of agonist maintenance therapy
- Naloxone available (2024) Data not available

BRUNEI DARUSSALAM

KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population					
HIV prevalence					0.5%
HIV testing and status awareness					
Antiretroviral therapy coverage					
Condom use					
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

HIV TESTING AND TREATMENT CASCADE

	1				100%
with HIV	1 1				75%
Number of people living with HIV	1 1 0				50%
Number of	0 0				25%
	0	People living with HIV who know their status	People living with HIV on treatment	People living with HIV who are virally suppressed	0%
All ages		% [–%]	% [%]	% [–%]	
Childrer	n (0–1	4)% [%]	% [%]	% [%]	
Women	(15+	% [–%]	% [%]	% [–%]	
Men (15	+)	% [–%]	% [–%] 	% [–%]	

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	6 [2–13]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period (2023)	1
Harm reduction	
 Use of sterile injecting equipment at last injection 	
 Needles and syringes distributed per person who injects 	
 Coverage of agonist maintenance therapy 	
— Naloxone available (2024)	No

EXPENDITURES (in US dollars)

	runding sources					
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	0	0	0	0	0	0

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	Yes, imprisonment (up to 14 years)
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	Yes
Laws or policies restricting the entry, stay and residence of people living with HIV	Deport, prohibit short- and/or long- stay and require HIV testing or disclosure for some permits

Parental consent for adolescents to access HIV No law requiring parental/guardian

Spousal consent for married women to access

Mandatory HIV testing for marriage, work or

sexual and reproductive health services

residence permits or for certain groups

consent

STIGMA AND DISCRIMINATION

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV

. ...

Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months

...

Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months

GENDER INEQUALITY AND VIOLENCE

Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months

•••

Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons

CAMBODIA

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	2200	1600	1200
	[2000–2400]	[1400–1700]	[1100–1300]
New HIV infections (0–14)	<500	<200	<100
	[<500-<500]	[<200- <500]	[<100- <100]
New HIV infections (15-24)	790	680	520
	[630–900]	[530–790]	[<500–610]
New HIV infections (women, 15+)	920	510	<500
	[820–1000]	[<500–550]	[<200- <500]
New HIV infections (men, 15+)	880	920	940
	[790–970]	[840–1000]	[850–1000]
HIV incidence as new infections per 1000 uninfected population	0.16 [0.14–0.17]	0.11 [<0.1–0.12]	<0.1 [<0.1– <0.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	1700	2100	1100
	[1300–2200]	[1400–2700]	[720–1400]
AIDS-related deaths (0–14)	<500	<200	<100
	[<200- <500]	[<100- <200]	[<100- <100]
AIDS-related deaths (women, 15+)	650	890	580
	[<500–890]	[580–1200]	[<500–810]
AIDS-related deaths (men, 15+)	790	1000	<500
	[610–1000]	[760–1400]	[<500–630]
People living with HIV			
People living with HIV (all ages)	84 000	81 000	76 000
	[74 000–93 000]	[72 000–91 000]	[65 000–87 000]
People living with HIV (0–14)	5500	4300	1700
	[4700–6300]	[3600–4900]	[1400–2000]
People living with HIV (women, 15+)	41 000	40 000	36 000
	[36 000–45 000]	[35 000–44 000]	[30 000–42 000]
People living with HIV (men, 15+)	38 000	37 000	38 000
	[33 000–42 000]	[33 000–43 000]	[32 000–45 000]
HIV prevalence (15-49) (%)	0.9 [0.8–1.0]	0.8 [0.7–0.9]	0.5 [0.4–0.6]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 18 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No


Percentage of women aged 15–49 years who report discriminatory attitudes towards people living with HIV	•••	2022
		12.7
Percentage of people living with HIV who report experienced stigma and discrimination		2019
in the general community in the last 12 months		13.3
Percentage of people living with HIV who report experiences of HIV-related		
discrimination in health-care settings in the last 12 months		

Proportion of ever-married or partnered women aged 15–49 years who experienced	2022
physical or sexual violence from a male intimate partner in the past 12 months	5.4
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in	2022
hitting or beating his wife for specific reasons	30.6


EXPENDITURES (in US dollars)

Funding sources						
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	9 730 098	1 734 420	4 786 621	11 248 214	2 248 649	31 565 694


EPIDEMIC TRANSITION METRICS




Change in new
HIV infections = -45%
since 2010



Change in AIDSrelated deaths = -36% since 2010



Incidence:
prevalence = 1.6
ratio




Incidence: = 0.76

KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population	52 300	94 000		15 700	
HIV prevalence	4.9%	5.5%		13.5%	1.7%
HIV testing and status awareness	59.8%	88.3%		88.4%	
Antiretroviral therapy coverage		95.5%		100%**	100%**
Condom use	93.8%	88.8%		93.1%	
Coverage of HIV prevention programmes	70.1%				
Avoidance of health care because of stigma and discrimination	17.7%				
Experience of sexual and/or physical violence	13.6%	4%			

** Programme data—not representative.

HIV TESTING AND TREATMENT CASCADE



ELIBRIBLA TIONI	OF VEDT	LCAL TOAN	ICRAICCIONI
ELIMINATION	OF VERI	ICAL IKAN	12M12210N

	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	75% [66–88%]	97% [86–100%]
Final vertical transmission rate including during breastfeeding	17.1% [13.7–20.3%]	7.8% [7.4–8.6%]
Early infant diagnosis	71.8% [63.0–83.6%]	75.4% [66.8–86.3%]

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	740 [460–1100]
People living with HIV who started TB preventive therapy (2023)	49.7%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV PREVENTION

Prevalence of adults (15+) living with HIV with unsuppressed viral load

. . .

<0.1%

Knowledge of HIV prevention among young people aged 15–24 years

— Women

— Men

Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years (2021)

 — Women
 47.3%

 — Men
 75.6%

Women aged 15–49 years who have their demand for family planning satisfied by modern methods (2022)

60.8%

Men aged 15–49 years who are circumcised

Not applicable

Voluntary medical male circumcisions performed according to national standards

People who received PrEP at least once

Not applicable

during the reporting period (2023)

8985

168

Harm reduction

- Use of sterile injecting equipment at last injection
- Needles and syringes distributed per person who injects (2020)
 - Coverage of agonist maintenance therapy (2022) 2.5%
- Naloxone available (2024) Yes

CHINA


KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population					
HIV prevalence	0.1%	4.1%	4.9%		
HIV testing and status awareness	47.6%**	63.1%**	55.7%**		
Antiretroviral therapy coverage		95.7%**	91.2%**		
Condom use	94.6%	88.1%	63.2%		
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

^{**} Programme data—not representative.

Last available report: 2023

HIV TESTING AND TREATMENT CASCADE



986 447 257

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	9500 [8000 –11 000]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	

Men aged 15–49 years who are circumcised	applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period	
Harm reduction	
 Use of sterile injecting equipment at last injection 	

person who injects (2019)	240
— Coverage of agonist maintenance	
therapy	

246

999 845 288

— Needles and syringes distributed per

_	Naloxone available	(2024)	Nο
	TVAIONOTIC AVAIIABIC	(2027)	140

419 128

EXPENDITURES (in US dollars) **Funding sources** International: International: International: Domestic public Total Domestic private PEPFAR Global Fund all others

0

0

12 978 903

LAWS AND POLICIES

Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No specific legislation
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 18 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No

STIGMA AND DISCRIMINATION

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV

. ...

Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months

...

Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months

...

GENDER INEQUALITY AND VIOLENCE

Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months


•••

Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons

...


FIJI

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	<200	<200	<500
	[<100- <200]	[<200-<500]	[<200–710]
New HIV infections (0–14)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (15-24)	<100	<100	<100
	[<100- <100]	[<100-<100]	[<100- <100]
New HIV infections (women, 15+)	<100	<100	<200
	[<100- <100]	[<100- <200]	[<100- <500]
New HIV infections (men, 15+)	<100	<100	<200
	[<100- <100]	[<100- <200]	[<100- <500]
HIV incidence as new infections per 1000 uninfected population	0.12 [<0.1–0.2]	0.19 [0.12–0.37]	0.4 [0.2–0.77]
AIDS-related deaths			
AIDS-related deaths (all ages)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <200]
AIDS-related deaths (0–14)	<100	<100	<100
	[<100–<100]	[<100- <100]	[<100- <100]
AIDS-related deaths (women, 15+)	<100	<100	<100
	[<100-<100]	[<100-<100]	[<100- <100]
AIDS-related deaths (men, 15+)	<100	<100	<100
	[<100-<100]	[<100-<100]	[<100- <100]
People living with HIV			
People living with HIV (all ages)	660	1100	2600
	[520–1000]	[840–1900]	[1700–4800]
People living with HIV (0–14)	<100	<100	<100
	[<100-<100]	[<100-<100]	[<100- <200]
People living with HIV (women, 15+)	<500	500	1200
	[<500-<500]	[<500–870]	[740–2100]
People living with HIV (men, 15+)	<500	590	1300
	[<500–530]	[<500–970]	[830–2500]
HIV prevalence (15–49) (%)	0.1 [<0.1–0.2]	0.2 [0.1–0.3]	0.4 [0.3–0.8]



EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	0	0	0	0	0	0

HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TRANSMISSION				
	2015	2023		
Percentage of pregnant women living with HIV accessing antiretroviral medicines	34% [21–48%]	35% [19–58%]		
Final vertical transmission rate including during breastfeeding	27.6% [24.3–31.1%]	27.9% [23.1–31.1%]		
Early infant diagnosis	31.9% [19.1–44.1%]	53.9% [29.1–89.6%]		


INDIA

KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population					2 255 800
HIV prevalence	1.9%	3.3%	9%	3.8%	1.9%
HIV testing and status awareness	92.6%**	91.2%**	89.7%**	93.7%**	
Antiretroviral therapy coverage	60.0%**	60.0%**	54.4%**	58.2%**	28.7%**
Condom use	97.6%	94.6%	68.7%	96.4%	
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination	26.8%	29.3%	28.8%	9.1%	
Experience of sexual and/or physical violence					

^{**} Programme data—not representative.

HIV TESTING AND TREATMENT CASCADE



HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	42 000 [36 000 –50 000]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years (2020)	
— Women	57.4%
— Men	59%
Women aged 15–49 years who have their demand for family planning satisfied by modern methods (2021)	75.5%

Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period (2022)	2613
Harm reduction	
 Use of sterile injecting equipment at last injection (2021) 	92.8%
 Needles and syringes distributed per person who injects 	
— Coverage of agonist maintenance	

applicable

Yes

Men aged 15-49 years who are circumcised

— Naloxone available (2024)

EXPENDITURES (in US dollars)					
	Fund	ding sources			
Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total

Last available report: 2023	276 542 022	0	0	0	0	276 542 022

2021 44.4

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, under law covering communicable diseases not specifically mentioning HIV
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 18 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	2016	2020
(2020 refers to women only)	32.8	36.9
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		•••
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND VI	OLEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced	2016	2021
physical or sexual violence from a male intimate	22	24

Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons

(Refers to women only)

INDONESIA


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	50 000	41 000	28 000
	[44 000–54 000]	[37 000–45 000]	[25 000–30 000]
New HIV infections (0–14)	3000	3500	2600
	[2600–3600]	[2900–4100]	[2100–3100]
New HIV infections (15-24)	25 000	21 000	13 000
	[19 000–30 000]	[15 000–24 000]	[9600–16 000]
New HIV infections (women, 15+)	17 000	13 000	7000
	[15 000–19 000]	[12 000–15 000]	[6100–7900]
New HIV infections (men, 15+)	30 000	25 000	18 000
	[27 000–33 000]	[22 000–27 000]	[16 000–20 000]
HIV incidence as new infections per 1000 uninfected population	0.2 [0.18–0.22]	0.16 [0.14–0.17]	<0.1 [<0.1–0.11]
AIDS-related deaths			
AIDS-related deaths (all ages)	15 000	25 000	27 000
	[13 000–17 000]	[22 000–28 000]	[24 000–31 000]
AIDS-related deaths (0–14)	1800	2400	2100
	[1500–2100]	[2000–2700]	[1700–2500]
AIDS-related deaths (women, 15+)	2900	6000	9100
	[2600–3500]	[5300–6900]	[7900–10 000]
AIDS-related deaths (men, 15+)	10 000	17 000	16 000
	[8900–12 000]	[15 000–19 000]	[14 000–19 000]
People living with HIV			
People living with HIV (all ages)	420 000	530 000	570 000
	[380 000–470 000]	[490 000–580 000]	[520 000–630 000]
People living with HIV (0-14)	8200	14 000	17 000
	[7100–9300]	[12 000–16 000]	[15 000–19 000]
People living with HIV (women, 15+)	120 000	170 000	180 000
	[110 000–140 000]	[150 000–190 000]	[170 000–200 000]
People living with HIV (men, 15+)	290 000	350 000	370 000
	[270 000–320 000]	[320 000–380 000]	[340 000–410 000]
HIV prevalence (15–49) (%)	0.3 [0.3–0.3]	0.4 [0.3–0.4]	0.4 [0.3–0.4]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	Yes, penalty not specified
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	Yes
Laws or policies restricting the entry, stay and residence of people living with HIV	Prohibit short- and/or long-stay and require HIV testing or disclosure for some permits
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 18 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No


STIGMA AND DISCRIMINATION		
Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV		
Percentage of people living with HIV who report experienced stigma and discrimination		2019
in the general community in the last 12 months		4.6
Percentage of people living with HIV who report experiences of HIV-related		2023
discrimination in health-care settings in the last 12 months		21.5
GENDER INEQUALITY AND VIO	LENG	Œ
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons		


EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2021	0	0	0	0	0	0

EPIDEMIC TRANSITION METRICS



35 000 30 000 25 000 20 000 Number of 15 000 10 000 5 000 2010 - AIDS-related deaths





Change in new -44% **HIV** infections since 2010

Change in AIDS-85% related deaths since 2010

Incidence: = 4.8 prevalence ratio

Incidence: mortality ratio

0.96

Not

92%

Νo


KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population	271 800	847 300		43 100	244 400
HIV prevalence	8%	21.9%	28%	25%	0.9%
HIV testing and status awareness	84.3%	86.0%	75.0%	76.0%	
Antiretroviral therapy coverage	26.7%	43.0%	52.0%	32.0%	
Condom use	70.5%	63%	26%	58%	
Coverage of HIV prevention programmes	18.6%	20%	5%	24%	
Avoidance of health care because of stigma and discrimination	23.1%	16%	31%	34%	
Experience of sexual and/or physical violence	6.1%	4%	11%	10%	

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	25 000 [11 000 –45 000]
People living with HIV who started TB preventive therapy (2023)	6.1%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV TESTING AND TREATMENT CASCADE



HIV PREVENTION

Prevalence	of adults	(15+) living	with	HIV	
with unsum	nressed v	iral load			

Knowledge of HIV prevention among young people aged 15-24 years

— Women

Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15-49 years

— Women

— Men

— Men

Women aged 15-49 years who have their demand for family planning satisfied by

modern methods

Men aged 15-49 years who are circumcised applicable

Voluntary medical male circumcisions Not performed according to national standards applicable

People who received PrEP at least once 6745 during the reporting period (2023)

	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	9% [8–10%]	17% [15–20%]
Final vertical transmission rate including during breastfeeding	31.5% [30.2–32.8%]	29.8% [28.1–31.4%]
Early infant diagnosis	6.6% [5.8–7.8%]	11.8% [10.2–14.1%]

Harm reduction

_	Use of sterile injecting equipment at	
	last injection (2023)	

- Needles and syringes distributed per person who injects (2022)

Coverage of agonist maintenance 1.3% therapy (2022)


Naloxone available (2024)

JAPAN

KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population					
HIV prevalence					
HIV testing and status awareness					
Antiretroviral therapy coverage					
Condom use					
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

HIV TESTING AND TREATMENT CASCADE



HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	61 [22–120]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period	
Harm reduction	
 Use of sterile injecting equipment at last injection 	
 Needles and syringes distributed per person who injects 	
 Coverage of agonist maintenance therapy 	
— Naloxone available (2024)	Data not available

EXPENDITURES (in US dollars)

Funding sources						
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2020	0	0	0	0	0	0

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	No
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Data not available
Criminalization of transgender people	Data not available
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Data not available
Spousal consent for married women to access sexual and reproductive health services	Data not available
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No

STIGMA AND DISCRIMINATION

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV

. ...

Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months

...

Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months

GENDER INEQUALITY AND VIOLENCE

Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months

•••

Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons

...


KIRIBATI

KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population					
HIV prevalence					
HIV testing and status awareness	100%**	100%**		100%**	
Antiretroviral therapy coverage					
Condom use	55.4%				
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

^{**} Programme data—not representative.

HIV TESTING AND TREATMENT CASCADE



HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV PREVENTION

with unsuppressed viral load	
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods (2019)	52.1%
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period	
Harm reduction	
 Use of sterile injecting equipment at last injection 	
 Needles and syringes distributed per person who injects 	
Coverage of agonist maintenance therapy	

EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2020	0	0	0	0	0	0

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, under law covering communicable diseases not specifically mentioning HIV
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	Yes, imprisonment (up to 14 years)
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	No law requiring parental/guardian consent
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No

STIGMA AND DISCRIMINATION

Percentage of women aged 15–49 years who report discriminatory attitudes towards people living with HIV	 2019
	 58.4
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months	•••
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months	

GENDER INEQUALITY AND VIOLENCE

Proportion of ever-married or partnered women aged 15–49 years who experienced	2019
physical or sexual violence from a male intimate partner in the past 12 months	43.4
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in	2019
hitting or beating his wife for specific reasons	58.5

LAO PEOPLE'S DEMOCRATIC REPUBLIC


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	1100	1200	1300
	[970–1200]	[1000–1300]	[1200–1500]
New HIV infections (0–14)	<100	<100	<100
	[<100- <200]	[<100- <200]	[<100- <100]
New HIV infections (15-24)	<500	520	570
	[<500–560]	[<500–600]	[<500–670]
New HIV infections (women, 15+)	<500	<500	<500
	[<500-<500]	[<500-<500]	[<500- <500]
New HIV infections (men, 15+)	590	680	910
	[530–660]	[610–750]	[800–990]
HIV incidence as new infections per 1000 uninfected population	0.17 [0.15–0.19]	0.17 [0.15–0.19]	0.18 [0.15–0.19]
AIDS-related deaths			
AIDS-related deaths (all ages)	<500	<500	<500
	[<200- <500]	[<500-<500]	[<500- <500]
AIDS-related deaths (0–14)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (women, 15+)	<100	<100	<200
	[<100- <100]	[<100- <200]	[<100- <200]
AIDS-related deaths (men, 15+)	<200	<500	<500
	[<200- <200]	[<200-<500]	[<200- <500]
People living with HIV			
People living with HIV (all ages)	9500	13 000	20 000
	[8600–10 000]	[12 000–15 000]	[17 000–22 000]
People living with HIV (0-14)	<500	530	610
	[<500-<500]	[<500–590]	[530–700]
People living with HIV (women, 15+)	3600	5100	7000
	[3300–4000]	[4600–5600]	[6200–7800]
People living with HIV (men, 15+)	5500	7600	12 000
	[4900–6100]	[6900–8400]	[11 000–13 000]
HIV prevalence (15–49) (%)	0.3 [0.2–0.3]	0.3 [0.3–0.4]	0.4 [0.4–0.5]

Yes, a specific crime
Yes
No
Yes
No
No restrictions
Yes, for adolescents younger than 14 years
No
No

STIGMA AND DISCRIMINATION	
Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	
Percentage of people living with HIV who report experienced stigma and discrimination n the general community in the last 12 months	
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months	
GENDER INEQUALITY AND VIOLE	ENCE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months	
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in	2023
hitting or beating his wife for specific reasons	12.5


EXPENDITURES (in US dollars)							
		Fund	ding sources				
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total	
Last available report: 2023	983 782	0	804 540	365 973	639 867	3 520 162	


(Refers to women only)



© 500 0 400 0 300 0 200 100 0 2010 202 AIDS-related deaths

600





Change in new
HIV infections = 23%
since 2010

Change in AIDSrelated deaths = 64% since 2010 Incidence:
prevalence = 6.8
ratio

Incidence: mortality ratio = 3.05

KEY POPULATIONS Men who People who Transgender People in Sex workers have sex inject drugs people prisons with men Estimated size of population **HIV** prevalence 0.8% 4.1% ... HIV testing and status 39.2% 11.5% **Antiretroviral therapy** coverage Condom use 90.6% 35.1% Coverage of HIV prevention 36.8% programmes Avoidance of health care 1.9% 1.7% because of stigma and discrimination Experience of sexual and/or 3.4% 7.7% physical violence

HIV COMORBIDITIES	
Estimated number of incident tuberculosis cases among people living with HIV (2023)	470 [280–710]
People living with HIV who started TB preventive therapy (2023)	63.3%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

ΗI\	/ TES	TING AND TR	EATMENT CAS	CADE
	16 000			
	14 000			
th HI	12 000			
INg Wi	10 000			
le livi	8 000			
Number of people living with HIV	6 000			
nber o	4 000			
Nun	2 000			
	0			
		People living with HIV who kno their status	w People living with HIV on treatment	People living with HIV who are virally suppressed
All ag	ges	77% [68–85%]	60% [53–66%]	58% [52–65%]
		15 022	11 682	11 401
Child	ren (0-1	82% [71–95%] 502	66% [58–76%] 405	59% [51–68%] 359
Wom	ien (15+	83% [74–93%] 5853	64% [57–72%] 4513	63% [56–70%] 4400
Men	(15+)	72% [63–81%] 8667	56% [50–63%] 6764	55% [49–62%] 6643

0.1%
Not applicable
Not applicable
850

— Use of sterile injecting equipment at

— Needles and syringes distributed per

Νo

— Coverage of agonist maintenance

last injection

therapy

person who injects

- Naloxone available (2024)

ELIMINATION OF VERTICAL TRANSMISSION					
	2015	2023			
Percentage of pregnant women living with HIV accessing antiretroviral medicines	16% [14–18%]	63% [55–73%]			
Final vertical transmission rate including during breastfeeding	40.3% [37.7–42.8%]	28.6% [24.7–32.1%]			
Early infant diagnosis	4.9% [4.3–5.8%]	38.1% [33.5–44.6%]			


MALAYSIA

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	5800	4700	2900
	[5300–6300]	[4300–5200]	[2600–3200]
New HIV infections (0–14)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (15-24)	1300	950	520
	[1100–1400]	[840–1000]	[<500–580]
New HIV infections (women, 15+)	900	730	<500
	[770–1000]	[630–800]	[<500- <500]
New HIV infections (men, 15+)	4900	4000	2500
	[4400–5300]	[3600–4400]	[2200–2800]
HIV incidence as new infections per 1000 uninfected population	0.2 [0.18–0.22]	0.15 [0.14–0.17]	<0.1 [<0.1–<0.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	3500	3500	2500
	[2900–4100]	[3000–4000]	[2000–3100]
AIDS-related deaths (0–14)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (women, 15+)	<500	<500	<500
	[<200- <500]	[<500-<500]	[<500–530]
AIDS-related deaths (men, 15+)	3300	3200	2100
	[2700–3800]	[2700–3600]	[1700–2600]
People living with HIV			
People living with HIV (all ages)	74 000	81 000	85 000
	[66 000–81 000]	[73 000–88 000]	[77 000–94 000]
People living with HIV (0-14)	<500	<500	<500
	[<500-<500]	[<500- <500]	[<200- <500]
People living with HIV (women, 15+)	12 000	14 000	16 000
	[10 000–13 000]	[13 000–16 000]	[14 000–18 000]
People living with HIV (men, 15+)	62 000	66 000	69 000
	[55 000–68 000]	[60 000–71 000]	[62 000–77 000]
HIV prevalence (15–49) (%)	0.4 [0.3–0.4]	0.4 [0.3–0.4]	0.3 [0.3–0.3]

LAWS AND POLICIES	
LAWS AND FOLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	Yes, penalty not specified
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	Yes
Laws or policies restricting the entry, stay and residence of people living with HIV	Deport, prohibit short- and/or long- stay and require HIV testing or disclosure for some permits
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 18 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes


STIGMA AND DISCRIMINATION	V	
Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV		
		•••
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		•••
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND VIC	OLEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons		

EXPENDITURES (in US dollars)							
		Fund	ding sources				
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total	
Last available report: 2023	17 471 055	1 035 856	0	1 113 551	326 397	19 946 859	



5 000 00 4 000 00 3 000 00 2 000 1 000 2 010 2023 AIDS-related deaths

10 8 6 4 2 2 2010 2023 Incidence:prevalence ratio Target



Change in new
HIV infections = -50%

Change in AIDSrelated deaths = -28% since 2010 Incidence:
prevalence = 3.4
ratio

Incidence: mortality ratio = 0.98

KEY POPULATIONS Men who People who People in Sex workers have sex inject drugs people prisons with men Estimated size of population 60,000 **HIV** prevalence 1.9% 12.9% 7.5% 5.9% HIV testing and status 50.5% 81.1% 78.3% 81.5% **Antiretroviral therapy** coverage 93.8% 75% 10% 91.4% Condom use Coverage of HIV prevention 47% 60.1% 20.6% 65.8% programmes Avoidance of health care 0.8% because of stigma and 6% 2.6% 9.1% discrimination Experience of sexual and/or physical violence

HIV COMORBIDITIES	
Estimated number of incident tuberculosis cases among people living with HIV (2023)	1700 [1300 –2300]
People living with HIV who started TB preventive therapy (2023)	18.9%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment (2019)	

HIV TESTING AND TREATMENT CASCADE



HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	0.2%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable

People who received PrEP at least once

— Use of sterile injecting equipment at

- Needles and syringes distributed per

during the reporting period (2023)

last injection (2022)

therapy (2022)

person who injects (2023)

Coverage of agonist maintenance

Naloxone available (2024)

Harm reduction

3451

80%

7

90.9%

Νo

ELIMINATION OF VERTICAL TRANSMISSION				
	2015	2023		
Percentage of pregnant women living with HIV accessing antiretroviral medicines	74% [65–82%]	100% [87–100%]		
Final vertical transmission rate including during breastfeeding	8.4% [6.7–9.8%]	1.6% [0.9–2.0%]		
Early infant diagnosis	59.8% [53.1_66.9%]	95.1% [82.8_109.6%]		

MONGOLIA


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (0–14)			
	[]	[–]	[–]
New HIV infections (15-24)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (men, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
HIV incidence as new infections per 1000 uninfected population	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (0–14)			
	[–]	[–]	[–]
AIDS-related deaths (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (men, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
People living with HIV			
People living with HIV (all ages)	<500	520	670
	[<500- <500]	[<500–580]	[600–750]
People living with HIV (0–14)			
	[–]	[–]	[–]
People living with HIV (women, 15+)	<100	<100	<200
	[<100- <100]	[<100- <100]	[<100- <200]
People living with HIV (men, 15+)	<500	<500	560
	[<500-<500]	[<500-<500]	[<500–630]
HIV prevalence (15-49) (%)	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 18 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes


Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	2014	
	72.7	
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		•••
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND V	IOLENG	Œ
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in		

hitting or beating his wife for specific reasons

EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2021	1 082 731	104 481	0	1 267 606	0	2 474 731



35 9 30 9 25 4 20 15 10 2010 2023 AIDS-related deaths



Change in new
HIV infections = -5%
since 2010

Change in AIDSrelated deaths = 35% since 2010 Incidence:
prevalence = 6.9
ratio

Incidence: =


1.56

KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population	7300				
HIV prevalence	0%	5.6%	0%		0%
HIV testing and status awareness	96.8%	96.3%			
Antiretroviral therapy coverage		47.7%**			
Condom use	84.7%	80.6%			
Coverage of HIV prevention programmes	24.6%	37.6%			
Avoidance of health care because of stigma and discrimination	18.8%	26.4%			
Experience of sexual and/or physical violence	13.2%	8.6%		27.3%	

** Programme data—not representative.

HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TRANSMISSION

	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	% [–%]	% [–%]
Final vertical transmission rate including during breastfeeding	% [–%]	% [–%]
Early infant diagnosis	% [–%]	% [–%]

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	18 [2–51]
People living with HIV who started TB preventive therapy (2023)	0%
Women who tested positive for HIV among those screened for cervical cancer (programme data) (2019)	100%
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment (2019)	

HIV PREVENTION

Prevalence of adults (15+) living with HIV with unsuppressed viral load

a

<0.1%

Knowledge of HIV prevention among young people aged 15–24 years

— Women

— Men

Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years

— Women

— Men

Women aged 15–49 years who have their demand for family planning satisfied by modern methods

Men aged 15–49 years who are circumcised

applicable

Voluntary medical male circumcisions performed according to national standards

Not applicable

Not

People who received PrEP at least once during the reporting period (2022)

84

Harm reduction

- Use of sterile injecting equipment at last injection
- Needles and syringes distributed per person who injects
- Coverage of agonist maintenance therapy
- Naloxone available (2024) No

MYANMAR

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	17 000	15 000	10 000
	[15 000–19 000]	[13 000–16 000]	[9200–11 000]
New HIV infections (0–14)	1200	810	900
	[860–1500]	[690–940]	[740–1100]
New HIV infections (15-24)	9700	8300	5600
	[7400–11 000]	[6300–9700]	[4100–6600]
New HIV infections (women, 15+)	6800	5500	3300
	[6000–7600]	[4900–6200]	[2900–3600]
New HIV infections (men, 15+)	9100	8200	6200
	[8000–10 000]	[7300–9100]	[5500–6900]
HIV incidence as new infections per 1000 uninfected population	0.35 [0.31–0.39]	0.28 [0.26–0.32]	0.19 [0.17–0.21]
AIDS-related deaths			
AIDS-related deaths (all ages)	12 000	9000	6400
	[11 000–14 000]	[7400–11 000]	[4100–9600]
AIDS-related deaths (0–14)	810	<500	560
	[620–1000]	[<500-<500]	[<500–670]
AIDS-related deaths (women, 15+)	3600	3100	2400
	[3100–4100]	[2400–4000]	[1500–3700]
AIDS-related deaths (men, 15+)	7700	5600	3400
	[6800–8800]	[4600–7100]	[2100–5300]
People living with HIV			
People living with HIV (all ages)	240 000	260 000	280 000
	[220 000–270 000]	[230 000–290 000]	[220 000–340 000]
People living with HIV (0-14)	7100	8100	8500
	[6100–8100]	[7000–9300]	[7100–10 000]
People living with HIV (women, 15+)	94 000	110 000	110 000
	[84 000–100 000]	[93 000–120 000]	[90 000–140 000]
People living with HIV (men, 15+)	140 000	150 000	160 000
	[120 000–160 000]	[120 000–170 000]	[110 000–200 000]
HIV prevalence (15–49) (%)	0.9 [0.7–1.0]	0.9 [0.7–1.0]	0.9 [0.7–1.1]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	No
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	Yes, imprisonment (up to 14 years)
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 18 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No

STIGMA	AND DISCRI	IMINATION
	TITO DISCIT	

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV

.

Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months

Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months

GENDER INEQUALITY AND VIOLENCE


Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months

...

Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons

EXPENDITURES (in US dollars)

	os dollars,					
Funding sources						
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	0	0	0	0	0	0




Number of people 5 000 2010 AIDS-related deaths

15 000

10 000

10 8 6 PR 4 2 0 2010 2023 Incidence:prevalence • • • • • Target



Change in new -39% **HIV** infections since 2010

physical violence

Change in AIDSrelated deaths since 2010


Incidence: = 3.7 prevalence ratio

Incidence: 1.38 mortality ratio

KEY POPULATIONS Men who People who People in Sex workers have sex inject drugs people prisons with men Estimated size of population 77 500 116 400 **HIV** prevalence 4.9% 6% 22.3% 23.5% 2.8% HIV testing and status 41.0% 31.3% awareness **Antiretroviral therapy** 59.1% 44.1% coverage 89.9% 56.8% Condom use Coverage of HIV prevention 50.4% 28.6% programmes Avoidance of health care because of stigma and discrimination Experience of sexual and/or

HIV COMORBIDITIES 20 000 Estimated number of incident tuberculosis [12 000 cases among people living with HIV (2023) -30 0001 People living with HIV who started TB 22% preventive therapy (2023) Cervical cancer screening of women living with HIV People coinfected with HIV and hepatitis C virus starting hepatitis C treatment

HIV TESTING AND TREATMENT CASCADE



HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	0.2%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	•••
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	•••
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once	4468

during the reporting period (2023)

last injection

therapy (2023)

— Use of sterile injecting equipment at

- Needles and syringes distributed per

person who injects (2023) Coverage of agonist maintenance

Naloxone available (2024)

Harm reduction

4468

305

20.6%

Νo

ELIMINATION OF VERTICAL TRANSMISSION					
	2015	2023			
Percentage of pregnant women living with HIV accessing antiretroviral medicines	75% [66–88%]	56% [47–69%]			
Final vertical transmission rate including during breastfeeding	16.6% [15.4–17.8%]	21.0% [19.6–22.5%]			
Early infant diagnosis	16.3% [14 3_19 1%]	29.3% [24.7_36.3%]			




EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	2100	1200	<500
	[1900–2400]	[1100–1300]	[<500- <500]
New HIV infections (0–14)	<500	<200	<100
	[<200- <500]	[<200- <200]	[<100- <100]
New HIV infections (15-24)	<500	<200	<100
	[<500-<500]	[<200- <500]	[<100- <100]
New HIV infections (women, 15+)	930	<500	<200
	[820–1000]	[<500–520]	[<200- <200]
New HIV infections (men, 15+)	990	630	<500
	[880–1100]	[570–700]	[<500- <500]
HIV incidence as new infections per 1000 uninfected population	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	1700	1300	<500
	[1400–2000]	[1000–1500]	[<200- <500]
AIDS-related deaths (0–14)	<200	<100	<100
	[<200–<200]	[<100- <100]	[<100- <100]
AIDS-related deaths (women, 15+)	<500	<500	<100
	[<500-<500]	[<200- <500]	[<100- <200]
AIDS-related deaths (men, 15+)	1300	950	<200
	[1100–1500]	[790–1100]	[<200- <200]
People living with HIV			
People living with HIV (all ages)	34 000	31 000	30 000
	[31 000–37 000]	[29 000–34 000]	[27 000–33 000]
People living with HIV (0-14)	1400	1500	1100
	[1200–1600]	[1300–1700]	[930–1200]
People living with HIV (women, 15+)	11 000	12 000	13 000
	[10 000–12 000]	[11 000–13 000]	[12 000–14 000]
People living with HIV (men, 15+)	21 000	17 000	16 000
	[19 000–24 000]	[16 000–19 000]	[15 000–18 000]
HIV prevalence (15–49) (%)	0.2 [0.2–0.2]	0.2 [0.1–0.2]	0.1 [<0.1–0.1]

Yes, under a law that covers a broader range of communicable diseases and mentions HIV
Yes
No
Yes
No
No restrictions
Yes, for adolescents younger than 16 years
No
No


STIGMA AND DISCRIMINATIO	N	
Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	2016	2019
(2019 refers to women only)	38	33.7
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		•••
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND VI	OLEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced	2016	2022
physical or sexual violence from a male intimate partner in the past 12 months	11.2	12.9
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in		2022
hitting or beating his wife for specific reasons		18.2

EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2023	1 836 644	0	7 553 456	7 951 135	869 021	18 378 830




Change in new
HIV infections = -79%
since 2010

physical violence




Change in AIDSrelated deaths = -86% since 2010



Incidence:
prevalence = 1.5
ratio

HIV COMORBIDITIES



Incidence: = 0.98

KEY POPULATIONS Men who People who Transgender People in Sex workers have sex inject drugs people prisons with men Estimated size of population 85 500 33 900 **HIV** prevalence 2.7% HIV testing and status 98.3% **Antiretroviral therapy** coverage Condom use 66.3% Coverage of HIV prevention programmes Avoidance of health care because of stigma and discrimination Experience of sexual and/or

HIV TESTING AND TREATMENT CASCADE 30 000 25 000 Number of people living with HIV 20 000 15 000 10 000 5 000 0 People living with HIV who know People living with HIV on People living with HIV who are their status treatment virally suppressed All ages 94% [85->98%] 82% [74-90%] 80% [72-87%] 28 481 24 793 24 106 Children (0-14) >98% [86->98%] 91% [78->98%] 79% [68-90%] 1097 860 984 Women (15+) 94% [86->98%] 85% [77-92%] 83% [76-90%] 12 202 10 974 10 774 Men (15+) 94% [85->98%] 79% [72-87%] 77% [69-85%] 15 182 12 835 12 473

ELIMINATION OF VERTICAL TRANSMISSION				
	2015	2023		
Percentage of pregnant women living with HIV accessing antiretroviral medicines	41% [36–49%]	77% [67–89%]		
Final vertical transmission rate including during breastfeeding	36.8% [35.1–38.5%]	22.2% [19.7–24.4%]		
Early infant diagnosis	21.5% [18.6–25.6%]	50.4% [43.9–58.3%]		

HIV COMORBIDITIES	
Estimated number of incident tuberculosis cases among people living with HIV (2023)	430 [230–670]
People living with HIV who started TB preventive therapy (2023)	0.2%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	
HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	<0.1%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years (2022)	
— Women	43.8%
— Men	70.2%
Women aged 15–49 years who have their demand for family planning satisfied by modern methods (2022)	55.1%
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period (2023)	7181
Harm reduction	
 Use of sterile injecting equipment at last injection (2020) 	96.2%
 Needles and syringes distributed per person who injects (2023) 	112
 Coverage of agonist maintenance therapy (2023) 	3.6%
111 (2024)	N.I

Naloxone available (2024)

No


NEW ZEALAND

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	<200	<200	<100
	[<200-<200]	[<200–<200]	[<100-<100]
New HIV infections (0–14)			
	[–]	[–]	[–]
New HIV infections (15-24)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (men, 15+)	<200	<200	<100
	[<100- <200]	[<100- <200]	[<100- <100]
HIV incidence as new infections per 1000 uninfected population	<0.1 [<0.1– <0.1]	<0.1 [<0.1–<0.1]	<0.01 [<0.01-<0.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100-<100]
AIDS-related deaths (0–14)			
	[–]	[–]	[–]
AIDS-related deaths (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (men, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
People living with HIV			
People living with HIV (all ages)	2400	3000	3600
	[2000–2700]	[2600–3400]	[3100–4200]
People living with HIV (0–14)			
	[–]	[–]	[–]
People living with HIV (women, 15+)	<500	<500	590
	[<500- <500]	[<500–540]	[510–670]
People living with HIV (men, 15+)	2000	2500	3000
	[1600–2300]	[2100–2900]	[2500–3500]
HIV prevalence (15–49) (%)	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	No, but the general law has been used to prosecute cases in the past 10 years
Criminalization of sex work among consenting adults	No
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	Require HIV testing or disclosure for some permits
Parental consent for adolescents to access HIV testing	No law requiring parental/guardian consent
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes

STIGMA AND DISCRIMINATIO	N	
Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV		
Percentage of people living with HIV who		2020
report experienced stigma and discrimination in the general community in the last 12 months		25.5
Percentage of people living with HIV who report experiences of HIV-related		2020
discrimination in health-care settings in the last 12 months		30.9
GENDER INEQUALITY AND VI	OLEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons		

EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	0	0	0	0	0	0




Change in new
HIV infections = -77%
since 2010


because of stigma and discrimination

physical violence


Experience of sexual and/or



Change in AIDSrelated deaths = -18% since 2010




Incidence:
prevalence = 0.9
ratio



Incidence: = 1.1

KEY POPULATIONS Men who People who Transgender People in Sex workers have sex inject drugs people prisons with men Estimated size of population 10 400 21 200 **HIV** prevalence HIV testing and status 61.4% awareness Antiretroviral therapy coverage Condom use Coverage of HIV prevention programmes Avoidance of health care

HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TRANSMISSION				
	2015	2023		
Percentage of pregnant women living with HIV accessing antiretroviral medicines	% [–%]	% [–%]		
Final vertical transmission rate including during breastfeeding	% [–%]	% [–%]		
Early infant diagnosis	% [–%]	% [–%]		

HIV COMORBIDITIES	
Estimated number of incident tuberculosis cases among people living with HIV (2023)	1 [0–6]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	
HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	<0.1%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period (2022)	4604
Harm reduction	
 Use of sterile injecting equipment at last injection 	
 Needles and syringes distributed per person who injects 	
— Coverage of agonist maintenance	
therapy	

PAKISTAN


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)			
	[=]	[–]	[–]
New HIV infections (0–14)			
	[]	[–]	[–]
New HIV infections (15-24)			
	[]	[]	[–]
New HIV infections (women, 15+)			
	[]	[]	[]
New HIV infections (men, 15+)			
	[–]	[]	[–]
HIV incidence as new infections per 1000 uninfected population	[–]	[–]	[–]
AIDS-related deaths			
AIDS-related deaths (all ages)	2200	6100	11 000
	[1800–2600]	[5100–7000]	[9600–13 000]
AIDS-related deaths (0–14)	<500	<500	880
	[<200- <500]	[<500–550]	[760–1000]
AIDS-related deaths (women, 15+)	<200	710	1700
	[<200- <200]	[590–820]	[1400–2000]
AIDS-related deaths (men, 15+)	1800	4900	8600
	[1400–2200]	[4100–5600]	[7400–9800]
People living with HIV			
People living with HIV (all ages)	79 000	140 000	290 000
	[69 000–89 000]	[120 000–150 000]	[270 000–310 000]
People living with HIV (0-14)	940	2600	8300
	[800–1100]	[2300–2900]	[7500–9000]
People living with HIV (women, 15+)	9600	24 000	54 000
	[8300–11 000]	[21 000–26 000]	[49 000–58 000]
People living with HIV (men, 15+)	69 000	110 000	230 000
	[59 000–78 000]	[99 000–120 000]	[210 000–250 000]
HIV prevalence (15–49) (%)	<0.1 [<0.1–<0.1]	0.1 [0.1–0.1]	0.2 [0.2–0.2]


LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	Yes, death penalty
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	No law requiring parental/guardian consent
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No


Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	2013	
torulus people iring mini iiv	49	
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		***
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND V	IOLENC	E
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in		


hitting or beating his wife for specific reasons

EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	9 675 411	0	0	10 830 133	0	20 505 544










Change in new
HIV infections = ...


Change in AIDSrelated deaths = 4° since 2010 Incidence:
prevalence = ratio

Incidence:
mortality ratio

KEY POPULATIONS					
	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population					
HIV prevalence					2%
HIV testing and status awareness	37.5%**	49.5%**	100%**	34.3%**	
Antiretroviral therapy coverage	9.7%**	2.1%**	13.7%**	5.3%**	99.2%**
Condom use					
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence ** Programme data—not represer					



HIV TESTING AND TREATMENT CASCADE



HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	0.2%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	•••
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicab
Voluntary medical male circumcisions performed according to national standards	Not applicab
People who received PrEP at least once during the reporting period	

— Use of sterile injecting equipment at

— Needles and syringes distributed per

person who injects (2022)

Coverage of agonist maintenance

Naloxone available (2024)

73

Νo

last injection

therapy

ELIMINATION OF VERTICAL TRANSMISSION				
	2015	2023		
Percentage of pregnant women living with HIV accessing antiretroviral medicines	11% [10–13%]	11% [10–13%]		
Final vertical transmission rate including during breastfeeding	% [–%]	% [–%]		
Early infant diagnosis	0.7% [0.6–0.8%]	55.9% [49.1–65.6%]		


PAPUA NEW GUINEA

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	3300	3500	6700
	[2900–3800]	[3200–4200]	[5400–8600]
New HIV infections (0–14)	580	620	790
	[500–660]	[530–700]	[620–940]
New HIV infections (15-24)	820	880	1700
	[<500–990]	[500–1100]	[960–2300]
New HIV infections (women, 15+)	1500	1800	3800
	[1300–1800]	[1500–2200]	[3000–4800]
New HIV infections (men, 15+)	1200	1200	2100
	[980–1400]	[980–1500]	[1700–2800]
HIV incidence as new infections per 1000 uninfected population	0.43 [0.39–0.5]	0.41 [0.37–0.48]	0.65 [0.53–0.84]
AIDS-related deaths			
AIDS-related deaths (all ages)	870	750	980
	[740–1100]	[650–910]	[840–1200]
AIDS-related deaths (0–14)	<500	<500	<500
	[<500-<500]	[<500- <500]	[<500–510]
AIDS-related deaths (women, 15+)	<500	<200	<500
	[<500-<500]	[<200- <500]	[<500- <500]
AIDS-related deaths (men, 15+)	<500	<500	<500
	[<200- <500]	[<200- <500]	[<500- <500]
People living with HIV			
People living with HIV (all ages)	33 000	45 000	77 000
	[30 000–36 000]	[42 000–49 000]	[69 000–86 000]
People living with HIV (0–14)	2700	3400	4500
	[2400–3000]	[2900–3800]	[3900–5100]
People living with HIV (women, 15+)	17 000	24 000	44 000
	[16 000–18 000]	[23 000–26 000]	[40 000–50 000]
People living with HIV (men, 15+)	13 000	17 000	28 000
	[12 000–15 000]	[16 000–20 000]	[25 000–32 000]
HIV prevalence (15–49) (%)	0.7 [0.6–0.7]	0.8 [0.7–0.8]	1.0 [1.0–1.1]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	Yes, imprisonment (up to 14 years)
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	Yes
Laws or policies restricting the entry, stay and residence of people living with HIV	Require HIV testing or disclosure for some permits
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 18 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes

STIGMA AND DISCRIMINATION		
Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV		
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		•••
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND VIC	LEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		•••
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons		

EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	0	0	0	0	0	0



1 400 0 1 200 0 1 000 1 000 1 000 1 000 1 000 1 000 1 000 2 0000 2 0000 2 000 2 000 2 0000 2 0000 2 0000 2 0000 2 0000 15
10
2010
2023
Incidence:prevalence ratio
Target

8 000
6 000
2010
2023

New HIV infections

All-cause deaths among the HIV population

Change in new HIV infections since 2010 = 104%


Change in AIDSrelated deaths = 12% since 2010 Incidence:
prevalence = 8.7
ratio

Incidence: = 4.54

KEY POPULATIONS Men who People who People in Transgender Sex workers have sex inject drugs people prisons with men Estimated size of population 77 700 89 900 **HIV** prevalence HIV testing and status **Antiretroviral therapy** coverage Condom use Coverage of HIV prevention programmes Avoidance of health care because of stigma and discrimination Experience of sexual and/or physical violence

HIV COMORBIDITIES	
Estimated number of incident tuberculosis cases among people living with HIV (2023)	2500 [2000 –3100]
People living with HIV who started TB preventive therapy (2023)	18.9%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV TESTING AND TREATMENT CASCADE



HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	0.4%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years (2018)	
— Women	18%
— Men	33.2%
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period	
Harm reduction	
 Use of sterile injecting equipment at last injection 	
 Needles and syringes distributed per 	

person who injects

therapy

Coverage of agonist maintenance

Νo

Naloxone available (2024)

ELIMINATION OF VERTICAL TRANSMISSION 2015 2023 Percentage of pregnant women living with HIV 28% 58% accessing antiretroviral medicines [50-74%] [25-34%] Final vertical transmission rate including during 35.0% 30.5% breastfeeding [32.8-37.6%] [27.6-34.0%] 34.5% 51.7% Early infant diagnosis [44.6-65.5%] [30.2-42.0%]

PHILIPPINES


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	4400	9900	29 000
	[3700–5100]	[8200–11 000]	[24 000–33 000]
New HIV infections (0–14)	<100	<200	<500
	[<100- <100]	[<100- <200]	[<500- <500]
New HIV infections (15-24)	2200	4800	13 000
	[1500–2700]	[3200–6200]	[8900–17 000]
New HIV infections (women, 15+)	<500	680	2100
	[<500-<500]	[560–810]	[1700–2500]
New HIV infections (men, 15+)	4100	9100	26 000
	[3400–4700]	[7600–11 000]	[22 000–30 000]
HIV incidence as new infections per 1000 uninfected population	<0.1 [<0.1–<0.1]	<0.1 [<0.1–0.11]	0.24 [0.2–0.28]
AIDS-related deaths			
AIDS-related deaths (all ages)	<500	590	2000
	[<500-<500]	[<500–720]	[1400–2700]
AIDS-related deaths (0–14)	<100	<100	<200
	[<100- <100]	[<100- <100]	[<200- <500]
AIDS-related deaths (women, 15+)	<100	<100	<500
	[<100- <100]	[<100- <100]	[<200- <500]
AIDS-related deaths (men, 15+)	<500	<500	1500
	[<200- <500]	[<500–570]	[1000–2200]
People living with HIV			
People living with HIV (all ages)	18 000	53 000	190 000
	[15 000–21 000]	[45 000–61 000]	[160 000–220 000]
People living with HIV (0–14)	<200	<500	1200
	[<100- <200]	[<500-<500]	[940–1400]
People living with HIV (women, 15+)	1400	3700	13 000
	[1200–1600]	[3100–4300]	[11 000–15 000]
People living with HIV (men, 15+)	17 000	49 000	180 000
	[14 000–19 000]	[41 000–57 000]	[150 000–200 000]
HIV prevalence (15–49) (%)	<0.1 [<0.1–<0.1]	<0.1 [<0.1–0.1]	0.3 [0.2–0.4]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	No
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 16 years
Spousal consent for married women to access sexual and reproductive health services	Yes
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No


Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV		
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND VI	OLEN	CE
Proportion of ever-married or partnered	2017	2022

GENDER INEGOALITY AND VI	OLEIW	∍E
Proportion of ever-married or partnered women aged 15–49 years who experienced	2017	2022
physical or sexual violence from a male intimate partner in the past 12 months	5.5	3.8
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons		


EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2023	39 304 648	2 887 640	0	0	0	65 539 240




Change in new
HIV infections = 543%



Change in AIDS-related deaths = 602% since 2010



Incidence:
prevalence = 15.0
ratio




Incidence: = 12.2

KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population	127 700	800 500		239 100	125 000
HIV prevalence	1.2%	7.5%		2.8%	0.4%
HIV testing and status awareness	7.0%	17.0%		29.1%	
Antiretroviral therapy coverage					
Condom use	70.8%	58.8%		57.9%	
Coverage of HIV prevention programmes	15.4%	28.6%		37.7%	
Avoidance of health care because of stigma and discrimination	12.9%	0.01%		0.004%	
Experience of sexual and/or physical violence	8.9%			51.6%	

HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TRANSMISSION

2015	2023
11%	8%
[9–14%]	[6–9%]
38.7%	38.5%
[36.1–41.0%]	[36.1–40.8%]
3.9%	%
[3.2–4.7%]	[–%]
	11% [9–14%] 38.7% [36.1–41.0%] 3.9%

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	5400 [2500 –9300]
People living with HIV who started TB preventive therapy (2023)	62.9%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV PREVENTION

Prevalence of adults (15+) living with HIV	
with unsuppressed viral load	

Knowledge of HIV prevention among young people aged 15–24 years

— Women		
---------	--	--

Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years (2022)

— Men		
omen aged	15-49 years who have their	

17.9%

Women aged 15–49 years who have their demand for family planning satisfied by modern methods (2022) 58.1%

Managad	ed 15–49 years who are circumcised	ain annua ai a a al	Not		
ivien aged	15–49 years	wno	are	circumcisea	applicable

Voluntary medical male circumcisions	Not
performed according to national standards	applicable

People who received PrEP at least once during the reporting period (2023)

Harm reduction

— Women

- Use of sterile injecting equipment at last injection (2023)
- Needles and syringes distributed per person who injects
- Coverage of agonist maintenance therapy
- Naloxone available (2024) No

SAMOA

KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population					
HIV prevalence		0%		0%	
HIV testing and status awareness					
Antiretroviral therapy coverage					
Condom use					
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

HIV TESTING AND TREATMENT CASCADE

	1				100%
g with HIV	1				75%
Number of people living with HIV	1 1 0				50%
Number of p	0				25%
_	0				0%
		People living with HIV who know their status	People living with HIV on treatment	People living with HIV who are virally suppressed	
All ages		% [–%]	% [–%]	% [%]	
Children	(O-1	4)% [%]	% [%] 	% [–%]	
Women	(15+	% [%]	% [%]	% [–%]	
Men (15	+)	% [–%]	% [%] 	% [–%]	

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	0 [0–2]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV PREVENTION

Prevalence of adults (15+) living with HIV with unsuppressed viral load	
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods (2020)	28%
Men aged 15–49 years who are circumcised	Not applicable
Men aged 15–49 years who are circumcised Voluntary medical male circumcisions performed according to national standards	
Voluntary medical male circumcisions	applicable Not
Voluntary medical male circumcisions performed according to national standards People who received PrEP at least once	applicable Not
Voluntary medical male circumcisions performed according to national standards People who received PrEP at least once during the reporting period	applicable Not
Voluntary medical male circumcisions performed according to national standards People who received PrEP at least once during the reporting period Harm reduction — Use of sterile injecting equipment at	Not applicable
Voluntary medical male circumcisions performed according to national standards People who received PrEP at least once during the reporting period Harm reduction — Use of sterile injecting equipment at last injection — Needles and syringes distributed per	applicable Not applicable

EXPENDITURES (in US dollars)

Funding sources						
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2019	12 115	0	0	58 077	9615	79 808

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	No
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	Yes, imprisonment (up to 14 years)
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	Require HIV testing or disclosure for some permits
Parental consent for adolescents to access HIV testing	No law requiring parental/guardian consent
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No

STIGMA AND DISCRIMINATION

Percentage of women aged 15–49 years who report discriminatory attitudes towards people living with HIV	•••	2020
		90.5
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		

GENDER INEQUALITY AND VIOLENCE

Proportion of ever-married or partnered women aged 15–49 years who experienced	2020
physical or sexual violence from a male intimate partner in the past 12 months	26.8
Percentage of women and men aged 15 to 49	
years who agree that a husband is justified in hitting or beating his wife for specific reasons	2020


SINGAPORE

KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population					8000
HIV prevalence	0%	1.1%			1.2%
HIV testing and status awareness		94.0%**			
Antiretroviral therapy coverage					
Condom use	99%	42.6%			
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

^{**} Programme data—not representative.

HIV TESTING AND TREATMENT CASCADE



HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	31 [20–46]
People living with HIV who started TB preventive therapy (2023)	0%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV PREVENTION

HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
M 145.40 1 : : 1	Not
Men aged 15–49 years who are circumcised	applicable
Voluntary medical male circumcisions	applicable Not applicable
Voluntary medical male circumcisions performed according to national standards People who received PrEP at least once	Not
Voluntary medical male circumcisions performed according to national standards People who received PrEP at least once	Not applicable
Voluntary medical male circumcisions performed according to national standards People who received PrEP at least once during the reporting period	Not applicable
Voluntary medical male circumcisions performed according to national standards People who received PrEP at least once during the reporting period Harm reduction — Use of sterile injecting equipment at	Not applicable
Harm reduction — Use of sterile injecting equipment at last injection — Needles and syringes distributed per	Not applicable

EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2023	36 037 313	0	0	0	0	36 037 313

LAMIC AND POLICIES	
LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	Deport, prohibit short- and/or long- stay and require HIV testing or disclosure for some permits
Parental consent for adolescents to access HIV testing	No law requiring parental/guardian consent
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or	Yes

residence permits or for certain groups

STIGMA AND DISCRIMINATION

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV

. ...

Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months

•••

Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months

GENDER INEQUALITY AND VIOLENCE

Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months

•••

Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons

...

SRI LANKA

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	<500	<500	<200
	[<500–<500]	[<500-<500]	[<200- <200]
New HIV infections (0–14)			
	[–]	[]	[–]
New HIV infections (15-24)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (men, 15+)	<500	<500	<200
	[<500-<500]	[<500- <500]	[<200-<200]
HIV incidence as new infections per 1000 uninfected population	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]	<0.01 [<0.01–<0.01]
AIDS-related deaths			
AIDS-related deaths (all ages)	<500	<500	<100
	[<500–<500]	[<500- <500]	[<100- <100]
AIDS-related deaths (0–14)			
	[]	[–]	[–]
AIDS-related deaths (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (men, 15+)	<500	<200	<100
	[<500-<500]	[<200– <500]	[<100- <100]
People living with HIV			
People living with HIV (all ages)	4300	4500	4700
	[4200–4500]	[4300–4600]	[4400–5000]
People living with HIV (0–14)			
	[–]	[–]	[–]
People living with HIV (women, 15+)	1300	1300	1100
	[1200–1300]	[1200–1300]	[1100–1200]
People living with HIV (men, 15+)	3000	3100	3500
	[2900–3100]	[3000–3300]	[3300–3800]
HIV prevalence (15–49) (%)	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, under law covering communicable diseases not specifically mentioning HIV
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	Yes, imprisonment (up to 14 years)
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 16 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No

STIGMA A	AND DISCRIMINATION	NC

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV

Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months

Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months

GENDER INEQUALITY AND VIOLENCE

Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months


Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons (Refers to women only)

2019


34.4

EXPENDITURES (in US dollars)


	,					
		Fun	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2023	2 973 413	0	0	4 318 270	101 104	7 392 788




Change in new
HIV infections = -54%
since 2010



Change in AIDSrelated deaths = -75% since 2010



Incidence: prevalence = 3.6 ratio



Incidence: mortality ratio = 1.75

KEY POPULATIONS					
	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population					
HIV prevalence					0%
HIV testing and status awareness					
Antiretroviral therapy coverage					
Condom use					
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

HIV TESTING AND TREATMENT CASCADE 4 500 4 000 Number of people living with HIV 3 500 3 000 2 500 2 000 1 500 1 000 500 0 People living with HIV who know People living with HIV on People living with HIV who are their status treatment virally suppressed All ages 88% [83-93%] 71% [67–75%] 61% [57-65%] 4160 3358 2884 Children (0-14) ...% [...-...%] ...% [...-...%] ...% [...–...%] 45 40 31 Women (15+) 89% [83-95%] 62% [58-66%] 56% [52-60%] 1021 714 641 Men (15+) 63% [59-67%] 88% [83-94%] 74% [70-79%] 3094 2604 2212

ELIMINATION OF VERTICAL TRANSMISSION			
	2015	2023	
Percentage of pregnant women living with HIV accessing antiretroviral medicines	% [–%]	% [–%]	
Final vertical transmission rate including during breastfeeding	% [–%]	% [–%]	
Early infant diagnosis	% [–%]	% [–%]	

Estimated number of incident tuberculosis cases among people living with HIV (2023)	68 [42–100]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment (2019)	

People coinfected with HIV and hepatitis C	
virus starting hepatitis C treatment (2019)	
HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	<0.1%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period (2020)	24
Harm reduction	
 Use of sterile injecting equipment at last injection (2018) 	80.5%
 Needles and syringes distributed per person who injects 	
 Coverage of agonist maintenance therapy 	
— Naloxone available (2024)	No

THAILAND


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	18 000	13 000	9100
	[16 000–19 000]	[12 000–14 000]	[8200–10000]
New HIV infections (0–14)	760	<200	<100
	[620–910]	[<100- <200]	[<100- <100]
New HIV infections (15-24)	8300	6500	4200
	[5800–9900]	[4400–8000]	[2800–5400]
New HIV infections (women, 15+)	6100	3300	1800
	[5400–6900]	[2900–3600]	[1600–2000]
New HIV infections (men, 15+)	11 000	9500	7200
	[9700–12 000]	[8500–10 000]	[6500–7900]
HIV incidence as new infections per 1000 uninfected population	0.26 [0.24–0.29]	0.19 [0.17–0.2]	0.13 [0.12–0.14]
AIDS-related deaths			
AIDS-related deaths (all ages)	35 000	24 000	12 000
	[30 000–42 000]	[20 000–30 000]	[9100–16 000]
AIDS-related deaths (0–14)	930	<500	<100
	[810–1000]	[<500-<500]	[<100- <100]
AIDS-related deaths (women, 15+)	14 000	12 000	6500
	[12 000–18 000]	[9700–15 000]	[4900–8300]
AIDS-related deaths (men, 15+)	20 000	12 000	5500
	[17 000–23 000]	[9300–15 000]	[3700–8200]
People living with HIV			
People living with HIV (all ages)	720 000	640 000	580 000
	[630 000–790 000]	[580 000–730 000]	[500 000–660 000]
People living with HIV (0–14)	17 000	9000	1800
	[14 000–20 000]	[7400–11 000]	[1500–2100]
People living with HIV (women, 15+)	330 000	290 000	240 000
	[300 000–370 000]	[260 000–330 000]	[200 000–280 000]
People living with HIV (men, 15+)	370 000	340 000	340 000
	[320 000–410 000]	[300 000–390 000]	[280 000–390 000]
HIV prevalence (15–49) (%)	1.8 [1.5–2.0]	1.5 [1.3–1.8]	1.1 [0.9–1.3]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	No
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents 12 years or younger
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No


		2022
2022 refers to women only)	26.1	12.4
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		•••
Percentage of people living with HIV who eport experiences of HIV-related discrimination in health-care settings in the last		2022


4.2

EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2023	225 236 347	487 162	7 918 849	14 594 655	0	248 791 791



50 000 people 40 000 30 000 Number of 20 000 10 000 2010 AIDS-related deaths





Change in new **-49% HIV** infections since 2010

Change in AIDSrelated deaths -65% since 2010

Incidence: = 1.6 prevalence ratio

Incidence: 0.63 mortality ratio

9400

[6200

-13 0001

0.2%


86.5%

17

KEY POPULATIONS Men who People who People in Sex workers have sex inject drugs people prisons with men Estimated size of population 106 600 600 100 56 700 269 700 **HIV** prevalence 4.2% 1.7% 10.3% 2.2% 0.9% HIV testing and status 74.9% 84.5% 21.2% 75.6% awareness Antiretroviral therapy 70.4%** 77.3%** 79.7%** 75.9%** 62.5%** coverage 94.7% 86.4% 32.6% 79.5% Condom use Coverage of HIV prevention 77.2% 34% 36.3% 62.1% programmes Avoidance of health care because of stigma and 5.3% 2.3% 15.4% 2.5% discrimination Experience of sexual and/or physical violence

** Programme data—not representative

HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TR	RANSMISSIO	N
	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	96% [83–100%]	97% [85–100%]
Final vertical transmission rate including during breastfeeding	2.0% [1.8–2.1%]	1.7% [1.5–1.8%]
Early infant diagnosis	67.5% [58.3–79.5%]	88.9% [77.5–105.9%]

Estimated number of incident tuberculosis	
cases among people living with HIV (2023)	

HIV COMORBIDITIES

People living with HIV who started TB 2.5% preventive therapy (2023)

Cervical cancer screening of women living with HIV

People coinfected with HIV and hepatitis C virus starting hepatitis C treatment

HIV PREVENTION

Prevalence of adults (15+) living with HIV with unsuppressed viral load

Knowledge of HIV prevention among young people aged 15-24 years

— Women

— Men

Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15-49 years

— Women

— Men

Women aged 15-49 years who have their demand for family planning satisfied by modern methods (2022)

Not Men aged 15-49 years who are circumcised applicable

Voluntary medical male circumcisions Not performed according to national standards applicable


People who received PrEP at least once 26 619 during the reporting period (2023)

Harm reduction

- Use of sterile injecting equipment at 86.7% last injection (2023)
- Needles and syringes distributed per person who injects (2023)
 - Coverage of agonist maintenance 9.4% therapy (2023)
- Naloxone available (2024) Νo


TIMOR-LESTE

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	<200	<200	<200
	[<200- <200]	[<200– <200]	[<100- <200]
New HIV infections (0–14)			
	[]	[]	[–]
New HIV infections (15-24)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100-<100]
New HIV infections (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100-<100]
New HIV infections (men, 15+)	<100	<100	<100
	[<100-<100]	[<100-<100]	[<100-<100]
HIV incidence as new infections per 1000 uninfected population	0.11 [0.1–0.14]	0.11 [<0.1–0.13]	<0.1 [<0.1–0.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (0–14)			
	[–]	[]	[]
AIDS-related deaths (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (men, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
People living with HIV			
People living with HIV (all ages)	1000	1300	1700
	[880–1300]	[1100–1400]	[1600–2000]
People living with HIV (0-14)			
	[–]	[–]	[]
People living with HIV (women, 15+)	<500	<500	640
	[<500- <500]	[<500–550]	[580–720]
People living with HIV (men, 15+)	540	680	990
	[<500–670]	[600–800]	[870–1200]
HIV prevalence (15–49) (%)	0.2 [0.1–0.2]	0.2 [0.2–0.2]	0.2 [0.2–0.2]



EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2023	816 265	0	0	1 325 270	0	2 141 535

HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TR	ANSMISSIO	N
	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	% [–%]	% [–%]
Final vertical transmission rate including during breastfeeding	% [–%]	% [–%]
Early infant diagnosis	% [–%]	% [–%]

VIET NAM


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	15 000	11 000	6100
	[13 000–16 000]	[10 000–12 000]	[5300–6700]
New HIV infections (0–14)	580	630	<200
	[<500–760]	[<500–770]	[<200- <500]
New HIV infections (15-24)	3000	3300	2000
	[2200–3500]	[2400–3900]	[1400–2500]
New HIV infections (women, 15+)	4600	3000	980
	[4000–5200]	[2700–3300]	[830–1100]
New HIV infections (men, 15+)	9400	7800	4900
	[8200–10 000]	[7000–8500]	[4300–5400]
HIV incidence as new infections per 1000 uninfected population	0.17 [0.15–0.19]	0.12 [0.11–0.14]	<0.1 [<0.1– <0.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	6500	5500	4100
	[5000–8200]	[4000–7200]	[3000–5600]
AIDS-related deaths (0–14)	<500	<500	<200
	[<500- <500]	[<200- <500]	[<100- <200]
AIDS-related deaths (women, 15+)	1100	850	1900
	[750–1500]	[<500–1400]	[1200–2500]
AIDS-related deaths (men, 15+)	5100	4400	2100
	[4000–6300]	[3300–5600]	[1600–3000]
People living with HIV			
People living with HIV (all ages)	210 000	240 000	250 000
	[190 000–230 000]	[210 000–260 000]	[230 000–270 000]
People living with HIV (0–14)	4100	5300	3900
	[3500–4800]	[4500 <u>–</u> 6100]	[3200–4500]
People living with HIV (women, 15+)	63 000	76 000	77 000
	[56 000–70 000]	[69 000–84 000]	[69 000–83 000]
People living with HIV (men, 15+)	140 000	160 000	170 000
	[130 000–160 000]	[140 000–170 000]	[150 000–190 000]
HIV prevalence (15–49) (%)	0.4 [0.3–0.4]	0.4 [0.3–0.4]	0.3 [0.3–0.4]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No specific legislation
Criminalization of possession of small amounts of drugs	Data not available
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 16 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	
Percentage of people living with HIV who	2020
report experienced stigma and discrimination in the general community in the last 12 months	10.2
Percentage of people living with HIV who report experiences of HIV-related	2020
discrimination in health-care settings in the last 12 months	26.1
GENDER INEQUALITY AND VIOLE	NCE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months	
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in	2021
hitting or beating his wife for specific reasons	10.9

EXPENDITURES (in	PENDITURES (in US dollars)							
	Funding sources							
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total		
Last available report: 2022	0	0	0	0	0	0		

(Refers to women only)



10 000 8 000 4 000 2 000 2010

AIDS-related deaths

20 000

15 000

5 10 000

2010

2023

New HIV infections

All-cause deaths among the HIV population

Change in new
HIV infections
since 2010 = -58%


Change in AIDS-related deaths = -36% since 2010

Incidence:
prevalence = 2.4
ratio

Incidence: = 1.09

KEY POPULATIONS Men who People who Transgender People in Sex workers have sex inject drugs people prisons with men Estimated size of population 256 000 **HIV** prevalence 2.5% 12.5% 9.1% HIV testing and status 72.5%** 84.3%** 62.5%** 94.1%** awareness **Antiretroviral therapy** 32.1%** 61.7%** coverage Condom use 89.9% 68.6% 49.3% Coverage of HIV prevention 18.1% 30.5% 22.1% programmes Avoidance of health care because of stigma and 54.1% discrimination Experience of sexual and/or physical violence ** Programme data—not representative.

HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TRANSMISSION					
	2015	2023			
Percentage of pregnant women living with HIV accessing antiretroviral medicines	53% [46–62%]	80% [69–95%]			
Final vertical transmission rate including during breastfeeding	21.4% [19.2–23.4%]	11.7% [8.7–14.0%]			
Early infant diagnosis	49.5% [43.2–58.2%]	39.9% [34.7–47.6%]			

HIV COMORBIDITIES	
Estimated number of incident tuberculosis cases among people living with HIV (2023)	4600 [2900 –6700]
People living with HIV who started TB preventive therapy (2023)	53.9%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	
HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	<0.1%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods (2021)	72.2%
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period (2023)	67 192
Harm reduction	
 Use of sterile injecting equipment at last injection (2023) 	96.1%
 Needles and syringes distributed per person who injects (2020) 	147
 Coverage of agonist maintenance therapy (2020) 	27.7%
— Naloxone available (2024)	Yes


CARIBBEAN

The Caribbean has made substantial progress against HIV since 2010, but there has been little change in the annual number of new HIV infections over the past five years. Numbers of new HIV infections have declined by 22% in the region since 2010 (Figure 2.1).

Almost 90% of new infections in the region in 2023 were in Cuba, the Dominican Republic, Haiti and Jamaica—with Haiti alone accounting for more than one third (38%) of new HIV infections. People from key populations and their sex partners continued to account for 47% of new infections in 2022 (Figure 2.2) (1). Numbers of AIDS-related deaths in the region have fallen by 57% since 2010, but a worrying increase has been reported in Belize, Cuba, Guyana and Suriname.

Numbers of new HIV infections are going down, but not fast enough

Figure 2.1 Numbers of new HIV infections and AIDS-related deaths, Caribbean, 2000–2023



Source: UNAIDS epidemiological estimates, 2024 (https://aidsinfo.unaids.org/).



2023 DATA

- 22% decrease in new HIV infections since 2010
- **57%** decrease in AIDS-related deaths since 2010
- People living with HIV:
 340 000 [280 000–390 000]
- New HIV infections:
 15 000 [9900–21 000]
- AIDS-related deaths: 5100 [3500–7400]

Testing and treatment cascade (all ages):

- % of people living with HIV who know their status:
 85 [63->98]
- % of people living with HIV who are on treatment:
 70 [52–85]
- % of people living with HIV who have a suppressed viral load: 61 [51–71]

Financing of the HIV response:

Resource availability for HIV:
 US\$ 358 million (domestic resources US\$ 134.4 million, international resources
 US\$ 224 million)

Treatment coverage has continued to expand: 85% [63–>98%] of people living with HIV know their status, 70% [52–85%] of all people living with HIV are on treatment, and 61% [51–71%] of all people living with HIV were virally suppressed in 2023. The percentage of people living with HIV who were on treatment and virally suppressed rose from 79% [59–96%] in 2018 to 87% [64–>98%] in 2023. Treatment coverage was 78% [56–94%] among women aged 15 years and over and 65% [47–80%] among men aged 15 years and over. Late diagnosis of advanced HIV disease (AIDS) remains a significant challenge. Paediatric treatment coverage, at 39% [27–51%], was much lower than adult treatment coverage in 2023.


Eleven of the 17 countries or territories globally validated for eliminating vertical transmission of both HIV and syphilis are in the Caribbean region, showcasing the impact of strong political commitment, personcentred service provision, health system strengthening, public–private collaboration, community engagement, and addressing human rights and gender in health services.

There has been a marked shift towards decriminalization of same-sex relations, led by strong activism across the region. Since 2010, six countries² have decriminalized same-sex sexual intercourse, but it remains criminalized in five countries. Court decisions on the constitutionality of these laws are pending in three countries,³ and various procedural grounds have affected rulings in other countries.⁴ Sex work remains criminalized in 14 of 16 countries, and possession of small amounts of drugs is criminalized in all 16 countries. Belize has repealed the criminalization of HIV transmission, nondisclosure or exposure, but some countries still maintain such counterproductive legal provisions.⁵

- 1 Anguilla, Antigua and Barbuda, Belize, Bermuda, Cayman Islands, Cuba, Dominica, Jamaica, Montserrat, Saint Vincent and the Grenadines, Saint Kitts and Nevis.
- 2 Antigua and Barbuda, Barbados, Belize, Dominica, Saint Kitts and Nevis, Trinidad and Tobago.
- 3 Grenada, Saint Lucia, and a decision by the State on an appeal of the 2018 Trinidad and Tobago ruling pending.
- 4 Jamaica, Saint Vincent and the Grenadines.
- 5 Bahamas, Saint Lucia.

People from key populations and their sexual partners account for 47% of new HIV infections in 2022

Figure 2.2 Distribution of new HIV infections and percentage change among adults, the Caribbean, 2010 and 2022



Source: Korenromp EL, Sabin K, Stover J, Brown T, Johnson LF, Martin-Hughes R, et al. New HIV infections among key populations and their partners in 2010 and 2022, by world region: a multisources estimation. J Acquir Immune Defic Syndr. 2024;95(1S):e34–e45.

Restrictions on entry, stay and residence for people living with HIV and mandatory HIV testing for marriage, work and residence exist in several countries. Some countries have introduced protective laws against discrimination based on HIV status,⁶ sexual orientation⁷ or gender identity.⁸

Funding available for HIV programmes in the Caribbean has risen by over 22% since 2021, due mainly to increases in allocations from the Global Fund to Fight AIDS, Tuberculosis and Malaria (Global Fund) and a 15% increase in domestic financing (Figure 2.3). The Caribbean is the region that proportionally relies the most on foreign donations globally, however, with more than 70% of its resources for the response depending on external aid. Most Caribbean countries are classified as upper-middle-income countries and may no longer be eligible for Global Fund resources, but there are significant differences between countries—for example, nearly 100% of the HIV response in Haiti is donor-funded. It is imperative to note that these countries carry high debt levels (2, 3), have seen a reduction in social and health public spending (4, 5) and face economic challenges compounded by political instability (6, 7) and the impact of climate change. These factors have widened inequality, increased poverty (8) and heightened food insecurity (9). Despite these challenges, domestic resources primarily fund HIV prevention programmes for people from key populations in the Caribbean, although donor contributions still account for 42% of funding for these programmes.

The economic pressures underscore the importance of sustained global solidarity and innovative funding strategies to support comprehensive HIV responses in the region.


8 Saint Lucia

⁶ Bahamas, Barbados, Belize, Cuba, Dominican Republic, Guyana, Saint Lucia, Suriname.

⁷ Barbados, Cuba, Saint Lucia.


Sustainable resources are needed in the Caribbean

Figure 2.3 Resource availability for HIV, Caribbean, 2010–2023



Source: UNAIDS financial estimates, July, 2024 (http://hivfinancial.unaids.org/hivfinancialdashboards.html).

Figure 2.4 HIV prevalence among people from key populations compared with adults (aged 15-49 years), reporting countries in the Caribbean, 2019–2023



Source: Global AIDS Monitoring, 2020–2024; UNAIDS epidemiological estimates, 2024 (https://aidsinfo.unaids.org/). Note: n = number of countries. Total number of reporting countries = 16.

The adult prevalence uncertainty bounds define the range within which the true value lies (if it can be measured). Narrow bounds indicate that an estimate is precise, while wide bounds indicate greater uncertainty regarding the estimate.

Table 2.1 Reported estimated size of key populations, Caribbean, 2019–2023

Country	National adult population (aged 15–49 years) for 2023 or relevant year	Sex workers	Sex workers as percentage of adult population (aged 15-49 years)	Gay men and other men who have sex with men	Gay men and other men who have sex with men as percentage of adult population (aged 15–49 years)	People who inject drugs	People who inject drugs as percentage of adult population (aged 15–49 years)	Transgender people	Transgender people as percentage of adult population (aged 15-49 years)	People in prisons and other closed settings	People in prisons and other closed settings as percentage of adult population (aged 15–49 years)
Bahamas	224 000									1500	0.65%
Dominican Republic	5 874 000										
Haiti	6 367 000	87 600		48 900				3200		11 900	0.19%
Saint Kitts and Nevis	25 000									200	0.77%
Saint Lucia	148 000									500	0.33%
Trinidad and Tobago	704 000									3400	0.48%
Estimated regional me proportion as percenta population (aged 15-4	age of adult		1.78%		2.49%		0.17%		0.24%		-

National population size estimate Local population size estimate Insufficient data No data

Global AIDS Monitoring, 2020–2024 (https://aidsinfo.unaids.org/). Spectrum DemProj module, 2024. Source:

Spectrum DemProj module, 2024.
United Nations Population Division, World Population Prospects: The 2022 revision (https://population.un.org/dataportal/home?df=b97292bf-b220-4cce-9978-f1820bb65792).

Guide for updating Spectrum HIV estimates, UNAIDS 2024 (https://hivtools.unaids.org/hiv-estimates-training-material-en/).

Estimates shown are government-provided estimates reported for 2019–2023. Additional and alternative estimates may be available from different sources, including the Key Populations Atlas (https://kpatlas.unaids.org/), academic publications and institutional documents.

The regions covered by the local population size estimates are as follows:

| Application Corporate Cover Consider Cover (Inches) | Corporate Cover (Inches) | Co

Haiti: Cap-Haitien, Carrefour, Cayes, Gonaives, Hinche, Jacmel, Ouanaminthe, Pétiion-Ville, Saint-Marc


The estimated size of key populations refers to reported values through Global AIDS Monitoring since 2019 only. A comprehensive review of the data was conducted during these reporting rounds and therefore estimates should not be compared with data presented in previous UNAIDS reports. As a result of this process, the estimates reported can be categorized as follows: "National population size estimate" refers to estimates that are empirically derived using one of the following methods: multiplier, capture-recapture, mapping/enumeration, network scale up method (NSUM) or population-based survey, or respondent-driven sampling–successive sampling (RDS-SS). Estimates had to be national or a combination of multiple sites with a clear

approach to extrapolating to a national estimate.

"Local population size estimate" refers to estimates that are empirically derived using one of the before mentioned methods but only for a subnational group of sites that are insufficient for


"Insufficient data" refers to estimates derived from expert opinions, Delphi, wisdom of the crowds, programmatic results or registry, regional benchmarks or unknown methods. Estimates may or may not be national

Figure 2.5 HIV testing and treatment cascade, by age and sex, Caribbean, 2023



Source: Further analysis of UNAIDS epidemiological estimates, 2024.

Figure 2.6 Distribution of people living with HIV by recent infection, knowledge of status, treatment and viral load suppression, adults (aged 15+ years), Caribbean, 2019–2023



Source: Further analysis of UNAIDS epidemiological estimates, 2024.


Table 2.2 Laws and policies scorecard, Caribbean, 2024


Yes, for adolescents aged 13–14 years
Yes, for adolescents aged 12 years or younger


Not addressed in laws or policy

Data not available

Country	Criminalization of transgender people*	Criminalization of sex work ^b	Criminalization of same-sex sexual acts in private	Criminalization of possession of small amounts of drugs ⁶	Laws criminalizing HIV nondisclosure, exposure or transmission ^d	Laws or policies restricting the entry, stay and residence of people living with HIV	Parental or guardian consent for adolescents to access HIV testing
Antigua and Barbuda	4		16		2	7	4
Bahamas	3		3		1	7	3
Barbados	3		1		3	7	4
Belize	8		1		1	7	23
Cuba	1	11	1		22	7	24
Dominica	4	12	30	25	22	7	6
Dominican Republic	1	13	1		1	7	3
Grenada		14	17	26	22	7	
Guyana	1	15	18		22	7	1
Haiti	1	1	1		1	7	1
Jamaica	1		1		1	7	1
Saint Kitts and Nevis	3		19	27	3	7	3
Saint Lucia	2				2	7	3
Saint Vincent and the Grenadines		4	20	28	22	7	
Suriname	6		17		6	7	5
Trinidad and Tobago	3	3	21	29	2	7	3







- Criminalization of transgender people refers to laws that criminalize people based on their gender identity or expresssion, such as laws against cross-dressing or impersonating the
- riminalization of sex work refers to criminalization of any aspect of sex work, including buying sexual services, selling sexual services, ancillary activities associated with buying or b selling sexual services, and profiting from organizing or managing sex work.

 Criminalization of possession of small amounts of drugs refers to the criminalization of possession of any quantity of drugs, including possession of a quantity of drugs sufficient
- С
- only for personal use. A country is considered to criminalize possession of small amounts of drugs even if marijuana has been decriminalized.

 HIV nondisclosure, exposure or transmission may be explicitly criminalized in an HIV-specific law or within a law that covers a broader range of communicable diseases and mentions HIV. They may also be criminalized under a law that covers a broader range of communicable diseases but does not specifically mention HIV. Laws may limit criminalization to cases of actual d and intentional transmission. This refers to cases where a person knows their HIV-positive status, acts with the intention to transmit HIV and does in fact transmit it, in line with the UNDP 2021 Guidance for Prosecutors on HIV-related Criminal Cases. Some countries do not have a law specifically criminalizing HIV nondisclosure, exposure or transmission but the general law has been used to prosecute cases in the past 10 years.

 Constitutional or legislative protections against discrimination refer to whether gender identity or sexual orientation is specified as a protected attribute or whether courts or government

have legally recognized that gender identity/sexual orientation/involvement in sex work/involvement in drug use or possession are protected under another attribute.

This figure does not capture where key populations may be de facto criminalized through the misuse of other laws, such as vagrancy or public morality laws, or the use of the above laws for different populations, e.g. transgender people may be targeted using laws criminalizing same-sex sexual activity, or gay men and other men who have sex with men may be targeted using HIV criminalization laws.

Source:

- National Commitments and Policy Instrument, 2024 (http://lawsandpolicies.unaids.org/).
- National Commitments and Policy Instrument, 2022 (http://lawsandpolicies.unaids.org/).
- 3
- National Commitments and Policy Instrument, 2021 (http://lawsandpolicies.unaids.org/). National Commitments and Policy Instrument, 2021 (http://lawsandpolicies.unaids.org/). National Commitments and Policy Instrument, 2019 (http://lawsandpolicies.unaids.org/). National Commitments and Policy Instrument, 2018 (http://lawsandpolicies.unaids.org/).
- 6 7
- National Commitments and Policy Instrument, 2017 (http://lawsandpolicies.unaids.org/).
 Still not welcome: HIV-related travel restrictions. Geneva: UNAIDS and United Nations Development Programme; 2019 (https://www.unaids.org/sites/default/files/media_asset/hivrelated-travel-restrictions-explainer_en.pdf).
 Chiam Z, Duffy S, González Gil M, Goodwin L, Mpemba Patel NT. Trans legal mapping report 2019: recognition before the law. Geneva: ILGA World; 2020.
- 8 9 Antigua and Barbuda. The Sexual Offences Act, 1995 (https://www.ilo.org/dyn/natlex/docs/ELECTRONIC/42538/79312/F1146620290/ATG42538.pdf)
- 10 Barbados. Sexual Offences Act, 1992, Section 9 (http://www2.ohchr.org/english/bodies/hrc/docs/ngos/lgbti2.pdf). Cuba. Penal Code, Article 302 (https://www.wipo.int/edocs/lexdocs/laws/es/cu/cu004es.pdf).
- 12
- Dominica. Sexual Offences Act (https://www.ilo.org/dyn/natlex/docs/lea 13
- 14
- 15
- Grenada. Criminal Code, Chapter 72A (76 of 1958), Section 137 (30) (https://laws.gov.gd/index.php?option=com_edocman&view=category&id=686<emid=183).
 Guyana. Summary Jurisdiction (Offences), Articles 165–168 (http://www.oas.org/juridico/pdfs/mesicic4_guy_summ.pdf).
 Antigua and Barbuda. High Court of Justice of Antigua and Barbuda. Orden David et al. v. The Attorney General Of Antigua and Barbuda (https://www.eccourts.org/ordendavid-16 et-al-v-the-attorney-general-of-antigua-and-barbuda/).
- 17 Mendos LR, Botha K, Carrano Lelis R, Lopez de la Peña E, Savelev I, Tan D. State-sponsored homophobia 2020: global legislation overview update. Geneva: ILGA; 2020.
- https://ilga.org/downloads/ILGA_World_State_Sponsored_Homophobia_report_global_legislation_overview_update_December_2020.pdf Guyana. Criminal Law (Offences), Chapter 8:01, Article 352 (https://www.oas.org/juridico/spanish/mesicic2_guy_criminal_law_act.pdf). 18
- Saint Kitts and Nevis. Eastern Caribbean Supreme Court Jamal Jeffers et al. v. The Attorney General of Saint Christopher and Nevis (https://database.ilga.org/api/downloader/download/1/KN%20-%20JUD%20-%20Jamal%20Jeffers%20et%20al%20v%20The%20Attorney%20General%20Of%20St.%20Christopher%20And%20Nevis%20(2022)%20-%20 19 OR-OFF(en).pdf).
- Saint Vincent and the Grenadines. Criminal Code, Section 146 (http://www.oas.org/en/sla/dlc/mesicic/docs/mesicic5 svg annex8.pdf) 20
- Trinidad and Tobago. Judgement of the High Court of Trinidad and Tobago, 2018. Jason Jones vs Attorney General of Trinidad and Tobago (https://dloc.com/AA00063330/00001). 21
- 22 HIV Justice Network. Amsterdam: HIV Justice Foundation; 2022 (https://www.hivjustice.net).
- Belize. National HIV/STI/VH and TB Strategic Plan, 2021-2025 (https://nacbelize.org/wp-content/uploads/2015/11/Belize_NSP_HIV_TB_ViralHepatiti-PRINT.pdf). Cuba. Ley de salud, 22 diciembre 2023 (http://www.cuba.cu/salud/2023-12-22/parlamento-cubano-aprueba-nueva-ley-de-salud-publica/64441). 23
- 24
- Dominica. Drugs (Prevention of Misuse) Act (Amendment) of the Commonwealth of Dominica, 2020 (https://dominica.gov.dm/laws/2020/Drug%20Prevention%20(Amendment)%20 25 Act%202020.pdf).
- 26
- Gerenada. Drug Abuse (Prevention and Control) Act (7 of 1992). Chapter 84A, Section 6 (https://laws.gov.gd/index.php?option=com_edocman&view=category&id=710&Itemid=184).

 Saint Kitts and Nevis. Drugs (Prevention and Abatement of the Misuse and Abuse of Drugs) (Amendment) Act (https://aglcskn.info/wp-content/documents/Annual-Laws/2019/ 27 ACTs/Act-6-Drugs-Amendment-2019.pdf).
- Saint Vincent and the Grenadines. Drugs (Prevention of Misuse) Act. Revised edition, 1990. Chapter 219, Section 7(1) (http://www.cicad.oas.org/fortalecimiento_institucional/ 28 legislations/PDF/VC/drugs_act.pdf).
 Trinidad and Tobago. Dangerous Drugs Act (38 of 1991). Chapter 11:25, Section 5 (https://rgd.legalaffairs.gov.tt/Laws2/Alphabetical_List/lawspdfs/11.25.pdf)
- Dominica. High Court of Dominica, B.G v The Attorney General of the Commonwealth of Dominica and others (https://www.humandignitytrust.org/resources/b-g-v-the-attorney-30
- general-of-the-commonwealth-of-dominica-and-others/).
 High Court of Justice of Antigua and Barbuda. Orden David et al v The Attorney General Of Antigua and Barbuda (https://www.eccourts.org/ordendavid-et-al-v-the-attorney-31
- general-of-antigua-and-barbuda).
 Guyana. The Health Facilities Licensing Act Cap 33:03 and Regulations, s.13 Medical Practitioner Act Cap 32.02 (https://www.global-regulation.com/law/guyana/5959554/chapter-32 33%253a03---health-facilities-licensing.html) and Medical Practitioner Act Cap 32.02 and Medical Practitioner Code of Conduct and Standards of Practice Regulations SI 22/2008 (https://www.medicalcouncil.org.gy/doctors/Code_of_Ethics_Regulations.pdf).
- Labour Act Cap 16.04, s. 131(1)(a) (https://www.govt.lc/www/resources/legislation/SaintLuciaLabourCode2006.pdf) and Domestic Violence Act (No. 11 of 2022), s. 5(1)(2) (https://outrightinternational.org/sites/default/files/St.%20Lucia%20DV%20Act%2C%202022%20-%20final%20enacted%20assented%20ard%20gazetted%20version.pdf). 33

REFERENCES

- Korenromp EL, Sabin K, Stover J, Brown T, Johnson LF, Martin-Hughes R, et al. New HIV infections among key populations and their partners in 2010 and 2022, by world region: a multisources estimation. J Acquir Immune Defic Syndr. 2024;95(15):e34–e45. 1
- 2
- 3
- multisources estimation. J Acquir Immune Defic Syndr. 2024;95(1\$):e34–e45.

 Mooney H, Prats JO, Rosenblatt D, Christie J. Why have Caribbean countries been so indebted, and what can they do to improve outcomes? Washington, DC: Inter-American Development Bank; 2021 (https://blogs.iadb.org/caribbean-dev-trends/en/why-have-caribbean-countries-been-so-indebted-and-what-can-they-do-to-improve-outcomes/). Rosenblatt D, Clayton K, Moone H. A new year's fiscal resolution: deal with debt in the Caribbean. Washington, DC: Inter-American Development Bank; 2024 (https://blogs.iadb.org/caribbean-dev-trends/en/a-new-years-fiscal-resolution-deal-with-debt-in-the-caribbean/).

 Cloos P. Health inequalities in the Caribbean: increasing opportunities and resources. Glob Health Promot. 2010;17(1):73–76.

 Mooney H, Rosenblatt D. Policy options for economic recovery from the pandemic in the Caribbean. Washington, DC: Inter-American Development Bank; 2020 (https://blogs.iadb.org/caribbean-dev-trends/en/policy-options-for-economic-recovery-from-the-pandemic-in-the-caribbean/).

 Haiti country report. BTI Transformation Index; 2024 (https://bti-project.org/en/reports/country-report/HTI).
 Instability in Haiti. Global Conflict Tracker (https://www.cfr.org/global-conflict-tracker/conflict/instability-haiti).

 March 2024 update to the Poverty and Inequality Platform (PIP): what's new. Washington, DC: World Bank; 2024 (https://documents.worldbank.org/en/publication/documents-reports/documentdetail/099839303252425642/idu1d671646616eef14bb31a2ba103042c40aeac).

 Caribbean 2024 (https://caribbean.un.org/en/269481-caribbean-food-security-livelihoods-survey-5
- 6
- 8
- Caribbean food security and livelihoods survey (April 2024). United Nations in the Caribbean; 2024 (https://caribbean.un.org/en/269481-caribbean-food-security-livelihoods-surveyapril-2024).

ANTIGUA AND BARBUDA

KEY POPULATIONS

Last available report: 2023

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population					
HIV prevalence					
HIV testing and status awareness				7.3%	
Antiretroviral therapy coverage					
Condom use				82.9%	
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

HIV TESTING AND TREATMENT CASCADE

	1				100%
s with HIV	1				75%
Number of people living with HIV	1 1 0				50%
lumber of p	0				25%
Z	0	People living with HIV who know	People living with HIV on	People living with HIV who are	0%
		their status	treatment	virally suppressed	
All ages		% [–%]	% [%]	% [%]	
Children	ı (0–'	% [%]	% [–%] 	% [–%]	
Women	(15+)% [%]	% [–%]	% [%]	
Men (15	+)	% [%]	% [–%]	% [–%]	

726 235

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV PREVENTION

HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period (2021)	5
Harm reduction	
 Use of sterile injecting equipment at last injection 	
 Needles and syringes distributed per person who injects 	
 Coverage of agonist maintenance therapy 	
— Naloxone available (2024)	No

0

726 235

EXPENDITURES (in US dollars) Funding sources Domestic public Domestic private International: I

0

0

0

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	No
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 14 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No

STIGMA AND DISCRIMINATION

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV

. ...

Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months

...

Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months

GENDER INEQUALITY AND VIOLENCE

Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months

•••

Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons

•••

BAHAMAS

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	<200	<200	<100
	[<200-<200]	[<100- <200]	[<100- <200]
New HIV infections (0–14)			
	[–]	[–]	[–]
New HIV infections (15-24)	<100	<100	<100
	[<100-<100]	[<100- <100]	[<100- <100]
New HIV infections (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (men, 15+)	<100	<100	<100
	[<100- <200]	[<100- <100]	[<100- <100]
HIV incidence as new infections per 1000 uninfected population	0.44 [0.37–0.52]	0.29 [0.23–0.4]	0.16 [0.11–0.27]
AIDS-related deaths			
AIDS-related deaths (all ages)	<200	<200	<100
	[<200- <200]	[<100- <200]	[<100- <200]
AIDS-related deaths (0–14)			
	[–]	[–]	[–]
AIDS-related deaths (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (men, 15+)	<100	<100	<100
	[<100-<100]	[<100- <100]	[<100- <100]
People living with HIV			
People living with HIV (all ages)	4400	4300	4100
	[4100–4700]	[3900–4600]	[3600–4600]
People living with HIV (0–14)			
	[–]	[]	[–]
People living with HIV (women, 15+)	1900	1900	1900
	[1800–2100]	[1800–2100]	[1700–2100]
People living with HIV (men, 15+)	2300	2200	2200
	[2100–2500]	[2000–2400]	[1800–2500]
HIV prevalence (15–49) (%)	1.7 [1.6–1.8]	1.4 [1.3–1.6]	1.1 [0.9–1.3]


LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 18 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV		
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months	5	
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the las 12 months	t	
GENDER INEQUALITY AND V	/IOLEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimat partner in the past 12 months	e	
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in		


hitting or beating his wife for specific reasons

EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	0	0	0	0	0	0


EPIDEMIC TRANSITION METRICS




Change in new
HIV infections = -58%
since 2010



Change in AIDSrelated deaths = -36% since 2010



Incidence:
prevalence = 1.6
ratio




Incidence: = 0.59

KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population	•••				1500
HIV prevalence					2.5%
HIV testing and status awareness					
Antiretroviral therapy coverage					
Condom use					
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TRANSMISSION

93% [79->98%]

2002

Men (15+)

	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	% [–%]	% [–%]
Final vertical transmission rate including during breastfeeding	% [–%]	% [–%]
Early infant diagnosis	% [–%]	% [–%]

1498

70% [59-82%]

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	10 [5–17]
People living with HIV who started TB preventive therapy (2023)	0%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV PREVENTION

Prevalence of adults (15+) living with HIV with unsuppressed viral load	0.4%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	

Women aged 15–49 years who have their demand for family planning satisfied by modern methods

— Men

Men aged 15–49 years who are circumcised	applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period (2023)	132
Harm reduction	

- Use of sterile injecting equipment at last injection
- Needles and syringes distributed per person who injects
- Coverage of agonist maintenance therapy
- Naloxone available (2024) No

CARIBBEAN 81

64% [54-75%]

1370

BARBADOS


because of stigma and discrimination

physical violence

Experience of sexual and/or

KEY POPULATIONS					
	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population					
HIV prevalence					
HIV testing and status awareness					
Antiretroviral therapy coverage		63.4%			
Condom use					
Coverage of HIV prevention programmes					
Avoidance of health care					

HIV TESTING AND TREATMENT CASCADE



HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	0 [0–1]
People living with HIV who started TB preventive therapy (2023)	0%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment (2019)	

HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	0.3%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period (2023)	90
Harm reduction	
 Use of sterile injecting equipment at last injection 	
 Needles and syringes distributed per person who injects 	

EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	0	0	0	0	0	0

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	No
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 18 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No

STIGMA AND DISCRIMINATION

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV

.. ...

Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months

•••

Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months

i-care settings in the last

GENDER INEQUALITY AND VIOLENCE

Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months

•••

Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons

•••



EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	<500	<200	<200
	[<200–<500]	[<200- <200]	[<200-<200]
New HIV infections (0–14)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (15-24)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (men, 15+)	<200	<100	<100
	[<100- <200]	[<100- <200]	[<100- <200]
HIV incidence as new infections per 1000 uninfected population	0.64 [0.57–0.73]	0.51 [0.42–0.56]	0.39 [0.26–0.48]
AIDS-related deaths			
AIDS-related deaths (all ages)	<100	<200	<200
	[<100- <200]	[<100- <200]	[<100- <200]
AIDS-related deaths (0–14)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (men, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
People living with HIV			
People living with HIV (all ages)	2900	3400	3600
	[2700–3100]	[3200–3600]	[3200–4000]
People living with HIV (0-14)	<200	<200	<100
	[<100- <200]	[<100- <200]	[<100- <100]
People living with HIV (women, 15+)	1200	1500	1700
	[1100–1300]	[1400–1600]	[1500–1800]
People living with HIV (men, 15+)	1600	1800	1900
	[1500–1800]	[1700–2000]	[1600–2100]
HIV prevalence (15–49) (%)	1.4 [1.3–1.5]	1.3 [1.2–1.4]	1.1 [0.9–1.2]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	No
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	Require HIV testing or disclosure for some permits
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 18 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes

STIGMA	AND DISCRI	IMINATION
	TITO DISCIT	

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV

Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months

Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months

GENDER INEQUALITY AND VIOLENCE


Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months

Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons


EXPENDITURES (in US dollars)

	Funding sources							
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total		
Last available report: 2022	0	0	0	0	0	0		


EPIDEMIC TRANSITION METRICS




Change in new
HIV infections = -23%
since 2010



Change in AIDS-related deaths = 29% since 2010



Incidence:
prevalence = 4.3
ratio



Incidence: = 1.19

KEY POPULATIONS Men who People who Transgender People in Sex workers have sex inject drugs people prisons with men Estimated size of population **HIV** prevalence ... HIV testing and status awareness Antiretroviral therapy coverage Condom use Coverage of HIV prevention programmes Avoidance of health care because of stigma and discrimination Experience of sexual and/or physical violence

HIV TESTING AND TREATMENT CASCADE 3 500 3 000 Number of people living with HIV 2 500 2 000 1 500 1 000 500 People living with HIV who know People living with HIV who are People living with HIV on their status treatment virally suppressed All ages 86% [75-93%] 49% [43-53%] 38% [34-42%] 3100 1766 1392 Children (0-14) 50% [44-57%] 37% [32-42%] 29% [25-33%] 23 29 Women (15+) 91% [82->98%] 51% [46-56%] 41% [36-45%] 1512 851 676 Men (15+) 82% [70-90%] 47% [40-52%] 37% [31-40%] 1549 694 886

ELIMINATION OF VERTICAL TRANSMISSION					
	2015	2023			
Percentage of pregnant women living with HIV accessing antiretroviral medicines	78% [69–87%]	81% [71–95%]			
Final vertical transmission rate including during breastfeeding	18.2% [16.7–19.5%]	17.3% [14.4–19.0%]			
Early infant diagnosis	83.8% [74.6–94.1%]	65.1% [57.4–76.3%]			

Estimated number of incident tuberculosis cases among people living with HIV (2023)	17 [9–28]
People living with HIV who started TB preventive therapy (2023)	32.6%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment (2019)	

People coinfected with HIV and hepatitis C virus starting hepatitis C treatment (2019)	
HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	0.7%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period (2023)	68
Harm reduction	
 Use of sterile injecting equipment at last injection 	
 Needles and syringes distributed per person who injects 	
 Coverage of agonist maintenance therapy 	
— Naloxone available (2024)	No

CUBA

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	2300	2200	2000
	[1900–2700]	[1800–2700]	[1400–2500]
New HIV infections (0–14)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (15-24)	750	680	590
	[570–920]	[510–840]	[<500–710]
New HIV infections (women, 15+)	<500	<500	<500
	[<500-<500]	[<500-<500]	[<500- <500]
New HIV infections (men, 15+)	1900	1800	1600
	[1500–2200]	[1400–2200]	[1100–2000]
HIV incidence as new infections per 1000 uninfected population	0.21 [0.17–0.24]	0.2 [0.16–0.24]	0.18 [0.13–0.22]
AIDS-related deaths			
AIDS-related deaths (all ages)	<500	<500	<500
	[<200- <500]	[<500-<500]	[<500–640]
AIDS-related deaths (0–14)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (men, 15+)	<500	<500	<500
	[<200- <500]	[<200- <500]	[<200–570]
People living with HIV			
People living with HIV (all ages)	22 000	31 000	44 000
	[19 000–24 000]	[27 000–35 000]	[38 000–49 000]
People living with HIV (0-14)	<200	<200	<200
	[<200-<200]	[<200- <200]	[<200- <200]
People living with HIV (women, 15+)	4100	5800	8200
	[3700–4500]	[5200–6400]	[7300–9200]
People living with HIV (men, 15+)	18 000	25 000	35 000
	[15 000–20 000]	[21 000–28 000]	[30 000–40 000]
HIV prevalence (15-49) (%)	0.3 [0.3–0.4]	0.5 [0.4–0.5]	0.6 [0.6–0.7]


LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, under law covering communicable diseases not specifically mentioning HIV
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	Require HIV testing or disclosure for some permits
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 18 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No

STIGMA AND DISCRIMINATIO	N	
Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	2014	2019
(2019 refers to women only)	16.4	24.4
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND VI	OLEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in		2019
hitting or beating his wife for specific reasons		1.7

1.7


EXPENDITURES (in US dollars)								
		Fund	ding sources					
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total		
Last available report: 2022	0	0	0	0	0	0		

EPIDEMIC TRANSITION METRICS




Change in new **HIV** infections -15% since 2010

KEY POPULATIONS



Change in AIDSrelated deaths **52%** since 2010




Incidence: = 4.5 prevalence ratio

People in

prisons

people



Incidence: 3.28 mortality ratio

Men who People who Sex workers have sex inject drugs with men Estimated size of population

HIV prevalence HIV testing and status awareness **Antiretroviral therapy** 84.4%** 86.8%** 82.6%** coverage Condom use Coverage of HIV prevention programmes Avoidance of health care because of stigma and discrimination Experience of sexual and/or


** Programme data—not representative.

physical violence

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	67 [48–88]
People living with HIV who started TB preventive therapy (2023)	82.6%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TRANSMISSION					
	2015	2023			
Percentage of pregnant women living with HIV accessing antiretroviral medicines	84% [76–96%]	100% [100–100%]			
Final vertical transmission rate including during breastfeeding	10.7% [9.2–12.2%]	4.9% [4.4–5.7%]			
Early infant diagnosis	84.0% [75.7–95.6%]	163.5% [145.2–185.6%]			

HIV PREVENTION

Prevalence of adults (15+) living with HIV with unsuppressed viral load

0.2%

Knowledge of HIV prevention among young people aged 15-24 years — Women

— Men Condom use at last sex with a non-marital,

non-cohabiting partner among people aged 15-49 years

— Women

— Men

Women aged 15-49 years who have their demand for family planning satisfied by

modern methods (2019) Men aged 15-49 years who are circumcised

Not

87.2%

applicable Not applicable

performed according to national standards People who received PrEP at least once

Voluntary medical male circumcisions

during the reporting period (2023)

1541

Harm reduction

- Use of sterile injecting equipment at last injection
- Needles and syringes distributed per person who injects
- Coverage of agonist maintenance therapy

 Naloxone available (2024) Νo

DOMINICA

KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population					
HIV prevalence	0.4%				
HIV testing and status awareness					
Antiretroviral therapy coverage					
Condom use					
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

HIV TESTING AND TREATMENT CASCADE

	1				100%
with HIV	1				75%
ople living	1				50%
Number of people living with HIV	0 0				25%
N	0				0%
		People living with HIV who know their status	People living with HIV on treatment	People living with HIV who are virally suppressed	
All ages	5	% [–%]	% [–%] 	% [–%]	
Childre	n (0–'	% [%]	% [%]	% [–%]	
Women	(15+)% [%]	% [%]	% [–%]	
Men (15	5+)	% [–%]	% [–%] 	% [–%]	

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	0 [0–3]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV PREVENTION

HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
	NI .
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions	
Voluntary medical male circumcisions performed according to national standards People who received PrEP at least once	applicable Not
Voluntary medical male circumcisions performed according to national standards People who received PrEP at least once	Not applicable
Voluntary medical male circumcisions performed according to national standards People who received PrEP at least once during the reporting period (2023)	Not applicable
during the reporting period (2023) Harm reduction — Use of sterile injecting equipment at	Not applicable
Voluntary medical male circumcisions performed according to national standards People who received PrEP at least once during the reporting period (2023) Harm reduction — Use of sterile injecting equipment at last injection — Needles and syringes distributed per	applicable Not applicable 1

EXPENDITURES (in US dollars)

		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2023	256 890	0	0	0	0	256 890

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	No
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 18 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes

STIGMA AND DISCRIMINATION

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV

. ...

Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months

...

Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months

...

GENDER INEQUALITY AND VIOLENCE

Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months

•••

Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons

...

DOMINICAN REPUBLIC

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	4600	3900	4000
	[3300–5800]	[2200–5200]	[2500–5600]
New HIV infections (0–14)	540	<500	<200
	[<500–700]	[<500–600]	[<100- <500]
New HIV infections (15-24)	1500	1200	1200
	[990–1800]	[650–1500]	[720–1600]
New HIV infections (women, 15+)	1700	1400	1600
	[1200–2100]	[770–1900]	[980–2200]
New HIV infections (men, 15+)	2400	2000	2300
	[1700–3100]	[1100–2700]	[1400–3300]
HIV incidence as new infections per 1000 uninfected population	0.48 [0.34–0.61]	0.38 [0.22–0.51]	0.36 [0.23–0.51]
AIDS-related deaths			
AIDS-related deaths (all ages)	3300	2600	1400
	[2600–4200]	[1900–3500]	[860–2100]
AIDS-related deaths (0–14)	<500	<500	<500
	[<500–550]	[<500- <500]	[<200- <500]
AIDS-related deaths (women, 15+)	1300	1000	540
	[1000–1700]	[740–1400]	[<500–810]
AIDS-related deaths (men, 15+)	1600	1300	610
	[1200–2100]	[910–1700]	[<500–970]
People living with HIV			
People living with HIV (all ages)	74 000	74 000	84 000
	[66 000–85 000]	[63 000–86 000]	[65 000–99 000]
People living with HIV (0-14)	4300	3500	2800
	[3700–4900]	[3000–4100]	[2000–3400]
People living with HIV (women, 15+)	33 000	34 000	39 000
	[30 000–37 000]	[29 000–39 000]	[31 000–45 000]
People living with HIV (men, 15+)	37 000	37 000	42 000
	[31 000–42 000]	[31 000–43 000]	[31 000–51 000]
HIV prevalence (15–49) (%)	1.2 [1.1–1.3]	1.1 [0.9–1.2]	1.0 [0.8–1.2]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	Prohibit short- and/or long-stay and require HIV testing or disclosure for some permits
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 16 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No

STIGMA AND DISCRIMINATIO	N	
Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	2013	2019
(2019 refers to women only)	49.3	41.9
Percentage of people living with HIV who		2019
report experienced stigma and discrimination in the general community in the last 12 months		44.9
Percentage of people living with HIV who report experiences of HIV-related		2019
discrimination in health-care settings in the last 12 months		13
GENDER INEQUALITY AND VI	OLEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in		2019


2.2

hitting or beating his wife for specific reasons


(Refers to women only)

EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2023	32 349 667	16 168 458	25 406 789	4 998 716	713 708	80 229 538


EPIDEMIC TRANSITION METRICS




Change in new
HIV infections = -13%
since 2010



Change in AIDSrelated deaths = -59% since 2010



Incidence:
prevalence = 4.8
ratio



Incidence: = 2.24

0.4%


applicable

KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population					
HIV prevalence	4.6%	7%		27.7%	4.8%
HIV testing and status awareness	70.4%	86.9%		83.3%	
Antiretroviral therapy coverage	25.1%**	35.7%**		19.9%**	0%**
Condom use	83.7%	42%		20.2%	
Coverage of HIV prevention programmes	16.8%	30.4%		37.1%	
Avoidance of health care because of stigma and discrimination		1.9%		65.1%	
Experience of sexual and/or physical violence					

** Programme data—not representative.

HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TRANSMISSION

	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	41% [34–51%]	% [–%]
Final vertical transmission rate including during breastfeeding	20.7% [17.2–22.9%]	6.9% [6.1–10.6%]
Early infant diagnosis	48.4% [40.5–60.7%]	% [–%]

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	1100 [790–1400]
People living with HIV who started TB preventive therapy (2023)	1.8%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV PREVENTION

Prevalence of adults (15+) living with HIV with unsuppressed viral load
Knowledge of HIV prevention among young

people aged 15–24 years

— Women

Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years

— Women

— Men

— Men

Women aged 15–49 years who have their demand for family planning satisfied by

demand for family planning satisfied by modern methods (2019)

Men aged 15–49 years who are circumcised

Voluntary medical male circumcisions Not performed according to national standards applicable


People who received PrEP at least once during the reporting period (2023)

Harm reduction

- Use of sterile injecting equipment at last injection
- Needles and syringes distributed per person who injects
- Coverage of agonist maintenance therapy
- Naloxone available (2024) No


GUYANA

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	<500	<500	580
	[<500_900]	[<500–870]	[<500–1000]
New HIV infections (0–14)	<100	<100	<100
	[<100- <200]	[<100-<100]	[<100- <100]
New HIV infections (15-24)	<100	<100	<100
	[<100- <200]	[<100- <200]	[<100- <200]
New HIV infections (women, 15+)	<500	<200	<500
	[<200- <500]	[<200-<500]	[<200- <500]
New HIV infections (men, 15+)	<500	<500	<500
	[<200- <500]	[<200- <500]	[<200- <500]
HIV incidence as new infections per 1000 uninfected population	0.66 [0.39–1.2]	0.62 [0.4–1.2]	0.73 [0.5–1.3]
AIDS-related deaths			
AIDS-related deaths (all ages)	<100	<200	<200
	[<100- <500]	[<100- <500]	[<100- <500]
AIDS-related deaths (0-14)	<100	<100	<100
	[<100-<100]	[<100-<100]	[<100-<100]
AIDS-related deaths (women, 15+)	<100	<100	<100
	[<100-<100]	[<100-<100]	[<100- <200]
AIDS-related deaths (men, 15+)	<100	<100	<100
	[<100- <100]	[<100- <200]	[<100- <200]
People living with HIV			
People living with HIV (all ages)	6700	7900	10 000
	[5000–10 000]	[5800–12 000]	[7500–15 000]
People living with HIV (0-14)	<500	<500	<500
	[<500–600]	[<500–690]	[<200–660]
People living with HIV (women, 15+)	3200	3800	5100
	[2400–4900]	[2800–6000]	[3700–7400]
People living with HIV (men, 15+)	3100	3700	4800
	[2200–4600]	[2600–5600]	[3600–7000]
HIV prevalence (15–49) (%)	1.4 [1.0–2.1]	1.5 [1.1–2.3]	1.6 [1.1–2.4]



EXPENDITURES (in US dollars)						
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	0	0	0	0	0	0

HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TRANSMISSION				
	2015	2023		
Percentage of pregnant women living with HIV accessing antiretroviral medicines	62% [41–87%]	65% [44–89%]		
Final vertical transmission rate including during breastfeeding	17.2% [11.2–23.2%]	15.7% [9.8–21.9%]		
Early infant diagnosis	39.3% [25.8–55.3%]	47.6% [32.1–65.4%]		




EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	8500	8200	5600
	[7200–10 000]	[6700–10000]	[3700–8400]
New HIV infections (0–14)	1200	830	960
	[960–1500]	[620–1100]	[710–1400]
New HIV infections (15-24)	2500	2500	1500
	[1600–3100]	[1400–3100]	[880–2300]
New HIV infections (women, 15+)	3800	4100	2800
	[3100–4700]	[3300–4900]	[1700–4200]
New HIV infections (men, 15+)	3400	3200	1900
	[2800–4400]	[2500–4200]	[1200–3000]
HIV incidence as new infections per 1000 uninfected population	0.87 [0.73–1.1]	0.78 [0.64–0.95]	0.48 [0.32–0.72]
AIDS-related deaths			
AIDS-related deaths (all ages)	6400	4900	1500
	[5300–8000]	[4000–6200]	[1100–2000]
AIDS-related deaths (0-14)	940	530	500
	[720–1100]	[<500–680]	[<500–740]
AIDS-related deaths (women, 15+)	2700	2100	520
	[2100–3300]	[1600–2600]	[<500–770]
AIDS-related deaths (men, 15+)	2800	2300	<500
	[2300–3700]	[1900–3100]	[<500–670]
People living with HIV			
People living with HIV (all ages)	110 000	120 000	140 000
	[100 000–130 000]	[110 000–130 000]	[120 000–160 000]
People living with HIV (0-14)	9700	7200	6400
	[8100–11 000]	[5900–8200]	[5200–7900]
People living with HIV (women, 15+)	56 000	63 000	79 000
	[51 000–63 000]	[57 000–71 000]	[68 000–92 000]
People living with HIV (men, 15+)	47 000	49 000	55 000
	[42 000–54 000]	[44 000–56 000]	[48 000–65 000]
HIV prevalence (15–49) (%)	1.8 [1.6–1.9]	1.7 [1.6–1.8]	1.6 [1.5–1.9]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	No
Criminalization of sex work among consenting adults	No
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 18 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No

STIGMA AND DISCRIMINATION	
Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months	
Percentage of people living with HIV who report experiences of HIV-related	2021
discrimination in health-care settings in the last 12 months	1.4
GENDER INEQUALITY AND VIOL	ENCE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months	


EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2021	0	0	0	0	0	105 702 115

EPIDEMIC TRANSITION METRICS



10 000 8 000 4 000 2 000 2010

AIDS-related deaths



Change in new
HIV infections = -34%


Change in AIDSrelated deaths = -77% since 2010 Incidence:
prevalence = 4.0
ratio

Incidence: = 2.19

KEY POPULATIONS					
	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population	•••				11 900
HIV prevalence	8.6%	10.2%		34.8%	2.8%
HIV testing and status awareness	71.4%	100%**			
Antiretroviral therapy coverage	74.0%	70.3%		71.3%	100%
Condom use	88.1%	66.4%		71.7%	
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination	11%	10%		7%	
Experience of sexual and/or physical violence	29.3%	19%		50%	

HIV TESTING AND TREATMENT CASCADE

** Programme data—not representative.



ELIMINATION OF VERTICAL TRANSMISSION			
	2015	2023	
Percentage of pregnant women living with HIV accessing antiretroviral medicines	86% [76–100%]	63% [53–76%]	
Final vertical transmission rate including during breastfeeding	16.3% [13.9–18.4%]	16.6% [14.3–19.8%]	
Early infant diagnosis	39.3% [34.6–46.2%]	34.6% [29.2–41.5%]	

HIV COMORBIDITIES	
Estimated number of incident tuberculosis cases among people living with HIV (2023)	2400 [1700 –3100]
People living with HIV who started TB preventive therapy (2023)	62.9%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	
HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	0.5%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period (2023)	23 957
Harm reduction	
 Use of sterile injecting equipment at last injection 	
 Needles and syringes distributed per person who injects 	
— Coverage of agonist maintenance	
therapy	

JAMAICA


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	1300	1100	1200
	[1100–1600]	[870–1300]	[930–1600]
New HIV infections (0–14)	<100	<100	<100
	[<100- <200]	[<100- <100]	[<100- <100]
New HIV infections (15-24)	<500	<500	<500
	[<500-<500]	[<500-<500]	[<500- <500]
New HIV infections (women, 15+)	530	<500	<500
	[<500-640]	[<500–570]	[<500–670]
New HIV infections (men, 15+)	710	600	670
	[560–870]	[<500–760]	[<500–920]
HIV incidence as new infections per 1000 uninfected population	0.47 [0.39–0.57]	0.38 [0.3–0.46]	0.42 [0.33–0.55]
AIDS-related deaths			
AIDS-related deaths (all ages)	1100	860	740
	[910–1300]	[660–1100]	[560–940]
AIDS-related deaths (0–14)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (women, 15+)	<500	<500	<500
	[<500- <500]	[<200- <500]	[<200- <500]
AIDS-related deaths (men, 15+)	640	570	<500
	[510–770]	[<500–700]	[<500–600]
People living with HIV			
People living with HIV (all ages)	25 000	25 000	26 000
	[23 000–27 000]	[23 000–27 000]	[24 000–29 000]
People living with HIV (0–14)	830	640	<500
	[750–930]	[560–710]	[<500- <500]
People living with HIV (women, 15+)	11 000	11 000	13 000
	[9900–12 000]	[10 000–12 000]	[11 000–14 000]
People living with HIV (men, 15+)	14 000	13 000	13 000
	[12 000–15 000]	[12 000–15 000]	[12 000–15 000]
HIV prevalence (15–49) (%)	1.3 [1.2–1.4]	1.2 [1.1–1.2]	1.1 [1.0–1.2]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	No, but the general law has been used to prosecute cases in the past 10 years
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	Yes, imprisonment (up to 14 years)
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 16 years
Spousal consent for married women to access sexual and reproductive health services	Yes
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes

STIGMA AND DISCRIMINATIO	N	
Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	2017	2019
(2019 refers to women only)	66.8	0
Percentage of people living with HIV who		2019
in the general community in the last 12 months		32.9
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND V	OLEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons		

EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	0	0	0	0	0	0

EPIDEMIC TRANSITION METRICS




Change in new
HIV infections = -10%
since 2010


discrimination

physical violence


Experience of sexual and/or



Change in AIDSrelated deaths = -32% since 2010



Incidence:
prevalence = 4.5
ratio



Incidence: mortality ratio = 1.38

KEY POPULATIONS Men who People who Sex workers have sex inject drugs people prisons with men Estimated size of population **HIV** prevalence 6.9% HIV testing and status awareness **Antiretroviral therapy** coverage Condom use Coverage of HIV prevention programmes Avoidance of health care because of stigma and

HIV TESTING AND TREATMENT CASCADE 16 000 14 000 Number of people living with HIV 12 000 10 000 8 000 6 000 4 000 2 000 People living with HIV who know People living with HIV who are People living with HIV on their status treatment virally suppressed All ages ...% [...-...%] 56% [50-62%] 51% [46-57%] 14 735 13 519 Children (0-14) ...% [...-...%] 38% [33-46%] 29% [25-35%] 133 103

•••	100	•	05
% [–%] 	64% [58 8077	•	9% [53–65%] 403
% [–%] 	48% [42 6525	•	5% [39–51%] 014
ON OF VERT	ICAL TR	ANSMISS	ION
		2015	2023
egnant women living roviral medicines	with HIV	82% [73–92%]	90% [79–100%]
smission rate includi	ng during	8.0% [5.9–10.4%]	6.9% [5.4–9.9%]
nosis		%	86.4% [75.8–99.3%
	% [%]% [%] ON OF VERT egnant women living roviral medicines	% [%] 64% [58 8077% [%] 48% [42 6525 ON OF VERTICAL TR egnant women living with HIV roviral medicines smission rate including during	% [%] 64% [58-71%] 50 8077 7% [%] 48% [42-55%] 4 6525 60 ON OF VERTICAL TRANSMISS 2015 egnant women living with HIV 82% roviral medicines [73-92%] smission rate including during 8.0% [5.9-10.4%]

mortality ratio	
HIV COMORBIDITIES	
Estimated number of incident tuberculosis cases among people living with HIV (2023)	16 [8–26]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	
HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	0.5%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable

People who received PrEP at least once

- Use of sterile injecting equipment at

— Needles and syringes distributed per

— Coverage of agonist maintenance

during the reporting period (2023)

Harm reduction

last injection

therapy

person who injects

Naloxone available (2024)

284

Data not

available

SAINT KITTS AND NEVIS


KEY POPULATIONS						
	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons	
Estimated size of population	•••				200	
HIV prevalence						
HIV testing and status awareness						
Antiretroviral therapy coverage						
Condom use						
Coverage of HIV prevention						

	HIV TI	ESTING	AND TR	REATMEN'	T CASCADE
--	--------	--------	--------	----------	-----------

Avoidance of health care because of stigma and discrimination

Experience of sexual and/or

physical violence



HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	0 [0–1]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV PREVENTION

HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	0.4%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period	
People who received PrEP at least once during the reporting period Harm reduction	
during the reporting period	
during the reporting period Harm reduction — Use of sterile injecting equipment at	
Harm reduction — Use of sterile injecting equipment at last injection — Needles and syringes distributed per	

EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2023	166 236	77 330	0	0	0	243 566

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	No
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	Require HIV testing or disclosure for some permits
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 18 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes

STIGMA AND DISCRIMINATION

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV

. ...

Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months

•••

Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months

ontns

GENDER INEQUALITY AND VIOLENCE

Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months

•••

Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons

...

SAINT LUCIA


Experience of sexual and/or

Last available report: 2022

physical violence

KEY POPULATIONS					
	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population					
HIV prevalence					1%
HIV testing and status awareness					
Antiretroviral therapy coverage					
Condom use					
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					

HIV TESTING AND TREATMENT CASCADE



0

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	0 [0–1]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	0.3%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period (2023)	1
Harm reduction	
 Use of sterile injecting equipment at last injection 	
 Needles and syringes distributed per person who injects 	
 Coverage of agonist maintenance therapy 	
— Naloxone available (2024)	No

0

EXPENDITURES (in US dollars)						
Funding sources						
Domestic public Domestic private International: International: International: Total PEPFAR Global Fund all others						

0

LAWS AND POLICIES

Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	Yes, imprisonment (up to 14 years)
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 18 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No

STIGMA AND DISCRIMINATION

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV

. ...

Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months

...

Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months

GENDER INEQUALITY AND VIOLENCE

Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months

•••

Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons

...

SURINAME

	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	<500	<500	510
	[<500-<500]	[<500-<500]	[<500–670]
New HIV infections (0–14)	<100	<100	<100
	[<100- <100]	[<100-<100]	[<100- <100]
New HIV infections (15-24)	<100	<100	<100
	[<100- <100]	[<100-<100]	[<100- <100]
New HIV infections (women, 15+)	<200	<200	<500
	[<200- <200]	[<200- <200]	[<200-<500]
New HIV infections (men, 15+)	<500	<200	<500
	[<200- <500]	[<200- <500]	[<200- <500]
HIV incidence as new infections per 1000 uninfected population	0.72 [0.58–0.88]	0.64 [0.48–0.81]	0.83 [0.6–1.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	<500	<200	<500
	[<200- <500]	[<200- <500]	[<200- <500]
AIDS-related deaths (0–14)	<100	<100	<100
	[<100- <100]	[<100-<100]	[<100- <100]
AIDS-related deaths (women, 15+)	<100	<100	<100
	[<100- <100]	[<100-<100]	[<100- <200]
AIDS-related deaths (men, 15+)	<200	<200	<200
	[<100- <200]	[<100- <200]	[<200- <200]
People living with HIV			
People living with HIV (all ages)	5200	5900	7400
	[4600–5700]	[5300–6700]	[6400–8400]
People living with HIV (0–14)	<200	<200	<200
	[<200- <200]	[<200-<200]	[<200- <200]
People living with HIV (women, 15+)	2200	2700	3500
	[2000–2500]	[2300–3100]	[3000–4000]
People living with HIV (men, 15+)	2800	3100	3800
	[2400–3100]	[2700–3500]	[3200–4300]
HIV prevalence (15–49) (%)	1.5 [1.3–1.6]	1.5 [1.3–1.7]	1.6 [1.3–1.8]


LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Data not available
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 16 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes

STIGMA AND DISCRIMINATION	N	
Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV		
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND VI	OLEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in		


hitting or beating his wife for specific reasons

EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2019	0	0	0	0	0	0

EPIDEMIC TRANSITION METRICS



400 300 300 400 200 2010 2023 AIDS-related deaths



Change in new HIV infections = 32% since 2010

physical violence

Change in AIDSrelated deaths : since 2010 32% Incidence: prevalence ratio

= 6.9

Incidence: mortality ratio = 1.61

KEY POPULATIONS Men who People who Transgender People in Sex workers have sex inject drugs people prisons with men Estimated size of population **HIV** prevalence ... HIV testing and status awareness Antiretroviral therapy coverage Condom use Coverage of HIV prevention programmes Avoidance of health care because of stigma and discrimination Experience of sexual and/or

HIV COMORBIDITIES	
Estimated number of incident tuberculosis cases among people living with HIV (2023)	21 [11–35]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV	TES	TIN	G AND TRE	ATME	NT CAS	CADE	
Number of people living with HIV	4 500 4 000 3 500 3 000 2 500 2 000 1 500 1 000 500						
	0	People I	iving with HIV who know their status		ng with HIV on atment	People living with HIV who are virally suppressed	
All ag	jes		53% [46–60%] 3908	45% 3361	[40–52%]	40% [35–45%] 29 44	
Childı	ren (0-	14)	34% [27–41%] 51	23% 34	[18–27%]	17% [13–20%] 25	
Wom	en (15+	·)	58% [50–66%] 2027	50% 1762	[43–57%]	44% [38–50%] 1548	
Men ((15+)		49% [41–56%] 1830	42% 1565	[35–48%]	36% [31–42%] 1371	

HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	0.9%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period	
Harm reduction	
 Use of sterile injecting equipment at last injection 	
 Needles and syringes distributed per person who injects 	

— Coverage of agonist maintenance

Νo

- Naloxone available (2024)

therapy

	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	92% [81–100%]	61% [53–73%]
Final vertical transmission rate including during breastfeeding	10.6% [7.7–12.7%]	17.7% [14.5–20.0%]
Early infant diagnosis	73.1% [64.2–85.4%]	% [–%]

ELIMINATION OF VERTICAL TRANSMISSION


EASTERN AND SOUTHERN AFRICA

There has been major progress in the HIV response in eastern and southern Africa, the region most affected by the HIV pandemic. The annual number of people acquiring HIV fell by 59% from 1.1 million [880 000–1.4 million] to 450 000 [360 000–580 000] between 2010 and 2023. The number of AIDS-related deaths decreased by 57%, from 600 000 [490 000–770 000] to 260 000 [210 000–330 000] between 2010 and 2023 (Figure 3.1).

Despite this overall progress, adolescent girls and young women (aged 15–24 years) still accounted for 27% of new HIV infections and were three times as likely to acquire HIV than their male counterparts. HIV incidence decreased among all key populations from 2010 to 2022 in the region, but at slower rates among gay men and other men who have sex with men and people who inject drugs (1) (Figure 3.2). It is essential to prioritize increased investment in intensified and more precise prevention efforts.

Fast declines in numbers of new HIV infections and AIDS-related deaths

Figure 3.1 Numbers of new HIV infections and AIDS-related deaths, eastern and southern Africa, 2000–2023



Source: UNAIDS epidemiological estimates, 2024 (https://aidsinfo.unaids.org/).



2023 DATA

- 59% decrease in new HIV infections since 2010
- **57%** decrease in AIDS-related deaths since 2010
- People living with HIV: 20.8 million
 [19.2 million–23.0 million]
- New HIV infections:
 450 000 [360 000–580 000]
- AIDS-related deaths:
 260 000 [210 000–330 000]

Testing and treatment cascade (all ages):

- % of people living with HIV who know their status:
 93 [75->98]
- % of people living with HIV who are on treatment:
 83 [68–96]
- % of people living with HIV who have a suppressed viral load: 78 [72–86]

Financing the HIV response:

Resource availability for HIV:
 US\$ 9.3 billion

HIV treatment coverage continues to expand. An estimated 84% [68–96%] of the more than 20 million people living with HIV aged 15 years and over were receiving antiretroviral therapy, and an estimated 94% [76–>98%] of those on treatment were virally suppressed. Seven countries (Botswana, Eswatini, Kenya, Malawi, Rwanda, Zambia and Zimbabwe) have already reached the 95–95–95 testing and treatment targets for the general population. At 65% [46–88%], treatment coverage among children continues to be much lower than among adults. Both treatment coverage and outcomes for men still lag behind at 79% [64–91%].


Several countries have achieved steep reductions in their vertical HIV transmission rates. In May 2024, Namibia became the second high-burden country, after Botswana, to be recognized on the path to elimination of vertical transmission of both HIV (2).

Structural barriers—including gender inequalities, poverty and social exclusion—persist and prevent people, especially those from key populations, from realizing their right to health. Most countries in the region maintain laws that criminalize same-sex sexual relations, sex work or drug use. Discriminatory attitudes towards people living with HIV have reduced in some places, such as Eswatini and Rwanda, but they remain widespread in others, such as Comoros and Madagascar (3). Furthermore, a rise in anti-gender and anti-LGBTQI+ rhetoric is putting at risk sexual and reproductive health, HIV and other vital services for women and girls and for people from marginalized communities (4).

Community-led organizations are best placed to provide much-needed HIV treatment and prevention services and broader health and social services to their peers in ways that are acceptable and accessible and address the underlying inequalities that make these very same communities vulnerable to HIV. For example, the National Empowerment Network of People Living with HIV/AIDS in Kenya (NEPHAK) is a national network that unites people living with, at risk of, or affected by HIV in Kenya. NEPHAK aspires for a nation where affected communities are at the forefront and meaningfully involved in the interventions geared towards an "improved health and well-being of communities" and where their rights are recognized and respected. NEPHAK, in partnership with the Ministry of Health under the differentiated service delivery initiative, established community antiretroviral therapy groups to

More than half of new HIV infections are in the general population

Figure 3.2 Distribution of new HIV infections and percentage change among adults, eastern and southern Africa, 2010 and 2022



Source: Korenromp EL, Sabin K, Stover J, Brown T, Johnson LF, Martin-Hughes R, et al. New HIV infections among key populations and their partners in 2010 and 2022, by world region: a multisources estimation. J Acquir Immune Defic Syndr. 2024;95(1S):e34–e45.


ensure continuity of HIV service uptake and avoid overcrowding in health facilities. People living with HIV operate under a small group led by their peer leader, who interacts with health facilities on behalf of members for collection of antiretroviral medicines and laboratory results for CD4 and viral load testing. Psychosocial support and treatment literacy are provided during community group meetings (5).

In 2023, the total resources allocated for HIV in the region amounted to US\$ 9.3 billion, despite a slight decline since 2020 (Figure 3.3). Approximately 40% of the funding is domestically sourced. The United States President's Plan for AIDS Relief and the Global Fund to Fight AIDS, Tuberculosis and Malaria contribute the bulk of external resources. Excluding South Africa, however, the share of domestic funding in the region drops to 25%. HIV prevention programmes absorbed about 11% of total HIV spending, 91% of which was from international sources. The region has been largely successful in increasing antiretroviral therapy coverage, but there is still a gap in spending on HIV prevention to increase the share of spending level to reach 18% of total resource needs for the region by 2025. The current spending

on societal enabler interventions comprised 8% of spending, compared with the estimated need of 12% of all HIV spending by 2025. Overall, there is a need for improved efficiency. To maximize the use of available resources, the region must prioritize and implement processes that enhance allocative and technical efficiency in its programmes. Accelerating and sustaining the progress made in the region requires further investments in data for focused prevention and for community-led responses; reforming harmful laws; and prioritizing human rights and gender equality.


The HIV response in eastern and southern Africa is showing return on investments

Figure 3.3 Resource availability for HIV, eastern and southern Africa, 2010–2023



 $Source: UNAIDS\ financial\ estimates,\ July,\ 2024\ (http://hivfinancial.unaids.org/hivfinancialdashboards.html).$

Figure 3.4 HIV prevalence among people from key populations compared with adults (aged 15-49 years), reporting countries in eastern and southern Africa, 2019–2023



Source: Global AIDS Monitoring, 2020–2024; UNAIDS epidemiological estimates, 2024 (https://aidsinfo.unaids.org/).

Note: n = number of countries. Total number of reporting countries = 21. The adult prevalence uncertainty bounds define the range within which the true value lies (if it can be measured). Narrow bounds indicate that an estimate is precise, while wide bounds indicate greater uncertainty regarding the estimate.

Table 3.1 Reported estimated size of key populations, eastern and southern Africa, 2019–2023

Country	National adult population (aged 15–49 years) for 2023 or relevant year	Sex workers	Sex workers as percentage of adult population (aged 15–49 years)	Gay men and other men who have sex with men	Gay men and other men who have sex with men as percentage of adult population (aged 15–49 years)	People who inject drugs	People who inject drugs as percentage of adult population (aged 15–49 years)	Transgender people	Transgender people as percentage of adult population (aged 15–49 years)	People in prisons and other closed settings	People in prisons and other closed settings as percentage of adult population (aged 15–49 years)
Eswatini	646 000	7100		4000	0.65%						
Kenya	27 162 000	197 100	0.79%					4400			
Malawi	10 689 000	39 000	0.38%	49 800	0.48%					18 300	0.18%
Mauritius	656 000										
Namibia	1 342 000	8500	0.64%							5400	0.41%
Rwanda	7 002 000										
Seychelles	55 000									400	0.76%
South Africa	32 560 000			309 700	0.98%			179 300	0.56%	154 700	0.48%
South Sudan	6 778 000										
Uganda	21 911 000									157 400	0.72%
United Republic of Tanzania	30 009 000	155 800	0.52%	3300		32 000	0.11%				
Zambia	10 094 000			88 400	0.88%	30 000	0.30%			25 300	0.25%
Zimbabwe	8 856 000	70 400	0.80%	23 300						24 000	0.27%
Estimated regional mas percentage of adul (aged 15–49 years):			0.65%		0.68%		0.12%		0.13%		-

National population size estimate Local population size estimate Insufficient data No data

Source: Global AIDS Monitoring, 2020–2024 (https://aidsinfo.unaids.org/). Spectrum DemProj module, 2024.

United Nations Population Division, World Population Prospects: The 2022 revision (https://population.un.org/dataportal/home?df=b97292bf-b220-4cce-9978-f1820bb65792).

Guide for updating Spectrum HIV estimates, UNAIDS 2024 (https://hivtools.unaids.org/hiv-estimates-training-material-en/).

Estimates shown are government-provided estimates reported for 2019–2023. Additional and alternative estimates may be available from different sources, including the Key Populations Atlas (https://kpatlas.unaids.org/), academic publications and institutional documents. The regions covered by the local population size estimates are as follows:

Eswatini: Manzini, Mbabane, Nhlangano, Pigg's Peak, Siteki

Kenya: 47 cities


United Republic of Tanzania: Zanzibar Zimbabwe: Bulawayo, Harare

"The estimated size of key populations refers to reported values through Global AIDS Monitoring since 2019 only. A comprehensive review of the data was conducted during these reporting rounds and therefore estimates should not be compared with data presented in previous UNAIDS reports. As a result of this process, the estimates reported can be categorized as follows "National population size estimate" refers to estimates that are empirically derived using one of the following methods: multiplier, capture-recapture, mapping/enumeration, network scale-up method (NSUM) or population-based survey, or respondent-driven sampling-successive sampling (RDS-SS). Estimates had to be national or a combination of multiple sites with a clear approach to extrapolating to a national estimate

[&]quot;Local population size estimate" refers to estimates that are empirically derived using one of the before mentioned methods but only for a subnational group of sites that are insufficient for


[&]quot;Insufficient data" refers to estimates derived from expert opinions, Delphi, wisdom of the crowds, programmatic results or registry, regional benchmarks or unknown methods. Estimates may or

Figure 3.5 HIV testing and treatment cascade, by age and sex, eastern and southern Africa, 2023



Source: Further analysis of UNAIDS epidemiological estimates, 2024.


Figure 3.6 Distribution of people living with HIV by recent infection, knowledge of status, treatment and viral load suppression, adults (aged 15+ years), eastern and southern Africa, 2019–2023



Source: Further analysis of UNAIDS epidemiological estimates, 2024.

Table 3.2 Laws and policies scorecard, eastern and southern Africa, 2024


Country	Griminalization of transgender people*	Criminalization of sex work ^b	Criminalization of same-sex sexual acts in private	Griminalization of possession of small amounts of drugs ^c	Laws criminalizing HIV nondisclosure, exposure or transmission ^d	Laws or policies restricting the entry, stay and residence of people living with HIV ⁵	Parental or guardian consent for adolescents to access HIV testing
Angola		6	13	22		5	31
Botswana	7		3		2	5	32
Comoros	2		2		2	5	3
Eritrea			2	23	24	5	
Eswatini	2		2		2	5	33
Ethiopia	1		14		25	5	34
Kenya	2		15			5	35
Lesotho	1		16			5	36
Madagascar	48	11	3		3	5	3,37
Malawi	1		17		1	5	1,38
Mauritius	3	4	13		26	5	1,39
Mozambique	7	4	13		4	5	40
Namibia	1		18		27	5	1,41
Rwanda	1	12	1		28	5	1,42
Seychelles	1		1		1	5	1
South Africa	1		1		1	5	43
South Sudan	4		19			5	3,44
Uganda	1		20		29	5	45
United Republic of Tanzania	1		1		1	5	1,46
Zambia	1		21		1	5	3
Zimbabwe	2	2	2	2	30	5	47




Yes, for adolescents aged 12 years or younger

Not addressed in laws or policy

Data not available





Criminalization of transgender people refers to laws that criminalize people based on their gender identity or expresssion, such as laws against cross-dressing or impersonating the

riminalization of sex work refers to criminalization of any aspect of sex work, including buying sexual services, selling sexual services, ancillary activities associated with buying or b

С

Criminalization of sex work refers to criminalization of any aspect of sex work, including buying sexual services, and profiting from organizing or managing sex work.

Criminalization of possession of small amounts of drugs refers to the criminalization of possession of any quantity of drugs, including possession of a quantity of drugs sufficient only for personal use. A country is considered to criminalize possession of small amounts of drugs even if marijuana has been decriminalized.

HIV nondisclosure, exposure or transmission may be explicitly criminalized in an HIV-specific law or within a law that covers a broader range of communicable diseases and mentions HIV. They may also be criminalized under a law that covers a broader range of communicable diseases but does not specifically mention HIV. Laws may limit criminalization to cases of actual d and intentional transmission. This refers to cases where a person knows their HIV-positive status, acts with the intention to transmit HIV and does in fact transmit it, in line with the UNDP 2021 Guidance for Prosecutors on HIV-related Criminal Cases. Some countries do not have a law specifically criminalizing HIV nondisclosure, exposure or transmission but the general law

has been used to prosecute cases in the past 10 years.

Constitutional or legislative protections against discrimination refer to whether gender identity or sexual orientation is specified as a protected attribute or whether courts or government have legally recognized that gender identity/sexual orientation/involvement in sex work/involvement in drug use or possession are protected under another attribute.

This figure does not capture where key populations may be de facto criminalized through the misuse of other laws, such as vagrancy or public morality laws, or the use of the above laws for different populations, e.g. transgender people may be targeted using laws criminalizing same-sex sexual activity, or gay men and other men who have sex with men may be targeted using HIV criminalization laws.

Source:

6

- National Commitments and Policy Instrument, 2024 (http://lawsandpolicies.unaids.org/).
- National Commitments and Policy Instrument, 2022 (http://lawsandpolicies.unaids.org/).
- National Commitments and Policy Instrument, 2021 (http://lawsandpolicies.unaids.org/).
- 4
- National Commitments and Policy Instrument, 2019 (https://lawsandpolicies.unaids.org/).
 Still not welcome: HIV-related travel restrictions. Geneva: UNAIDS and United Nations Development Programme; 2019 (https://www.unaids.org/sites/default/files/media_asset/hiv-5 related-travel-restrictions-explainer_en.pdf).

 Angola. Codigo Penal (https://minagrip.gov.ao/fotos/frontend_1/gov_documentos/novo_codigo_penal_905151145fad02b10cd11.pdf).

 Chiam Z, Duffy S, González Gil M, Goodwin L, Mpemba Patel NT. Trans legal mapping report 2019: recognition before the law. Geneva: ILGA World; 2020.

 Eswatini. Sexual Offences and Domestic Violence Act 2018 (Articles 13–18); Eswatini. Crimes Act 61 of 1889 Article 49 (http://www.osall.org.za/docs/2011/03/Swaziland-Crimes-

- 8
- Act-61-of-1889.pdf); National Commitments and Policy Instrument, 2022 (http://lawsandpolicies.unaids.org/).
- Ethiopia. Penal Code (https://www.refworld.org/docid/49216b572.html%22%3Ehttp://www.refworld.org/docid/49216b572.html%3C/a>) Lesotho. Penal Code Act (No. 6 of 2012), 2010, Article 55 (http://www.wipo.int/edocs/lexdocs/laws/en/ls/ls022en.pdf).
- 10
- $Madagascar. \ Penal\ Code\ Article\ 334b is\ sub-section\ 9\ (http://www.justice.mg/wp-content/uploads/textes/1TEXTES\%20NATIONAUX/DROIT\%20PRIVE/les\%20codes/CODE\%20$ 11 PENAL.pdf).
- 12
- 13
- Rwanda. Organic Law Instituting the Penal Code, Section 4 (https://sherloc.unodc.org/cld/uploads/res/document/rwa/1999/penal-code-of-rwanda_html/Penal_Code_of_Rwanda.pdf).

 Mendos LR, Botha K, Carrano Lelis R, Lopez de la Peña E, Savelev I, Tan D. State-sponsored homophobia 2020: global legislation overview update. Geneva: ILGA; 2020.

 https://ilga.org/downloads/ILGA_World_State_Sponsored_Homophobia_report_global_legislation_overview_update_December_2020.pdf

 Criminal Code of the Federal Democratic Republic of Ethiopia Proclamation No. 414/2004 Articles 629–630 (https://database.ilga.org/api/downloader/download/1/ET%20-%20

 LEG%20-%20Penal%20Code%20(2004)%20-%20TR(en).pdf). 14
- 15
- Kenya. Penal Code Sections 163–165 (http://kenyalaw.org:8181/exist/kenyalex/actview.xql?actid=CAP.%2063).
 Penal Code Act 2010, Article 52 (https://database.ilga.org/api/downloader/download/1/LS%20-%20LEG%20-%20Penal%20Code%20(2012)%20-%20OR(en).pdf) 16
- Penal Code Chapter 7:01, Section 153 (https://database.ilga.org/api/downloader/download/1/MW%20-%20LEG%20-%20Penal%20Code%20(1930-2014)%20-%20OR(en).pdf). Namibia: Dausab v The Minister of Justice (HC-MD-CIV-MOT-GEN-2022/00279) NAHCMD 331 (21 June 2024) (https://www.humandignitytrust.org/wp-content/uploads/ 17 18
- resources/Judgment.pdf).
 South Sudan. Penal Code, Article 248 (https://www.wipo.int/edocs/lexdocs/laws/en/ss/ss014en.pdf). 19
- Anti-homosexuality Act, 2023 (https://www.parliament.go.ug/sites/default/files/The%20Anti-Homosexuality%20Act%2C%202023.pdf) 21
- Penal Code Act, Section 155 (https://database.ilga.org/api/downloader/download/1/ZM%20-%20LEG%20-%20Penal%20Code%20(2005)%20-%20OR(en).pdf).

 Angola. Artigo 23 lei sobre o trfico e consumo de estupefacientes, substncias psicotrpicas e precursores, 1999 (https://gazettes.africa/archive/ao/1999/ao-government-gazette-22
- dated-1999-08-06-no-32.pdf).
- 23 Eritrea. Penal Code of the State of Eritrea, 2015, Article 395 (http://www.ilo.org/dyn/natlex/docs/ELECTRONIC/101051/121587/F567697075/ERI101051%20Eng.pdf).
- 24 25
- Penal Code of the State of Eritrea, 2015, Articles 262–263 (https://faolex.fao.org/docs/pdf/eri210565.pdf).
 Criminal Code of the Federal Democratic Republic of Ethiopia, Article 514 (https://www.wipo.int/edocs/lexdocs/laws/en/et/et011en.pdf).
- 26
- HIV Justice Network. Amsterdam: HIV Justice Foundation; 2022 (https://www.hiyustice.net).
 Public and Environmental Health Act, 2015, Article 37 (https://faolex.fao.org/docs/pdf/nam144988.pdf). 27
- 28 Law No. 59/2008 of 2008 on Prevention and Punishment of Gender-based Violence, Article 29 (https://www.refworld.org/legal/legislation/natlegbod/2008/en/67903).
- 29 HIV and AIDS Prevention and Control Act, 2014, Article 41.
- 30 Marriages Act, 2022 (https://www.veritaszim.net/sites/veritas_d/files/MARRIAGES%20ACT%20%20No.%201%20of%202022.pdf); and Criminal Law (Codification and Reform) Act, Article 79 (https://www.jsc.org.zw/upload/Acts/2017/0923updated.pdf). Angola. Protocolo Servicos de Testagem para o VIH, 2017 (https://pdf.usaid.gov/pdf_docs/PA00MV73.pdf).
- 31
- 32
- 33
- Botswana 2023 integrated HIV clinical care guidelines (https://www.moh.gov.bw/Publications/HIV_treatment_guidelines.pdf).

 Children's Protection and Welfare Act, 2012, Sections 240–243 (https://osall.org.za/docs/2011/03/Swaziland-Childrens-Protection-and-Welfare-Act-6-of-2012-Part-7.pdf).

 National guidelines for comprehensive HIV prevention, care and treatment, 2022 (https://hivpreventioncoalition.unaids.org/en/resources/national-guidelines-comprehensive-hiv-34 prevention-care-and-treatment-2022-ethiopia).
 Kenya HIV prevention and treatment guidelines, 2022 (https://www.differentiatedservicedelivery.org/wp-content/uploads/Kenya-ARV-Guidelines-2022-Final-1.pdf).
- 35
- 36
- Lesotho. Children's Protection and Welfare Act, 2011, Section 233 (http://jafbase.fr/docAfrique/ Lesotho/children%20act%20lesotho.pdf). Loi N. 2005-040 du 20 Fevrier 2006 sur la lutte contre le VIH/SIDA et la protection des droits des personnes vivant avec le VIH/SIDA. https://healtheducationresources.unesco.org/ 37 Lori N. 2003-040 ut 201 evine 2003 sin a facte contract le vin 2004 et la protection des acts personnes visites/default/files/resources/ijep_madagascar_loi_lutte_contre_sida_2006.pdf
 National HIV/AIDS policy, 2003 (https://data.unaids.org/topics/human-rights/malawi_national_policy_en.pdf).
- 38
- HIV and AIDS Act 31 of 2006 (https://mauritiuslii.org/akn/mu/act/2006/31/eng@2017-06-30). 39
- Mozambique. Law 19/2014 Lei de Proteccao da Pessoa, do Trabalhador e do Candidato a Emprego vivendo con HIV e SIDA, Article 26 (https://www.dlapiperafrica.com/export/sites/africa/mozambique/insights/legislation-series/employment/downloads/Lei-n_19.2014-Lei-de-Protecao-da-Pessoa-e-do-Trabalhador.pdf_2063069299.pdf). 40
- 41
- National guidelines for antiretroviral therapy. Government of the Republic of Namibia Ministry of Health and Social Services, 2016.

 National guidelines for prevention and management of HIV and STIs, edition 2016. Rwanda Biomedical Centre, Republic of Rwanda Ministry of Health, 2016. 42
- 43
- (https://aidsfree.usaid.gov/sites/default/files/rw_national_guidelines_hiv.pdf).

 National HIV testing services: policy, 2016 (https://sahivsoc.org/Files/HTS%20Policy%2028%20July%20final%20copy.pdf).

 Consolidated clinical guidelines on use of antiretroviral drugs for HIV treatment and prevention, 2017 (https://www.differentiatedservicedelivery.org/wp-content/uploads/South-44 Sudan 2017-2.pdf).
- 45 Consolidated guidelines for the prevention and treatment of HIV and AIDS in Uganda, 2022 (https://www.differentiatedservicedelivery.org/wp-content/uploads/Consolidated-HIVand-AIDS-Guidelines-20230515_Uganda.pdf).
 HIV and AIDS (Prevention and Control) Act, 2008, Article 15(2), Bill Supplement No. 7 of 1 November 2019, Amendment of the HIV and AIDS (Prevention and Control) Act, 2008, Article 15(2), Bill Supplement No. 7 of 1 November 2019, Amendment of the HIV and AIDS (Prevention and Control) Act, 2008, Article 15(2), Bill Supplement No. 7 of 1 November 2019, Amendment of the HIV and AIDS (Prevention and Control) Act, 2008, Article 15(2), Bill Supplement No. 7 of 1 November 2019, Amendment of the HIV and AIDS (Prevention and Control) Act, 2008, Article 15(2), Bill Supplement No. 7 of 1 November 2019, Amendment of the HIV and AIDS (Prevention and Control) Act, 2008, Article 15(2), Bill Supplement No. 7 of 1 November 2019, Amendment of the HIV and AIDS (Prevention and Control) Act, 2008, Article 15(2), Bill Supplement No. 7 of 1 November 2019, Amendment of the HIV and AIDS (Prevention and Control) Act, 2008, Article 15(2), Bill Supplement No. 7 of 1 November 2019, Amendment of the HIV and AIDS (Prevention and Control) Act, 2008, Article 15(2), Bill Supplement No. 7 of 1 November 2019, Amendment of the HIV and AIDS (Prevention and Control) Act, 2008, Article 15(2), Bill Supplement No. 7 of 1 November 2019, Amendment of the HIV and AIDS (Prevention and Control) Act, 2008, Article 2019, Amendment On the AID (Prevention and Control) Act, 2008, Article 2019, Amendment On the AID (Prevention and Control) Act, 2008, Article 2019, Amendment On the AID (Prevention and Control) Act, 2008, Article 2019, Amendment On the AID (Prevention and Control) Act, 2008, Article 2019, Amendment On the AID (Prevention and Control) Act, 2008, Article 2019, Amendment On the AID (Prevention and Control) Act, 2008, Article 2019, Amendment On the AID (Prevention and Control) Act, 2008, Article 2019, Amendment On the AID (Prevention and Control) Act, 2008, Article 2019, Amendment On the AID (Prevention and Control) Act, 2019, Amendment On the AID (Prevention and Control) Act, 2019, Amendment On the AID (Prevent 46
- (Cap. 431) (https://www.parliament.go.tz/polis/uploads/bills/1572969919-[The%20Written%20Laws%20(Miscelaneous%20Ammendments)%20(No.7)%20Bill,%202019.pdf).

 Operational and service delivery manual for the prevention, care and treatment of HIV in Zimbabwe, 2022 (https://www.differentiatedservicedelivery.org/wp-content/uploads/MSF-47 Zim-OSDM-Nov2022-WEB2.pdf).
- National Commitments and Policy Instrument, 2017 (http://lawsandpolicies.unaids.org/). 48

REFERENCES

- Korenromp EL, Sabin K, Stover J, Brown T, Johnson LF, Martin-Hughes R, et al. New HIV infections among key populations and their partners in 2010 and 2022, by world region: a multisources estimation. J Acquir Immune Defic Syndr. 2024;95(1S):e34–e45.

 Namibia reaches key milestone in eliminating mother-to-child transmission of HIV and hepatitis B. Windhoek: World Health Organization Regional Office for Africa; 2024 (https://www.afro.who.int/news/namibia-reaches-key-milestone-eliminating-mother-child-transmission-hiv-and-hepatitis-b).

 Population-based surveys, 2000–2023.

 Shaw A. The global assault on LGBTQ rights undermines democracy. London: Chatham House; 2023 (https://www.chathamhouse.org/publications/the-world-today/2023-06/ 1
- 2
- 3
- global-assault-lgbtq-rights-undermines-democracy).
 Community-led monitoring for increased community engagement in DSD decision-making and programming. Bryanston, South Africa: International Treatment Preparedness Coalition; 2022 (https://itpcglobal.org/resource/clm-for-increased-community-engagement-in-dsd/).


ANGOLA

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	28 000	23 000	16 000
	[24 000–34 000]	[19 000–29 000]	[12 000–22 000]
New HIV infections (0–14)	7400	7100	3200
	[6200–9000]	[5700–8700]	[2100–4900]
New HIV infections (15-24)	8100	6100	4900
	[4700–10 000]	[4000–7800]	[3200–7100]
New HIV infections (women, 15+)	13 000	10 000	8500
	[10 000–16 000]	[8200–14 000]	[6400–12 000]
New HIV infections (men, 15+)	7900	5600	4100
	[6400–9900]	[4400–7600]	[3000–6000]
HIV incidence as new infections per 1000 uninfected population	1.2 [1–1.5]	0.83 [0.68–1]	0.44 [0.34–0.62]
AIDS-related deaths			
AIDS-related deaths (all ages)	15 000	15 000	12 000
	[13 000–19 000]	[12 000–18 000]	[9300–17 000]
AIDS-related deaths (0–14)	5100	5200	2900
	[4300–6000]	[4300–6200]	[2000–4000]
AIDS-related deaths (women, 15+)	6200	5000	5100
	[5000–7600]	[3800–6700]	[3700–7200]
AIDS-related deaths (men, 15+)	4200	4500	4300
	[3400–5300]	[3500–5900]	[3300–5700]
People living with HIV			
People living with HIV (all ages)	250 000	300 000	320 000
	[220 000–290 000]	[260 000–350 000]	[280 000–380 000]
People living with HIV (0-14)	32 000	37 000	32 000
	[27 000–38 000]	[31 000–43 000]	[25 000–39 000]
People living with HIV (women, 15+)	140 000	170 000	200 000
	[120 000–160 000]	[150 000–190 000]	[170 000–230 000]
People living with HIV (men, 15+)	83 000	96 000	96 000
	[72 000–97 000]	[82 000–110 000]	[83 000–120 000]
HIV prevalence (15–49) (%)	1.9 [1.7–2.2]	1.8 [1.6–2.2]	1.5 [1.3–1.7]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	No
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	Data not available
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 16 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV		
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		•••
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND V	IOLEN	CE
Proportion of ever-married or partnered		
women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		

EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2020	5 992 845	0	783 096	2 593 778	0	10 428 830



25 000 20 000 20 15 000 10 000 20 10 000 20 10 000 AIDS-related deaths 15
10
2010
2023
Incidence:prevalence ratio
Target

30 000
20 000
20 10 000
2010 2023

New HIV infections

All-cause deaths among the HIV population

Change in new
HIV infections = -44%
since 2010

** Programme data—not representative.

Change in AIDS-related deaths = -21% since 2010

Incidence:
prevalence = 4.9
ratio


Incidence: = 1.1

KEY POPULATIONS Men who People who People in Sex workers have sex inject drugs people prisons with men Estimated size of population **HIV** prevalence HIV testing and status 83.2%** 89.8%** **Antiretroviral therapy** 100%** coverage Condom use Coverage of HIV prevention programmes Avoidance of health care because of stigma and discrimination Experience of sexual and/or physical violence

Estimated number of incident tuberculosis cases among people living with HIV (2023)	9800 [5900 –15 000]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV COMORBIDITIES

HIV TESTING AND TREATMENT CASCADE



HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	•••
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period	

— Use of sterile injecting equipment at

— Needles and syringes distributed per

Coverage of agonist maintenance

Νo

Harm reduction

last injection

therapy

person who injects

Naloxone available (2024)

ELIMINATION OF VERTICAL TR	RANSMISSIO	N
	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	31% [26–37%]	89% [73–100%]
Final vertical transmission rate including during breastfeeding	26.4% [24.8–27.8%]	13.5% [10.6–16.6%]
Early infant diagnosis	4.6% [3.9–5.5%]	13.5% [11.1–16.6%]

EASTERN AND SOUTHERN AFRICA 115

BOTSWANA


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	14 000	11 000	4100
	[12 000–15 000]	[10 000–12 000]	[3300–4900]
New HIV infections (0–14)	1400	630	<100
	[850–1700]	[<500–860]	[<100- <500]
New HIV infections (15-24)	5100	4100	1400
	[3300–5800]	[2300–4800]	[800–1900]
New HIV infections (women, 15+)	7000	6500	2600
	[6000–7800]	[5800–7100]	[2000–3100]
New HIV infections (men, 15+)	5100	4200	1400
	[4300–5900]	[3800–4800]	[1100–1800]
HIV incidence as new infections per 1000 uninfected population	7.8 [6.9–8.7]	6 [5.4–6.5]	1.9 [1.5–2.2]
AIDS-related deaths			
AIDS-related deaths (all ages)	6100	4800	3900
	[5300–7000]	[4100–5600]	[3200–4500]
AIDS-related deaths (0–14)	1000	<500	<100
	[770–1300]	[<500–510]	[<100- <200]
AIDS-related deaths (women, 15+)	2900	2400	2000
	[2500–3300]	[2000–2900]	[1700–2400]
AIDS-related deaths (men, 15+)	2200	2000	1800
	[1900–2600]	[1700–2400]	[1500–2100]
People living with HIV			
People living with HIV (all ages)	320 000	350 000	360 000
	[310 000–340 000]	[330 000–370 000]	[340 000–380 000]
People living with HIV (0–14)	18 000	13 000	5100
	[15 000–20 000]	[9200–15 000]	[3100–6200]
People living with HIV (women, 15+)	180 000	200 000	220 000
	[170 000–190 000]	[190 000–210 000]	[200 000–230 000]
People living with HIV (men, 15+)	120 000	140 000	140 000
	[120 000–130 000]	[130 000–150 000]	[130 000–150 000]
HIV prevalence (15–49) (%)	23.1 [22.5–23.5]	22.0 [20.9–22.5]	16.6 [14.7–17.4]


Yes, a specific crime
Yes
No
Yes
No
No restrictions
Yes, for adolescents younger than 16 years
Yes
No


Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	•••
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months	
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months	
GENDER INEQUALITY AND VIOL	ENCE.
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months	
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in	


hitting or beating his wife for specific reasons

EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	0	0	0	0	0	0









Change in new
HIV infections = -69%
since 2010

Change in AIDSrelated deaths = -36% since 2010 Incidence:
prevalence = 1.1
ratio

Incidence: = 0.65

KEY POPULATIONS Men who People who Transgender People in Sex workers have sex inject drugs people prisons with men Estimated size of population **HIV** prevalence ... HIV testing and status awareness Antiretroviral therapy coverage Condom use Coverage of HIV prevention programmes Avoidance of health care because of stigma and discrimination Experience of sexual and/or physical violence

Estimated number of incident tuberculosis cases among people living with HIV (2023)	2600 [1700 –3800]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV COMORBIDITIES

HIV PREVENTION

Men (15+)		96% [89– >98%] 130 502	90% [83–96%] 122 560	88% [82–94%] 120 609
Women (15-	+)	>98% [93- >98%] 213 852	>98% [93- >98%] 213 816	98% [92– >98%] 211 500
Children (0–	14)	80% [49–97%] 4045	66% [41–80%] 3340	% [–%]
		348 399	339 716	335 337
All ages		97% [91–>98%]	95% [89–>98%]	94% [88->98%]
	People	living with HIV who know their status	People living with HIV on treatment	People living with HIV who are virally suppressed
0				
g 50 000				
b 100 000				
150 000				
Mmber of people living with HIV 250 000 250 000 150 00				
300 000				
350 000				
400 000				

Prevalence of adults (15+) living with HIV with unsuppressed viral load	1.2%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised (2023)	44.1%
Voluntary medical male circumcisions performed according to national standards (2023)	9570
People who received PrEP at least once during the reporting period (2023)	14 537
Harm reduction	

— Use of sterile injecting equipment at

— Needles and syringes distributed per

Coverage of agonist maintenance

Data not

available

last injection

therapy

person who injects

- Naloxone available (2024)

	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	86% [79–100%]	100% [90–100%]
Final vertical transmission rate including during breastfeeding	4.9% [2.5–6.3%]	1.2% [1.0–2.6%]
Early infant diagnosis	45.2% [41.8–54.7%]	85.7% [76.8–112.0%]

EASTERN AND SOUTHERN AFRICA 117

COMOROS

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (0–14)			
	[–]	[]	[–]
New HIV infections (15-24)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (men, 15+)	<100	<100	<100
	[<100-<100]	[<100-<100]	[<100-<100]
HIV incidence as new infections per 1000 uninfected population	<0.1 [<0.01-<0.1]	<0.1 [<0.01-<0.1]	<0.01 [<0.01-<0.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (0–14)			
	[–]	[–]	[–]
AIDS-related deaths (women, 15+)	<100	<100	<100
	[<100-<100]	[<100- <100]	[<100- <100]
AIDS-related deaths (men, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
People living with HIV			
People living with HIV (all ages)	<200	<200	<200
	[<100- <200]	[<100- <500]	[<100- <500]
People living with HIV (0–14)			
	[]	[–]	[–]
People living with HIV (women, 15+)	<100	<100	<100
	[<100-<100]	[<100- <200]	[<100- <200]
People living with HIV (men, 15+)	<100	<100	<100
	[<100-<100]	[<100- <200]	[<100-<200]
HIV prevalence (15–49) (%)	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	No
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	Yes, imprisonment (up to 14 years)
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	No law requiring parental/guardian consent
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months	
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months	

STIGMA AND DISCRIMINATION


Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months 5.2

Percentage of women and men ag	ed 15 to 49
years who agree that a husband is	justified in
hitting or beating his wife for spec	ific reasons

2022
17.7


FXF	FN	DITU	RFS (ii	n US dol	lare)
				ii OS GOI	IIII 3/

		Fun	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2021	122 141	0	0	1 128 270	51 695	1 302 106




Change in new
HIV infections = -31%
since 2010


physical violence



Change in AIDSrelated deaths = -30% since 2010



Incidence:
prevalence = 4.8
ratio



Incidence: mortality ratio = 1.65

KEY POPULATIONS Men who People who Transgender People in Sex workers have sex inject drugs people prisons with men Estimated size of population **HIV** prevalence 0.5% 1.8% 0% HIV testing and status 68.0% 13.1% 44.3% ... awareness **Antiretroviral therapy** coverage Condom use 62.6% 55% ... Coverage of HIV prevention 59.2% 11.3% programmes Avoidance of health care 11.9% 29.6% because of stigma and 54.7% discrimination Experience of sexual and/or

140 120 Number of people living with HIV 100 80 60 40 20 0 People living with HIV who know People living with HIV who are People living with HIV on their status treatment virally suppressed All ages 69% [40->98%] 65% [37->98%] 45% [26-90%] 111 ...% [...-...%] Children (0-14) ...% [...-...%] ...% [...–...%] Women (15+) 72% [41->98%] 65% [37->98%] ...% [...-...%] 50 Men (15+) 71% [42->98%] 70% [41->98%] 43% [26-85%]

HIV TESTING AND TREATMENT CASCADE

ELIMINATION OF VERTICAL TRANSMISSION			
	2015	2023	
Percentage of pregnant women living with HIV accessing antiretroviral medicines	% [–%]	% [–%]	
Final vertical transmission rate including during breastfeeding	% [–%]	% [–%]	
Early infant diagnosis	% [–%]	% [–%]	

56

35

Estimated number of incident tuberculosis cases among people living with HIV (2023)	6 [0–19]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

Cervical cancer screening of women living with HIV		
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment		
HIV PREVENTION		
Prevalence of adults (15+) living with HIV with unsuppressed viral load	<0.1%	
Knowledge of HIV prevention among young people aged 15–24 years		
— Women		
— Men		
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years		
— Women		
— Men		
Women aged 15–49 years who have their demand for family planning satisfied by modern methods (2022)	17.8%	
Men aged 15–49 years who are circumcised	Not applicable	
Voluntary medical male circumcisions performed according to national standards	Not applicable	
People who received PrEP at least once during the reporting period		
Harm reduction — Use of sterile injecting equipment at last injection		
 Needles and syringes distributed per person who injects 		
 Coverage of agonist maintenance therapy 		
	Data not	

57

ERITREA

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	740	<500	<500
	[<500–1100]	[<500–730]	[<200- <500]
New HIV infections (0–14)	<200	<100	<100
	[<100- <200]	[<100- <100]	[<100- <100]
New HIV infections (15-24)	<500	<200	<100
	[<200- <500]	[<100- <500]	[<100- <200]
New HIV infections (women, 15+)	<500	<500	<200
	[<500–560]	[<200- <500]	[<100- <500]
New HIV infections (men, 15+)	<500	<200	<100
	[<200– <500]	[<100- <500]	[<100- <200]
HIV incidence as new infections per 1000 uninfected population	0.24 [0.14–0.36]	0.14 [<0.1–0.22]	<0.1 [<0.1–0.11]
AIDS-related deaths			
AIDS-related deaths (all ages)	1100	610	<500
	[630–1700]	[<500–980]	[<200–640]
AIDS-related deaths (0–14)	<200	<100	<100
	[<100- <200]	[<100- <100]	[<100- <100]
AIDS-related deaths (women, 15+)	600	<500	<500
	[<500–920]	[<200–550]	[<100- <500]
AIDS-related deaths (men, 15+)	<500	<500	<200
	[<500–590]	[<200- <500]	[<100- <500]
People living with HIV			
People living with HIV (all ages)	21 000	17 000	13 000
	[15 000–26 000]	[13 000–21 000]	[11 000–16 000]
People living with HIV (0-14)	1600	1000	<500
	[1200–2200]	[750–1400]	[<500–650]
People living with HIV (women, 15+)	11 000	9400	7800
	[8500–15 000]	[7300–12 000]	[6300–9500]
People living with HIV (men, 15+)	7600	6400	4900
	[5700–9900]	[4900–8000]	[4000–5900]
HIV prevalence (15–49) (%)	1.1 [0.9–1.4]	0.8 [0.7–1.0]	0.4 [0.4–0.5]

Yes, under law covering communicable diseases not specifically mentioning HIV
Yes
Yes, imprisonment (up to 14 years)
Yes
Data not available
No restrictions
Data not available
Data not available
Yes

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	•••	
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND VIO	OLENG	CE


STIGMA AND DISCRIMINATION

Proportion of ever-married or partnered	
women aged 15-49 years who experienced	
physical or sexual violence from a male intimate	
partner in the past 12 months	
<u> </u>	

Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons


EVDER	IDITIIDEC	(in US dollars)
EVLEI	ADII OKES ((in US dollars)

Ext. Ext. St. Est. Condition						
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2021	0	0	0	3 670 115	0	3 670 115



Change in new
HIV infections = -69%
since 2010


physical violence



Change in AIDSrelated deaths = -63% since 2010



Incidence:
prevalence = 1.7
ratio



Incidence: = 0.44

KEY POPULATIONS Men who People who Transgender Sex workers have sex inject drugs people prisons with men Estimated size of population **HIV** prevalence 11.8% 1.4% ... HIV testing and status awareness Antiretroviral therapy coverage Condom use 95.8% Coverage of HIV prevention programmes Avoidance of health care because of stigma and 3.3% discrimination Experience of sexual and/or 13.4%

HIV TESTING AND TREATMENT CASCADE 12 000 10 000 Number of people living with HIV 8 000 6 000 4 000 2 000 0 People living with HIV who know People living with HIV who are People living with HIV on their status treatment virally suppressed 81% [45_98%] 48% [55_82%] 63% [51-77%] All ages

	81% [65–98%]		-82%]	53% [51–77	1
	10 577	8876		3277	
Children (0–14)	59% [40–84%] 273	39% [26- 179		36% [24–51° 1 67	%]
Women (15+)	80% [65–98%] 6268	69% [56- 5377	-	54% [52–78° 5014	%]
Men (15+)	83% [68- >98%] 4036	68% [56- 3320		54% [52–77° 3095	%]
	4036	3320			
ELIMINATI	ON OF VERTI		ANSMIS:	SION	2022
	ON OF VERTION	CAL TR			2023 68% [54–91%]
Percentage of pre accessing antiretr	ON OF VERTION	CAL TR	ANSMIS 2015 92%		68%

71.3%

virus starting hepatitis C treatment	
HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	0.2%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period (2022)	15
Harm reduction	
 Use of sterile injecting equipment at last injection 	
 Needles and syringes distributed per person who injects 	
 Coverage of agonist maintenance therapy 	
— Naloxone available (2024)	Data not available


ESWATINI

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	15 000	12 000	4200
	[14 000–17 000]	[11 000–13 000]	[3300–5300]
New HIV infections (0–14)	1300	800	<500
	[980–1500]	[570–970]	[<200-<500]
New HIV infections (15-24)	6400	4600	1500
	[4400–7300]	[3300–5300]	[1000–1700]
New HIV infections (women, 15+)	8200	6600	2500
	[7200–9300]	[5800–7300]	[1900–3200]
New HIV infections (men, 15+)	5800	4400	1500
	[5100–6600]	[3900–5100]	[1200–2000]
HIV incidence as new infections per 1000 uninfected population	17 [15–19]	13 [11–15]	4.2 [3.3–5.4]
AIDS-related deaths			
AIDS-related deaths (all ages)	6200	4500	3100
	[5400–7300]	[4000–5100]	[2600–3700]
AIDS-related deaths (0–14)	1300	<500	<200
	[1100–1500]	[<500–600]	[<100- <200]
AIDS-related deaths (women, 15+)	2300	2000	1400
	[1800–2900]	[1800–2400]	[1200–1800]
AIDS-related deaths (men, 15+)	2600	1900	1600
	[2200–3400]	[1600–2300]	[1300–1900]
People living with HIV			
People living with HIV (all ages)	200 000	230 000	230 000
	[190 000–210 000]	[220 000–240 000]	[210 000–250 000]
People living with HIV (0-14)	14 000	12 000	5600
	[12 000–15 000]	[10 000–13 000]	[4500–6300]
People living with HIV (women, 15+)	110 000	130 000	140 000
	[100 000–120 000]	[120 000–140 000]	[120 000–150 000]
People living with HIV (men, 15+)	77 000	89 000	88 000
	[72 000–84 000]	[84 000–97 000]	[83 000–96 000]
HIV prevalence (15–49) (%)	28.5 [28.1–29.0]	30.7 [30.4–31.0]	25.1 [24.6–25.6]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	No
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	Yes, imprisonment (up to 14 years)
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents 12 years or younger
Spousal consent for married women to access sexual and reproductive health services	Yes
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No

STIGMA AND DISCRIMINATION	
Percentage of women aged 15–49 years who report discriminatory attitudes towards people living with HIV	. 2022
	. 8.9
Percentage of people living with HIV who	2023
report experienced stigma and discrimination in the general community in the last 12 months	9.1
Percentage of people living with HIV who report experiences of HIV-related	2023
discrimination in health-care settings in the last 12 months	14.9
GENDER INEQUALITY AND VIOL	ENCE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months	
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons	

EXPENDITURES (in I	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	0	0	0	0	0	0



6 000 5 4 000 6 2 000 0 2010 202:

8 000

10
8
6
4
2
0
2010
Incidence:prevalence ratio
Target

20 000
15 000
10 000
10 10 000
2010
2010
2023

New HIV infections
All-cause deaths among the HIV population

Change in new
HIV infections
since 2010 = -73%

Change in AIDSrelated deaths = -50% since 2010 Incidence:
prevalence = 1.8
ratio

Incidence: = 0.73

KEY POPULATIONS Men who People who People in Transgender Sex workers have sex inject drugs people prisons with men Estimated size of population 4000 46 800 **HIV** prevalence 60.8% 27.2% HIV testing and status 100% 100% **Antiretroviral therapy** coverage 50% 79.6% Condom use Coverage of HIV prevention programmes Avoidance of health care because of stigma and 34% 24% discrimination Experience of sexual and/or 18% 9.1% physical violence

Estimated number of incident tuberculosis cases among people living with HIV (2023)	2300 [1100 –3900]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV COMORBIDITIES

250 000 200 000 Number of people living with HIV 150 000 100 000 50 000 People living with HIV who know People living with HIV on People living with HIV who are their status treatment virally suppressed All ages >98% [91->98%] 93% [86->98%] 92% [85->98%] 224 976 213 416 209 809 Children (0-14) >98% [96->98%] >98% [82->98%] 96% [77->98%] 5329 6646 5636 >98% [91->98%] >98% [92->98%] >98% [90->98%] Women (15+) 135 001 135 782 133 530 Men (15+) 95% [89->98%] 82% [77-89%] 81% [76-88%] 83 328 71 998 70 950

HIV TESTING AND TREATMENT CASCADE

HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	2.3%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods (2022)	73%
Men aged 15–49 years who are circumcised	
Voluntary medical male circumcisions performed according to national standards (2023)	4747
People who received PrEP at least once during the reporting period (2023)	27 961
Harm reduction	
 Use of sterile injecting equipment at last injection 	
 Needles and syringes distributed per 	

person who injects

Naloxone available (2024)

therapy

— Coverage of agonist maintenance

ELIMINATION OF VERTICAL TRANSMISSION				
	2015	2023		
Percentage of pregnant women living with HIV accessing antiretroviral medicines	90% [83–100%]	100% [92–100%]		
Final vertical transmission rate including during breastfeeding	7.5% [6.2–8.5%]	3.3% [2.4–4.3%]		
Early infant diagnosis	% [–%]	41.4% [38.2–47.1%]		

EASTERN AND SOUTHERN AFRICA

Data not

available


ETHIOPIA


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	27 000	16 000	7400
	[12 000–58 000]	[7200–35 000]	[3300–16 000]
New HIV infections (0–14)	7800	3500	1200
	[4200–18 000]	[1900–8300]	[640–2800]
New HIV infections (15-24)	7800	5200	2500
	[3500–17 000]	[2400–11 000]	[1100–5300]
New HIV infections (women, 15+)	12 000	8500	4300
	[5100–27 000]	[3600–19 000]	[1800–9500]
New HIV infections (men, 15+)	6700	4100	1900
	[2800–15 000]	[1700–9200]	[810–4300]
HIV incidence as new infections per 1000 uninfected population	0.36 [0.16–0.78]	0.19 [<0.1–0.41]	<0.1 [<0.1–0.15]
AIDS-related deaths			
AIDS-related deaths (all ages)	26 000	16 000	10 000
	[16 000–48 000]	[10 000–30 000]	[6400–19 000]
AIDS-related deaths (0–14)	7400	3000	1100
	[3800–15 000]	[1500–5900]	[590–2300]
AIDS-related deaths (women, 15+)	12 000	8700	5300
	[7400–23 000]	[5500–17 000]	[3400–10 000]
AIDS-related deaths (men, 15+)	6500	4600	3600
	[4100–11 000]	[2900–7900]	[2300–6300]
People living with HIV			
People living with HIV (all ages)	660 000	650 000	610 000
	[550 000–800 000]	[540 000–790 000]	[510 000–730 000]
People living with HIV (0-14)	86 000	56 000	27 000
	[61 000–130 000]	[39 000–84 000]	[19 000–40 000]
People living with HIV (women, 15+)	370 000	380 000	370 000
	[310 000–440 000]	[320 000–460 000]	[310 000–450 000]
People living with HIV (men, 15+)	200 000	220 000	210 000
	[170 000–250 000]	[180 000–260 000]	[170 000–250 000]
HIV prevalence (15–49) (%)	1.4 [1.1–1.8]	1.1 [0.9–1.4]	0.7 [0.6–0.9]


Yes, under law covering communicable diseases not specifically mentioning HIV
Yes
Yes, imprisonment (up to 14 years)
Yes
No
No restrictions
Yes, for adolescents younger than 16 years
No
No


Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	
Percentage of people living with HIV who report experienced stigma and discrimination	2021
in the general community in the last 12 months	24.2
Percentage of people living with HIV who report experiences of HIV-related	2021
discrimination in health-care settings in the last 12 months	29.6
GENDER INEQUALITY AND VIOLE	2710
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months	
Percentage of women and men aged 15 to 49	

EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	0	0	0	0	0	0









Change in new
HIV infections = -72%
since 2010

Change in AIDSrelated deaths = -61% since 2010 Incidence:
prevalence = 1.2
ratio

Incidence: = 0.52

KEY POPULATIONS Men who People who Transgender People in Sex workers have sex inject drugs people prisons with men Estimated size of population **HIV** prevalence 18.3% ... HIV testing and status 90.6% **Antiretroviral therapy** coverage Condom use 95% Coverage of HIV prevention programmes Avoidance of health care because of stigma and 30.6% discrimination Experience of sexual and/or 22.3% physical violence

HIV COMORBIDITIES	
Estimated number of incident tuberculosis cases among people living with HIV (2023)	16 000 [11 000 –22 000]
People living with HIV who started TB preventive therapy (2023)	82.5%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV PREVENTION

Voluntary medical male circumcisions performed according to national standards

People who received PrEP at least once

during the reporting period (2023)

(2023)

	ING AND TRE	ATMENT CAS	CADL
600 000			
≜ 500 000			
400 000 gg			
300 000			
400 000 000 000 000 000 000 000 000 000			
100 000			
0 —			
F	eople living with HIV who know their status	People living with HIV on treatment	People living with HIV who are virally suppressed
All ages	90% [76->98%]	85% [71– >98%]	75% [63–91%]
	547 723	513 990	455 312
Children (0–14) 66% [46->98%] 17 888	48% [34–71%] 12 928	39% [27–58%] 10 462
Women (15+)	91% [77- >98%] 339 641	87% [73- >98%] 321 740	77% [65–94%] 286 802
/len (15+)	92% [78- >98%] 190 194	87% [73- >98%] 179 322	77% [65–92%] 158 049

Prevalence of adults (15+) living with HIV with unsuppressed viral load	0.2%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	

ELIMINATION OF VERTICAL TRANSMISSION					
	2015	2023			
Percentage of pregnant women living with HIV accessing antiretroviral medicines	90% [67–100%]	98% [73–100%]			
Final vertical transmission rate including during breastfeeding	16.7% [11.1–28.6%]	8.6% [5.7–14.8%]			
Early infant diagnosis	39.6% [29.8–51.4%]	53.5% [40.3–69.3%]			

arm reduction	
 Use of sterile injecting equipment at last injection 	
 Needles and syringes distributed per person who injects 	
 Coverage of agonist maintenance therapy 	
— Naloxone available (2024)	Yes

EASTERN AND SOUTHERN AFRICA

27 325

16 055



EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	76 000	47 000	17 000
	[43 000–130 000]	[27 000–80 000]	[9600–29 000]
New HIV infections (0–14)	19 000	8700	3800
	[14 000–32 000]	[6200–15 000]	[2700–6500]
New HIV infections (15-24)	24 000	16 000	5100
	[14 000–37 000]	[8800–24 000]	[2900–7900]
New HIV infections (women, 15+)	35 000	25 000	9100
	[18 000–61 000]	[13 000–44 000]	[4700–16 000]
New HIV infections (men, 15+)	22 000	14 000	4100
	[12 000–40 000]	[7100–24 000]	[2100–7300]
HIV incidence as new infections per 1000 uninfected population	1.9 [1.1–3.2]	1 [0.58–1.7]	0.31 [0.17–0.51]
AIDS-related deaths			
AIDS-related deaths (all ages)	64 000	43 000	21 000
	[50 000–90 000]	[33 000–60 000]	[16 000–29 000]
AIDS-related deaths (0-14)	17 000	8400	2700
	[9700–30 000]	[4900–15 000]	[1600–4800]
AIDS-related deaths (women, 15+)	31 000	17 000	9500
	[24 000–44 000]	[13 000–24 000]	[7400–13 000]
AIDS-related deaths (men, 15+)	17 000	18 000	8700
	[13 000–23 000]	[13 000–24 000]	[6700–12 000]
People living with HIV			
People living with HIV (all ages)	1.5 m	1.5 m	1.4 m
	[1.3 m–1.7 m]	[1.3 m–1.7 m]	[1.3 m–1.6 m]
People living with HIV (0-14)	200 000	150 000	75 000
	[160 000–250 000]	[110 000–180 000]	[57 000–94 000]
People living with HIV (women, 15+)	800 000	850 000	880 000
	[720 000–920 000]	[760 000–980 000]	[790 000–1.0 m]
People living with HIV (men, 15+)	500 000	500 000	460 000
	[450 000–560 000]	[450 000–570 000]	[420 000–530 000]
HIV prevalence (15–49) (%)	5.6 [5.0–6.2]	4.8 [4.3–5.3]	3.2 [2.9–3.6]


LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	Yes, imprisonment (up to 14 years)
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 16 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes


STIGMA AND DISCRIMINATION	
Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	···
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months	
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months	
GENDER INEQUALITY AND VIOL	ENCE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate	2022
partner in the past 12 months	18.8
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in	2022


30.9


hitting or beating his wife for specific reasons

EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	362 453 841	120 739 989	201 786 202	78 524 129		764 057 567









Change in new
HIV infections
since 2010 = -78%


Change in AIDSrelated deaths = -68% since 2010 Incidence:
prevalence = 1.2
ratio

Incidence: = 0.54

KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population	197 100				
HIV prevalence					
HIV testing and status awareness					
Antiretroviral therapy coverage	29.6%**	40.3%**	14.5%**	7.3%**	
Condom use					
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence ** Programme data—not representa	 ative.				

HIV TESTING AND TREATMENT CASCADE



		OTICAL TOAL	NSMISSION
ELIMINALI	ON OF VER	KIICAL IKAI	

	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	81% [70–96%]	89% [77–100%]
Final vertical transmission rate including during breastfeeding	12.0% [9.4–17.2%]	7.1% [5.5–10.1%]
Early infant diagnosis	50.3% [43.5–59.4%]	82.4% [71.2–97.4%]

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	28 000 [18 000 -39 000]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	0.3%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years (2022)	

, , , , , , , , , , , , , , , , ,	
— Women	36.7%
— Men	68%
Women aged 15–49 years who have their demand for family planning satisfied by modern methods (2022)	74.6%

(2023)	94.2%
Voluntary medical male circumcisions performed according to national standards	54 298

(2023)	
People who received PrEP at least once during the reporting period (2023)	918 229

Harm reduction

Use of sterile injecting equipment at last injection

Men aged 15-49 years who are circumcised

- Needles and syringes distributed per person who injects (2021)
- Coverage of agonist maintenance therapy (2021)
- Naloxone available (2024)
 Data not available

4

13.3%

127


LESOTHO


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	19 000	14 000	4800
	[16 000–22 000]	[12 000–17 000]	[3500–6500]
New HIV infections (0–14)	1800	650	<500
	[1300–2100]	[550–920]	[<200–500]
New HIV infections (15-24)	6700	5400	1700
	[4700–7700]	[3800–6100]	[1300–2200]
New HIV infections (women, 15+)	9800	8100	2800
	[8300–12 000]	[6700–9700]	[2000–3800]
New HIV infections (men, 15+)	6900	5300	1600
	[5800–8700]	[4400–6700]	[1200–2400]
HIV incidence as new infections per 1000 uninfected population	12 [10–14]	9.1 [7.7–11]	3 [2.2–4.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	7600	7200	4000
	[6500–11 000]	[5900–10000]	[3300–5000]
AIDS-related deaths (0–14)	1500	730	<500
	[1200–1800]	[540–950]	[<200-<500]
AIDS-related deaths (women, 15+)	3200	3100	2100
	[2600–4300]	[2400–4400]	[1700–2600]
AIDS-related deaths (men, 15+)	2900	3300	1700
	[2300–4300]	[2700–4700]	[1400–2200]
People living with HIV			
People living with HIV (all ages)	280 000	300 000	270 000
	[260 000–310 000]	[280 000–330 000]	[250 000–310 000]
People living with HIV (0-14)	19 000	14 000	6400
	[17 000–21 000]	[12 000–16 000]	[4800–7700]
People living with HIV (women, 15+)	160 000	170 000	160 000
	[140 000–170 000]	[160 000–190 000]	[150 000–190 000]
People living with HIV (men, 15+)	100 000	110 000	100 000
	[96 000–120 000]	[100 000–130 000]	[92 000–120 000]
HIV prevalence (15–49) (%)	24.4 [23.7–25.2]	24.2 [23.6–24.8]	18.5 [17.7–19.2]


LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, under a law that covers a broader range of communicable diseases and mentions HIV
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents 12 years or younger
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes


STIGMA AND DISCRIMINATION	ON	
Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	2014	
	13.9	
Percentage of people living with HIV who report experienced stigma and discrimination		2023
in the general community in the last 12 months		6.2
Percentage of people living with HIV who report experiences of HIV-related		2021
discrimination in health-care settings in the last 12 months	:	4.8
GENDER INEQUALITY AND V	/IOLEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimat partner in the past 12 months	e	•••
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons		

EXPENDITURES (in I	JS dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	0	0	0	0	0	0









Change in new
HIV infections = -74%
since 2010

Change in AIDSrelated deaths = -47% since 2010

Incidence:
prevalence = 1.8
ratio

Incidence:
mortality ratio

0.63


KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population					
HIV prevalence					
HIV testing and status awareness					
Antiretroviral therapy coverage					
Condom use					
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	8400 [4600 –13 000]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV TESTING AND TREATMENT CASCADE



HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	2.4%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	

Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years

n-cohabiting	partner	among	people	aged
-49 years				
— Women				

Women aged 15–49 years who have their demand for family planning satisfied by modern methods

/len	aged	15-49	years	who	are	circumcised	

Voluntary medical male circumcisions
performed according to national standards 12 807 (2023)

People who received PrEP at least once during the reporting period (2023) 30 993

Harm reduction

— Men

— Men

- Use of sterile injecting equipment at last injection
- Needles and syringes distributed per person who injects
- Coverage of agonist maintenance therapy
- Naloxone available (2024)
 Data not available

ELIMINATION OF VERTICAL TRANSMISSION

	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	99% [90–100%]	93% [84–100%]
Final vertical transmission rate including during breastfeeding	6.1% [5.4–7.7%]	5.0% [3.4–6.9%]
Early infant diagnosis	100.4% [91.7–118.1%]	65.7% [59.4–77.7%]

MADAGASCAR


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)			
	[–]	[–]	[–]
New HIV infections (0–14)			
	[–]	[–]	[–]
New HIV infections (15-24)			
	[]	[]	[–]
New HIV infections (women, 15+)	[]	 []	[]
New HIV infections (men, 15+)			
	[]	[]	[–]
HIV incidence as new infections per 1000 uninfected population	[–]	[]	[]
AIDS-related deaths			
AIDS-related deaths (all ages)	1200	2100	3100
	[810–1800]	[1500–2600]	[2100–4700]
AIDS-related deaths (0–14)	<500	<500	560
	[<200- <500]	[<500-<500]	[<500–830]
AIDS-related deaths (women, 15+)	<500	750	940
	[<500–620]	[540–960]	[580–1500]
AIDS-related deaths (men, 15+)	540	1000	1600
	[<500–860]	[730–1300]	[1000–2300]
People living with HIV			
People living with HIV (all ages)	23 000	36 000	76 000
	[17 000–29 000]	[28 000–45 000]	[58 000–110 000]
People living with HIV (0-14)	1300	2100	3700
	[990–1900]	[1600–2600]	[2800–5000]
People living with HIV (women, 15+)	9700	16 000	34 000
	[7200–12 000]	[12 000–20 000]	[26 000–48 000]
People living with HIV (men, 15+)	12 000	18 000	38 000
	[8600–15 000]	[14 000–23 000]	[29 000–54 000]
HIV prevalence (15–49) (%)	0.2 [0.1–0.2]	0.3 [0.2–0.3]	0.4 [0.3–0.6]


LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 18 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No

STIGMA AND DISCRIMINATIO	N	
Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV		
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND VI	OLENG	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced	2018	2021
physical or sexual violence from a male intimate partner in the past 12 months	16	15.6
Percentage of women and men aged 15 to 49		


years who agree that a husband is justified in hitting or beating his wife for specific reasons

EXPENDITURES (in US dollars)						
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	0	0	0	0	0	0









Change in new **HIV** infections since 2010

Change in AIDSrelated deaths since 2010

158%


Incidence: prevalence ratio

Incidence: mortality ratio

KEY POPULATIONS Men who People who People in Sex workers have sex inject drugs people prisons with men Estimated size of population 18 300 **HIV** prevalence HIV testing and status 100%** 100%** 100%** ... **Antiretroviral therapy** coverage Condom use Coverage of HIV prevention programmes Avoidance of health care because of stigma and discrimination Experience of sexual and/or physical violence ** Programme data—not representative.

HIV COMORBIDITIES	
Estimated number of incident tuberculosis cases among people living with HIV (2023)	2100 [1400 -3100]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV TESTING AND TREATMENT CASCADE



HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	

Knowledge of HIV prevention among young people aged 15–24 years		
— Women		
— Men		
Condom use at last say with a non-marital		

non-cohabiting partner among people aged 15-49 years (2021) — Women

— Men	9.1%
Women aged 15–49 years who have their demand for family planning satisfied by modern methods (2021)	65.5%

Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period (2023)	678
Harm reduction — Use of sterile injecting equipment at	

6/20	6603	

ELIMINATION OF VERTICAL TRANSMISSION			
	2015	2023	
Percentage of pregnant women living with HIV accessing antiretroviral medicines	4% [3–6%]	27% [19–37%]	
Final vertical transmission rate including during breastfeeding	% [–%]	% [–%]	
Early infant diagnosis	%	%	

last injection	
 Needles and syringes distributed per person who injects (2019) 	113

— Coverage of agonist maintenance
therapy

— Naloxone available (2024)	Data not
— Naioxone available (2024)	available

4.1%

MALAWI


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	58 000	39 000	12 000
	[51 000–67 000]	[34 000–47 000]	[8100–19 000]
New HIV infections (0–14)	15 000	6800	2100
	[13 000–17 000]	[5000–8200]	[1700–3100]
New HIV infections (15-24)	17 000	13 000	4000
	[12 000–21 000]	[8700–15 000]	[2800–5600]
New HIV infections (women, 15+)	24 000	20 000	6400
	[20 000–29 000]	[16 000–24 000]	[4000–11 000]
New HIV infections (men, 15+)	18 000	13 000	3600
	[15 000–22 000]	[11 000–17 000]	[2200–6100]
HIV incidence as new infections per 1000 uninfected population	4.2 [3.7–4.9]	2.4 [2.1–3]	0.61 [0.41–0.96]
AIDS-related deaths			
AIDS-related deaths (all ages)	37 000	20 000	11 000
	[32 000–45 000]	[17 000–26 000]	[9400–14 000]
AIDS-related deaths (0–14)	12 000	5100	1400
	[10000–13 000]	[3900–6400]	[950–2100]
AIDS-related deaths (women, 15+)	12 000	6600	4400
	[9400–16 000]	[5500–8800]	[3700–6300]
AIDS-related deaths (men, 15+)	13 000	8700	5200
	[11 000–17 000]	[6700–12 000]	[4400–6700]
People living with HIV			
People living with HIV (all ages)	930 000	1000 000	980 000
	[880 000–990 000]	[950 000–1.1 m]	[930 000–1.1 m]
People living with HIV (0–14)	120 000	100 000	50 000
	[110 000–130 000]	[86 000–110 000]	[42 000–58 000]
People living with HIV (women, 15+)	480 000	540 000	590 000
	[450 000–510 000]	[520 000–590 000]	[550 000–650 000]
People living with HIV (men, 15+)	330 000	360 000	350 000
	[310 000–370 000]	[330 000–390 000]	[320 000–380 000]
HIV prevalence (15–49) (%)	10.9 [10.6–11.2]	9.8 [9.6–10.0]	6.7 [6.5–6.9]


LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	No
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	Yes, imprisonment (up to 14 years)
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 14 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No


STIGMA AND DISCRIMINATIO	N	
Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	2016	2020
(2020 refers to women only)	17.6	20.9
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		•••
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND VI	OLEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in		2020
hitting or beating his wife for specific reasons		17.1


17.1

EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	12 303 000	0	157 037 300	88 837 000	0	259 699 300









Change in new
HIV infections = -79%
since 2010

** Programme data—not representative.

Change in AIDSrelated deaths = -70% since 2010

Incidence:
prevalence = 1.2
ratio

Incidence: =


0.6

KEY POPULATIONS Men who People who People in Sex workers have sex inject drugs people prisons with men Estimated size of population 39 000 49 800 **HIV** prevalence 49.9% 12.9% 0.9% HIV testing and status 100% 79.4% 80.8%** ... **Antiretroviral therapy** 91.5%** 100%** 90.0% 92.5% coverage 79.4% 49.7% Condom use Coverage of HIV prevention programmes Avoidance of health care because of stigma and 49% 12.9% discrimination Experience of sexual and/or 19% 3.4% physical violence

12 000 [5500 –21 000]
71.2%

HIV COMORBIDITIES

HIV TESTING AND TREATMENT CASCADE



Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	
HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	0.9%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged	
15–49 years	
15–49 years — Women	

demand for family planning satisfied by

Voluntary medical male circumcisions performed according to national standards

People who received PrEP at least once

during the reporting period (2023)

Men aged 15-49 years who are circumcised

modern methods (2020)

ELIMINATION OF VERTICAL TRANSMISSION			
	2015	2023	
Percentage of pregnant women living with HIV accessing antiretroviral medicines	80% [72–93%]	96% [88–100%]	
Final vertical transmission rate including during breastfeeding	13.9% [11.8–15.7%]	6.2% [5.1–8.1%]	
Early infant diagnosis	22.4% [20.3–26.1%]	85.4% [78.4–99.5%]	

arm reduction	
 Use of sterile injecting equipment at last injection 	
 Needles and syringes distributed per person who injects 	
 Coverage of agonist maintenance therapy 	
— Naloxone available (2024)	No

79.9%

119 161

72 335

MAURITIUS

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	990	870	1100
	[840–1200]	[700–1100]	[820–1400]
New HIV infections (0–14)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (15-24)	<200	<200	<200
	[<200-<200]	[<200- <200]	[<200- <500]
New HIV infections (women, 15+)	<500	<500	<500
	[<500-<500]	[<500- <500]	[<500–610]
New HIV infections (men, 15+)	660	550	610
	[530–790]	[<500–700]	[<500–820]
HIV incidence as new infections per 1000 uninfected population	0.78 [0.66–0.93]	0.68 [0.55–0.85]	0.86 [0.64–1.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	530	<500	690
	[<500–640]	[<500–620]	[570–860]
AIDS-related deaths (0–14)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (women, 15+)	<200	<200	<500
	[<200- <500]	[<200- <500]	[<200- <500]
AIDS-related deaths (men, 15+)	<500	<500	<500
	[<500-<500]	[<200- <500]	[<500–540]
People living with HIV			
People living with HIV (all ages)	9600	11 000	13 000
	[8500–11 000]	[9800–12 000]	[11 000–15 000]
People living with HIV (0-14)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
People living with HIV (women, 15+)	3000	3500	4800
	[2700–3400]	[3100–4000]	[4000–5700]
People living with HIV (men, 15+)	6500	7300	7800
	[5500–7300]	[6200–8300]	[6600–9200]
HIV prevalence (15–49) (%)	1.2 [1.1–1.3]	1.3 [1.2–1.4]	1.5 [1.3–1.6]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	No
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	Prohibit short- and/or long-stay and require HIV testing or disclosure for some permits
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 18 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes

	STIGMA A	AND DIS	CRIMIN	ATION
--	----------	---------	--------	-------

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV

Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months

Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months


GENDER INEQUALITY AND VIOLENCE

Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months


Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons


EXPENDITURES (in US dollars)

	,					
		Fun	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2020	0	0	0	0	0	0



1 000 800 800 80 0 400 2010 2023 AIDS-related deaths





Change in new
HIV infections = 1
since 2010

11%

Change in AIDSrelated deaths since 2010

ln pı

30%

Incidence:
prevalence = 8.6
ratio


Incidence: mortality ratio

1.46

KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population	•••				202 000
HIV prevalence	18.2%		21.2%		
HIV testing and status awareness	85.3%				
Antiretroviral therapy coverage					82.0%**
Condom use	76.3%		28.2%		
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence	12%				
** Programme data—not represen	tative.				

HIV TESTING AND TREATMENT CASCADE



All ages	24% [21–28%]	24% [21–28%]	18% [16–21%]
	3083	3080	2272
Children (0-14)	72% [59–86%]	68% [55–81%]	38% [31–46%]
	53	50	28
Women (15+)	21% [17–25%]	21% [17–25%]	15% [12–18%]
	1000	1000	720
Men (15+)	26% [22–31%]	26% [22–31%]	20% [16–23%]
	2030	2030	1524

ELIMINATION OF VERTICAL TRANSMISSION

	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	85% [75–97%]	79% [67–99%]
Final vertical transmission rate including during breastfeeding	10.0% [8.2–12.1%]	11.2% [8.0–13.6%]
Early infant diagnosis	34.4% [30.4–39.3%]	% [–%]

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	26 [14–41]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment (2019)	

HIV PREVENTION

B 1 (1 b (45.15) 11 (11.15)				
Prevalence of adults (15+) living with HIV				
with unsuppressed viral load				

1.0%

Knowledge of HIV prevention among young people aged 15–24 years

— Women

— Men

Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years

— Women

— Men

Women aged 15–49 years who have their demand for family planning satisfied by modern methods

Men aged 15–49 years who are circumcised

Not applicable

Voluntary medical male circumcisions performed according to national standards

People who received PrEP at least once

Not applicable

during the reporting period (2022)

102

Νo

Harm reduction

- Use of sterile injecting equipment at last injection
- Needles and syringes distributed per person who injects
- Coverage of agonist maintenance therapy
- Naloxone available (2024)

MOZAMBIQUE

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	160 000	140 000	81 000
	[150 000–180 000]	[130 000–160 000]	[63 000–100 000]
New HIV infections (0–14)	34 000	19 000	12 000
	[30 000–39 000]	[14 000–23 000]	[8500–16 000]
New HIV infections (15-24)	55 000	56 000	31 000
	[35 000–65 000]	[37 000–66 000]	[21 000–40 000]
New HIV infections (women, 15+)	75 000	77 000	45 000
	[66 000–85 000]	[67 000–89 000]	[34 000–56 000]
New HIV infections (men, 15+)	51 000	47 000	24 000
	[44 000–61 000]	[41 000–57 000]	[19 000–32 000]
HIV incidence as new infections per 1000 uninfected population	7.5 [6.8–8.4]	5.8 [5.1–6.7]	2.6 [2–3.2]
AIDS-related deaths			
AIDS-related deaths (all ages)	71 000	54 000	44 000
	[63 000–84 000]	[49 000–65 000]	[38 000–51 000]
AIDS-related deaths (0–14)	20 000	13 000	7800
	[18 000–23 000]	[9800–15 000]	[5000–10 000]
AIDS-related deaths (women, 15+)	29 000	20 000	20 000
	[24 000–35 000]	[18 000–24 000]	[17 000–24 000]
AIDS-related deaths (men, 15+)	23 000	21 000	17 000
	[19 000–29 000]	[18 000–27 000]	[14 000–19 000]
People living with HIV			
People living with HIV (all ages)	1.6 m	2.0 m	2.4 m
	[1.5 m–1.7 m]	[1.9 m–2.1 m]	[2.3 m–2.7 m]
People living with HIV (0–14)	160 000	170 000	150 000
	[150 000–180 000]	[140 000–180 000]	[120 000–170 000]
People living with HIV (women, 15+)	850 000	1.1 m	1.5 m
	[790 000–900 000]	[1.0 m–1.2 m]	[1.3 m–1.6 m]
People living with HIV (men, 15+)	560 000	690 000	820 000
	[510 000–610 000]	[650 000–750 000]	[770 000–900 000]
HIV prevalence (15–49) (%)	11.9 [11.3–12.5]	12.6 [12.2–13.0]	11.5 [10.9–12.0]


LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	No
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents 12 years or younger
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	•••	
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND VIO	LEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced		2023
physical or sexual violence from a male intimate partner in the past 12 months		16.9


STIGMA AND DISCRIMINATION


Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons

EXPENDITURES (in US dollars)								
		Fund	ding sources					
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total		
Last available report: 2019	23 591 832	627 343	370 271 108	78 547 589	13 797 988	557 780 695		



100 000 80 000 0 80 000 0 40 000 20 000 0 2010 2023





Change in new
HIV infections = -50%
since 2010

Change in AIDS-related deaths = -38% since 2010

Incidence:
prevalence = 3.3
ratio


Incidence: = 1.42

KEY POPULATIONS Men who People who People in Sex workers have sex inject drugs people prisons with men Estimated size of population **HIV** prevalence HIV testing and status **Antiretroviral therapy** coverage Condom use Coverage of HIV prevention programmes Avoidance of health care because of stigma and discrimination Experience of sexual and/or physical violence

28 000 [17 000 –42 000]

HIV COMORBIDITIES

HIV TESTING AND TREATMENT CASCADE



virus starting hepatitis C treatment	
HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	2.5%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years (2022)	
— Women	36.7%
— Men	46.5%
Women aged 15–49 years who have their demand for family planning satisfied by modern methods (2023)	52%
Men aged 15–49 years who are circumcised (2023)	74.6%
Voluntary medical male circumcisions performed according to national standards (2023)	162 993
People who received PrEP at least once during the reporting period (2021)	57 717
Harm reduction	<u> </u>
 Use of sterile injecting equipment at last injection 	
 Needles and syringes distributed per person who injects 	

— Coverage of agonist maintenance

Yes

Naloxone available (2024)


therapy

ELIMINATION OF VERTICAL TRANSMISSION						
	2015	2023				
Percentage of pregnant women living with HIV accessing antiretroviral medicines	82% [74–96%]	90% [81–100%]				
Final vertical transmission rate including during breastfeeding	15.6% [13.5–17.0%]	9.7% [7.8–11.6%]				
Early infant diagnosis	40.5% [36.7–47.4%]	74.8% [67.7–87.8%]				

EASTERN AND SOUTHERN AFRICA 137

NAMIBIA

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	13 000	9200	6000
	[12 000–15 000]	[7700–11 000]	[4900–7600]
New HIV infections (0-14)			
	[]	[]	[]
New HIV infections (15-24)	3500	3000	2100
	[2300–4100]	[2200–3600]	[1400–2400]
New HIV infections (women, 15+)	6500	5100	3700
	[5500–7800]	[4100–6500]	[2800–4700]
New HIV infections (men, 15+)	4300	2900	1800
	[3600–5400]	[2400–3900]	[1500–2500]
HIV incidence as new infections per 1000 uninfected population	6 [5.3–7]	3.9 [3.2–4.9]	2.2 [1.8–2.8]
AIDS-related deaths			
AIDS-related deaths (all ages)	5500	5000	3700
	[4600–6700]	[4200–6400]	[3000–4400]
AIDS-related deaths (0–14)			
	[]	[]	[–]
AIDS-related deaths (women, 15+)	2200	2200	1900
	[1800–2900]	[1700–3100]	[1600–2300]
AIDS-related deaths (men, 15+)	1800	1800	1300
	[1400–2500]	[1500–2500]	[1100–1600]
People living with HIV			
People living with HIV (all ages)	210 000	230 000	230 000
	[200 000–230 000]	[210 000–250 000]	[210 000–260 000]
People living with HIV (0-14)			
	[]	[]	[–]
People living with HIV (women, 15+)	120 000	130 000	140 000
	[110 000–130 000]	[120 000–150 000]	[130 000–160 000]
People living with HIV (men, 15+)	73 000	78 000	75 000
	[67 000–80 000]	[71 000–87 000]	[68 000–85 000]
HIV prevalence (15–49) (%)	13.0 [12.4–13.7]	12.3 [11.8–12.9]	9.7 [9.2–10.2]



EXPENDITURES (in US dollars)							
		Fund	ding sources				
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total	
Last available report:							

HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TRANSMISSION					
	2015	2023			
Percentage of pregnant women living with HIV accessing antiretroviral medicines	% [–%]	% [%]			
Final vertical transmission rate including during breastfeeding	% [–%]	% [–%]			
Early infant diagnosis	12.9% [11.8–14.9%]	98.2% [90.2–111.1%]			

RWANDA


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	11 000	6700	3200
	[9000–14 000]	[4900–9600]	[2300–4800]
New HIV infections (0–14)	2000	680	<500
	[1600–2400]	[570–870]	[<500–650]
New HIV infections (15-24)	3300	2100	950
	[2400–4100]	[1600–2600]	[670–1300]
New HIV infections (women, 15+)	5500	3900	1800
	[4300–7200]	[2800–5400]	[1200–2700]
New HIV infections (men, 15+)	3400	2100	890
	[2700–4800]	[1600–3200]	[600–1400]
HIV incidence as new infections per 1000 uninfected population	1.1 [0.95–1.5]	0.62 [0.46–0.9]	0.24 [0.17–0.36]
AIDS-related deaths			
AIDS-related deaths (all ages)	6800	4000	2600
	[5400–9200]	[3300–5700]	[2100–3500]
AIDS-related deaths (0–14)	1700	600	<500
	[1400–1900]	[<500–730]	[<200- <500]
AIDS-related deaths (women, 15+)	2900	1800	1300
	[2000–4000]	[1500–2700]	[1100–1800]
AIDS-related deaths (men, 15+)	2200	1600	1100
	[1700–3300]	[1200–2300]	[860–1400]
People living with HIV			
People living with HIV (all ages)	230 000	240 000	230 000
	[220 000–260 000]	[220 000–260 000]	[210 000–260 000]
People living with HIV (0–14)	27 000	18 000	6800
	[24 000–30 000]	[17 000–20 000]	[5900–8500]
People living with HIV (women, 15+)	130 000	140 000	140 000
	[120 000–140 000]	[130 000–150 000]	[130 000–160 000]
People living with HIV (men, 15+)	77 000	82 000	81 000
	[71 000–86 000]	[75 000–92 000]	[74 000–90 000]
HIV prevalence (15–49) (%)	3.7 [3.6–3.9]	3.3 [3.2–3.4]	2.2 [2.1–2.3]

Yes, under law covering communicable diseases not specifically mentioning HIV
Yes
No
Yes
No
No restrictions
Yes, for adolescents 12 years or younger
No
No


Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	2015	2020
(2020 refers to women only)	9.9	12.8
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND VI	OLEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced		2020
physical or sexual violence from a male intimate partner in the past 12 months		23.8
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in		2020
hitting or beating his wife for specific reasons		40.5


STIGMA AND DISCRIMINATION

EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	0	0	0	0	0	0



10 000 Number of people 8 000 6 000 4 000 2 000 2010 - AIDS-related deaths





Change in new -71% **HIV** infections since 2010

Change in AIDSrelated deaths -62% since 2010

Incidence: prevalence ratio

Incidence: mortality ratio


KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population	•••				500
HIV prevalence	35.2%	7%			
HIV testing and status awareness	93.2%				
Antiretroviral therapy coverage	67.9%				
Condom use	80.9%	56.2%			
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination	3.7%				
Experience of sexual and/or physical violence	38%	107%			

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	950 [710–1200]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV TESTING AND TREATMENT CASCADE



virus starting hepatitis C treatment	
HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	0.1%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	

Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15-49 years (2019)

— Men	69.6%
Women aged 15–49 years who have the demand for family planning satisfied by	
modern methods (2020)	

Men aged 15-49 years who are circumcised

Voluntary medical male circumcisions	
performed according to national standards	240 440
(2023)	

(2020)	
People who received PrEP at least once during the reporting period (2023)	18 582

Men

— Women

arm reduction	
 Use of sterile injecting equipment at last injection 	
 Needles and syringes distributed per person who injects 	
 Coverage of agonist maintenance therapy 	

— Na	aloxone	available	(2024)	

ELIMINATION OF VERTICAL TRANSMISSION

	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	100% [96–100%]	94% [86–100%]
Final vertical transmission rate including during breastfeeding	7.5% [6.3–10.1%]	7.1% [5.1–9.8%]
Early infant diagnosis	86.7% [77.5–100.9%]	89.3% [81.1–101.9%]

Νo

45.9%


SEYCHELLES

KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population					400
HIV prevalence			23%		0.4%
HIV testing and status awareness			100%**		
Antiretroviral therapy coverage					
Condom use					
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

^{**} Programme data—not representative.

HIV TESTING AND TREATMENT CASCADE



HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	3 [0–8]
People living with HIV who started TB preventive therapy (2023)	1.4%
Women who tested positive for HIV among those screened for cervical cancer (programme data) (2019)	100%
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment (2019)	

HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	•••
— Men	•••
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period (2023)	4
Harm reduction	
 Use of sterile injecting equipment at last injection 	
 Needles and syringes distributed per person who injects (2021) 	5
 Coverage of agonist maintenance therapy (2021) 	90.8%
— Naloxone available (2024)	Yes

EXPENDITURES (in US dollars)

Funding sources						
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2023	3 312 238	47 119	0	0	45 480	3 404 837

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	No
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 18 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes

STIGMA AND DISCRIMINATION

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV

. ...

Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months

...

Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months

GENDER INEQUALITY AND VIOLENCE

Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months

•••

Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons

...


SOUTH AFRICA


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	340 000	250 000	150 000
	[310 000–380 000]	[220 000–270 000]	[130 000–170 000]
New HIV infections (0–14)	28 000	11 000	6500
	[22 000–48 000]	[9000–21 000]	[3800–17 000]
New HIV infections (15-24)	150 000	110 000	55 000
	[94 000–190 000]	[61 000–130 000]	[31 000–70 000]
New HIV infections (women, 15+)	200 000	140 000	89 000
	[170 000–220 000]	[130 000–160 000]	[80 000–98 000]
New HIV infections (men, 15+)	120 000	90 000	50 000
	[110 000–140 000]	[80 000–110 000]	[43 000–58 000]
HIV incidence as new infections per 1000 uninfected population	7.7 [6.9–8.6]	5.1 [4.6–5.8]	2.7 [2.4–3.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	150 000	67 000	50 000
	[120 000–180 000]	[55 000–85 000]	[42 000–64 000]
AIDS-related deaths (0–14)	18 000	3800	1500
	[12 000–26 000]	[2300–6400]	[750–4100]
AIDS-related deaths (women, 15+)	71 000	32 000	24 000
	[53 000–89 000]	[25 000–39 000]	[20 000–31 000]
AIDS-related deaths (men, 15+)	61 000	32 000	25 000
	[49 000–84 000]	[25 000–44 000]	[19 000–32 000]
People living with HIV			
People living with HIV (all ages)	5.9 m	6.8 m	7.7 m
	[5.4 m–6.4 m]	[6.3 m–7.4 m]	[7.0 m–8.3 m]
People living with HIV (0–14)	370 000	320 000	160 000
	[290 000–460 000]	[250 000–410 000]	[120 000–290 000]
People living with HIV (women, 15+)	3.5 m	4.2 m	4.9 m
	[3.2 m–3.8 m]	[3.9 m–4.6 m]	[4.6 m–5.4 m]
People living with HIV (men, 15+)	2.0 m	2.3 m	2.6 m
	[1.8 m–2.2 m]	[2.1 m–2.6 m]	[2.3 m–2.8 m]
HIV prevalence (15–49) (%)	17.9 [15.9–19.8]	18.7 [16.2–20.8]	17.1 [14.5–19.3]


No, but the general law has been used to prosecute cases in the past 10 years
Yes
No
Yes
No
No restrictions
Yes, for adolescents 12 years or younger
No
No


STIGMA AND DISCRIMINATION	
Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months	
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months	
GENDER INEQUALITY AND VIO	LENCE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months	
Percentage of women and men aged 15 to 49	

EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2023	1420 653 866	0	387 997 202	55 256 106	0	1863 907 174









Change in new -58% **HIV** infections since 2010

Change in AIDSrelated deaths -66% since 2010


Incidence: prevalence ratio

Incidence: 1.2 mortality ratio

KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population	•••	309 700		179 300	55 800
HIV prevalence	62.3%	29.7%		58%	7%
HIV testing and status awareness	81.0%**	86.0%**		89.0%**	
Antiretroviral therapy coverage	69.5%	44.1%			90.9%**
Condom use		71.8%		76.6%	
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence ** Programme data—not representa	 ntive.				

HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TRANSMISSION

	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	98% [81–100%]	97% [81–100%]
Final vertical transmission rate including during breastfeeding	3.4% [3.0–5.2%]	2.4% [1.6–5.4%]
Early infant diagnosis	91.9% [76.1–123.8%]	89.9% [75.0–125.2%]

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	145 000 [90 000 –213 000]
People living with HIV who started TB preventive therapy (2023)	61.4%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	4.8%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	•••
— Men	•••
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	
Voluntary medical male circumcisions performed according to national standards	215 716

Voluntary medical male circumcisions	
performed according to national standards (2023)	215 716

People who received PrEP at least once 803 171 during the reporting period (2023)

Harm reduction

- Use of sterile injecting equipment at 94.6% last injection (2023)

36

- Needles and syringes distributed per person who injects (2020)
- Coverage of agonist maintenance 0.7% therapy (2020)

 Naloxone available (2024) Νo

EASTERN AND SOUTHERN AFRICA 145


SOUTH SUDAN


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	15 000	15 000	8100
	[11 000–19 000]	[11 000–18 000]	[5400–12 000]
New HIV infections (0–14)	3300	2600	1200
	[2500–4500]	[1800–3400]	[780–1800]
New HIV infections (15-24)	3600	3800	2600
	[2000–4800]	[2200–5100]	[1600–4000]
New HIV infections (women, 15+)	6800	7600	4500
	[5300–8900]	[5900–9700]	[2900–7000]
New HIV infections (men, 15+)	4600	4500	2400
	[3500–6100]	[3400–5900]	[1500–3800]
HIV incidence as new infections per 1000 uninfected population	1.2 [0.95–1.6]	1.1 [0.8–1.3]	0.56 [0.37–0.86]
AIDS-related deaths			
AIDS-related deaths (all ages)	12 000	12 000	5600
	[9500–17 000]	[8800–16 000]	[3500–8200]
AIDS-related deaths (0–14)	2500	2200	1100
	[1900–3200]	[1700–2800]	[710–1500]
AIDS-related deaths (women, 15+)	5900	5300	2700
	[4400–8000]	[3900–7400]	[1700–4100]
AIDS-related deaths (men, 15+)	4000	4100	1900
	[3000–5600]	[3100–5600]	[1200–2800]
People living with HIV			
People living with HIV (all ages)	160 000	170 000	140 000
	[130 000–210 000]	[130 000–210 000]	[120 000–170 000]
People living with HIV (0–14)	19 000	18 000	12 000
	[15 000–25 000]	[14 000–23 000]	[8600–15 000]
People living with HIV (women, 15+)	86 000	90 000	84 000
	[69 000–110 000]	[74 000–110 000]	[69 000–100 000]
People living with HIV (men, 15+)	57 000	57 000	47 000
	[46 000–74 000]	[46 000–71 000]	[39 000–58 000]
HIV prevalence (15–49) (%)	2.2 [1.7–2.8]	2.0 [1.6–2.5]	1.6 [1.3–1.9]


LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	Yes, imprisonment (up to 14 years)
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 18 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No
	No


STIGMA AND DISCRIMINATION	
Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	
Percentage of people living with HIV who report experienced stigma and discrimination	2020
in the general community in the last 12 months	8.4
Percentage of people living with HIV who report experiences of HIV-related	2020
discrimination in health-care settings in the last 12 months	5.8
GENDER INEQUALITY AND VIOLE	NCE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months	
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons	

EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2020	0	0	0	0	0	0









Change in new -45% **HIV** infections since 2010

** Programme data—not representative.

Change in AIDSrelated deaths -55% since 2010


Incidence: = 5.6 prevalence ratio

Incidence: mortality ratio

KEY POPULATIONS Men who People who Transgender People in Sex workers have sex inject drugs people prisons with men Estimated size of population **HIV** prevalence 16% HIV testing and status 39.0%** awareness **Antiretroviral therapy** coverage Condom use 35.4% Coverage of HIV prevention programmes Avoidance of health care because of stigma and 12.1% discrimination Experience of sexual and/or 66% physical violence

HIV COMORBIDITIES	
Estimated number of incident tuberculosis cases among people living with HIV (2023)	2900 [1800 –4100]
People living with HIV who started TB preventive therapy (2023)	65.4%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV TESTING AND TREATMENT CASCADE



Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	
HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	

Condom use at last sex with a non-marital,

10 000				
0	People living with HIV who know their status	People living with HIV on treatment	People living with HIV who are virally suppressed	
All ages	51% [41–62%]	47% [38–57%]	% [–%]	
	72 903	67 455		
Children (0-1	32% [23–41%] 3794	28% [20–36%] 3370	% [–%] 	
Women (15+)	50% [41–61%] 42 403	49% [40–59%] 41 073	% [–%] 	
Men (15+)	56% [46–69%] 26 705	48% [40–59%] 23 012	% [–%] 	

non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	
Voluntary medical male circumcisions performed according to national standards (2022)	12 032
People who received PrEP at least once	153

ELIMINATION OF VERTICAL TRANSMISSION				
	2015	2023		
Percentage of pregnant women living with HIV accessing antiretroviral medicines	47% [38–60%]	76% [61–97%]		
Final vertical transmission rate including during breastfeeding	30.1% [27.3–32.2%]	20.2% [15.8–23.7%]		
Early infant diagnosis	1.3% [1.1–1.7%]	51.0% [41.2–64.8%]		

Harm reduction

during the reporting period (2022)

last injection	
 Needles and syringes distributed per person who injects 	
Coverage of agenist maintenance	

 Coverage of agonist maintenance
therapy

Data not - Naloxone available (2024) available

UGANDA


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	97 000	71 000	38 000
	[87 000–110 000]	[62 000–85 000]	[28 000–54 000]
New HIV infections (0–14)	19 000	11 000	4700
	[16 000–21 000]	[9900–12 000]	[4000–5900]
New HIV infections (15-24)	34 000	27 000	15 000
	[22 000–41 000]	[18 000–31 000]	[11 000–20 000]
New HIV infections (women, 15+)	47 000	38 000	22 000
	[41 000–54 000]	[32 000–45 000]	[15 000–32 000]
New HIV infections (men, 15+)	31 000	22 000	11 000
	[27 000–38 000]	[19 000–28 000]	[8200–17 000]
HIV incidence as new infections per 1000 uninfected population	3.4 [3.1–3.9]	2.1 [1.9–2.6]	0.86 [0.62–1.2]
AIDS-related deaths			
AIDS-related deaths (all ages)	53 000	30 000	20 000
	[48 000–62 000]	[26 000–39 000]	[15 000–27 000]
AIDS-related deaths (0–14)	14 000	7700	3200
	[12 000–15 000]	[6800–8400]	[2500–4000]
AIDS-related deaths (women, 15+)	24 000	10 000	8200
	[21 000–29 000]	[8200–14 000]	[5900–12 000]
AIDS-related deaths (men, 15+)	15 000	13 000	8400
	[13 000–19 000]	[10 000–16 000]	[6300–11 000]
People living with HIV			
People living with HIV (all ages)	1.2 m	1.3 m	1.5 m
	[1.1 m–1.2 m]	[1.3 m–1.4 m]	[1.4 m–1.6 m]
People living with HIV (0–14)	130 000	110 000	72 000
	[120 000–140 000]	[100 000–120 000]	[67 000–78 000]
People living with HIV (women, 15+)	620 000	750 000	910 000
	[590 000–660 000]	[720 000–810 000]	[850 000–1.0 m]
People living with HIV (men, 15+)	410 000	470 000	520 000
	[390 000–450 000]	[440 000–510 000]	[480 000–570 000]
HIV prevalence (15–49) (%)	7.2 [7.0–7.4]	6.8 [6.6–6.9]	5.1 [4.9–5.3]


LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	Yes, death penalty
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents 12 years or younger
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes


STIGMA AND DISCRIMINATION		
Percentage of women aged 15–49 years who report discriminatory attitudes towards people living with HIV		2022
		15.6
Percentage of people living with HIV who		2023
report experienced stigma and discrimination in the general community in the last 12 months		30.9
Percentage of people living with HIV who report experiences of HIV-related		2023
discrimination in health-care settings in the last 12 months		0.5
GENDER INEQUALITY AND VIC	LEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in		2022
hitting or beating his wife for specific reasons		32.1


32.1

EXPENDITURES (in						
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	0	0	0	0	0	0









Change in new
HIV infections = -60%
since 2010

Change in AIDSrelated deaths = -63% since 2010 Incidence:
prevalence = 2.6
ratio

Incidence: = 1.26


KEY POPULATIONS Men who People who Transgender People in Sex workers have sex inject drugs people prisons with men Estimated size of population 157 400 **HIV** prevalence 2.3% HIV testing and status 88.0%** 54.0%** 45.0%** 100%** awareness **Antiretroviral therapy** 65.0%** 100%** coverage Condom use Coverage of HIV prevention programmes Avoidance of health care because of stigma and 9.3% discrimination

** Programme data—not representative.

Experience of sexual and/or

physical violence

HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TRANSMISSION				
	2015	2023		
Percentage of pregnant women living with HIV accessing antiretroviral medicines	100% [100–100%]	100% [91–100%]		
Final vertical transmission rate including during breastfeeding	13.1% [12.0–14.7%]	6.0% [5.2–7.5%]		
Early infant diagnosis	48.4% [44.4–56.2%]	81.6% [73.7–95.1%]		

HIV COMORBIDITIES	
Estimated number of incident tuberculosis cases among people living with HIV (2023)	36 000 [21 000 –54 000]
People living with HIV who started TB preventive therapy (2023)	6.9%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

People coinfected with HIV and hepatitis C virus starting hepatitis C treatment		
HIV PREVENTION		
Prevalence of adults (15+) living with HIV with unsuppressed viral load	1.2%	
Knowledge of HIV prevention among young people aged 15–24 years		
— Women		
— Men		
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years		
— Women		
— Men		
Women aged 15–49 years who have their demand for family planning satisfied by modern methods		
Men aged 15–49 years who are circumcised		
Voluntary medical male circumcisions performed according to national standards (2023)	452 490	
People who received PrEP at least once during the reporting period (2023)	161 987	
Harm reduction		
 Use of sterile injecting equipment at last injection 		
 Needles and syringes distributed per person who injects 		
 Coverage of agonist maintenance therapy 		
— Naloxone available (2024)	Data not available	

UNITED REPUBLIC OF TANZANIA

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	87 000	98 000	53 000
	[77 000–100 000]	[87 000–110 000]	[43 000–67 000]
New HIV infections (0–14)	13 000	11 000	5700
	[11 000–16 000]	[8800–13 000]	[3700–7300]
New HIV infections (15-24)	21 000	10 000	19 000
	[14 000–25 000]	[6900–13 000]	[14 000–23 000]
New HIV infections (women, 15+)	42 000	57 000	32 000
	[36 000–51 000]	[50 000–68 000]	[25 000–41 000]
New HIV infections (men, 15+)	31 000	29 000	16 000
	[27 000–39 000]	[25 000–36 000]	[12 000–22 000]
HIV incidence as new infections per 1000 uninfected population	2.1 [1.9–2.5]	2 [1.8–2.4]	0.85 [0.7–1.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	53 000	36 000	25 000
	[46 000–64 000]	[30 000–46 000]	[21 000–33 000]
AIDS-related deaths (0–14)	12 000	7400	3800
	[9800–13 000]	[6100–8800]	[2600–4800]
AIDS-related deaths (women, 15+)	23 000	11 000	12 000
	[18 000–28 000]	[8000–15 000]	[9600–16 000]
AIDS-related deaths (men, 15+)	19 000	18 000	9500
	[15 000–25 000]	[15 000–23 000]	[7800–13 000]
People living with HIV			
People living with HIV (all ages)	1.2 m	1.4 m	1.7 m
	[1.1 m–1.3 m]	[1.3 m–1.5 m]	[1.6 m–1.9 m]
People living with HIV (0–14)	130 000	110 000	68 000
	[120 000–140 000]	[93 000–120 000]	[55 000–76 000]
People living with HIV (women, 15+)	630 000	810 000	1.1 m
	[600 000–690 000]	[770 000–890 000]	[1.0 m–1.2 m]
People living with HIV (men, 15+)	430 000	490 000	550 000
	[400 000–480 000]	[460 000–540 000]	[520 000–600 000]
HIV prevalence (15–49) (%)	4.8 [4.6–4.9]	4.6 [4.5–4.8]	3.8 [3.7–3.9]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	Yes, imprisonment (14 years - life)
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 16 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes


Percentage of women aged 15–49 years who report discriminatory attitudes towards people living with HIV		2022
		14.8
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND VIO	OLENG	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced	2016	2022
physical or sexual violence from a male intimate partner in the past 12 months	29.6	26.4
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in		2022


43.3


STIGMA AND DISCRIMINATION


hitting or beating his wife for specific reasons

EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	0	0	0	0	0	0









Change in new
HIV infections = -39%
since 2010

Change in AIDS-related deaths = -52% since 2010

Incidence:
prevalence = 3.1
ratio

Incidence: = 1.39

KEY POPULATIONS Men who People who Transgender People in Sex workers have sex inject drugs people prisons with men Estimated size of population 155 800 32 000 **HIV** prevalence ... HIV testing and status 98.3% 97.6% awareness **Antiretroviral therapy** coverage Condom use 72.4% 25.6% ... Coverage of HIV prevention 97.6% programmes Avoidance of health care because of stigma and discrimination Experience of sexual and/or physical violence

HIV COMORBIDITIES	
Estimated number of incident tuberculosis cases among people living with HIV (2023)	21 000 [8100 -40 000]
People living with HIV who started TB preventive therapy (2023)	10.6%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV PREVENTION

person who injects

- Naloxone available (2024)

therapy (2020)

Coverage of agonist maintenance

	(15+)	954 064 86% [81–94%]	907 247 79% [75–87%]	881 616 77% [72–84%]
Wom	nen (15+)	88% [83–97%]	84% [79–92%]	82% [77–90%]
Child	ren (0-1	78% [63–88%] 52 455	66% [54–75%] 44 866	61% [49–69%] 41 086
		1 479 554	1 389 883	1 346 842
All ag	ges	87% [82–95%]	82% [77–90%]	79% [75–87%]
	0 -	People living with HIV who know their status	People living with HIV on treatment	People living with HIV who are virally suppressed
ž	200 000			
ımber	400 000			
Number of people living with HIV	600 000			
ople liv	800 000			
ving w	1000 000			
ith HI	1200 000			
	1400 000			
	1600 000			

Prevalence of adults (15+) living with HIV with unsuppressed viral load	0.9%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years (2022)	
— Women	21.7%
— Men	43.4%
Women aged 15–49 years who have their demand for family planning satisfied by modern methods (2022)	53.9%
Men aged 15–49 years who are circumcised (2023)	85.9%
Voluntary medical male circumcisions performed according to national standards (2023)	586 860
People who received PrEP at least once during the reporting period (2023)	59 332
Harm reduction	
 Use of sterile injecting equipment at last injection 	
— Needles and syringes distributed per	

ELIMINATION OF VERTICAL TRANSMISSION				
	2015	2023		
Percentage of pregnant women living with HIV accessing antiretroviral medicines	91% [82–100%]	98% [90–100%]		
Final vertical transmission rate including during breastfeeding	14.7% [13.3–16.1%]	8.1% [6.0–9.6%]		
Early infant diagnosis	47.6% [43.2–54.9%]	71.1% [65.3–83.9%]		

EASTERN AND SOUTHERN AFRICA

25.6%

Yes


ZAMBIA


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	64 000	69 000	23 000
	[59 000–73 000]	[62 000–77 000]	[17 000–30 000]
New HIV infections (0–14)	9900	8800	3200
	[8200–11 000]	[7100–10 000]	[2000–4100]
New HIV infections (15-24)	22 000	24 000	8200
	[15 000–26 000]	[16 000–28 000]	[5500–11 000]
New HIV infections (women, 15+)	32 000	38 000	13 000
	[28 000–37 000]	[33 000–43 000]	[9100–18 000]
New HIV infections (men, 15+)	22 000	22 000	6700
	[19 000–26 000]	[20 000–27 000]	[4700–9400]
HIV incidence as new infections per 1000 uninfected population	5.2 [4.7–5.9]	4.7 [4.3–5.4]	1.2 [0.89–1.6]
AIDS-related deaths			
AIDS-related deaths (all ages)	25 000	21 000	17 000
	[22 000–30 000]	[18 000–24 000]	[14 000–20 000]
AIDS-related deaths (0–14)	6800	4600	2300
	[5600–7700]	[3700–5500]	[1400–3100]
AIDS-related deaths (women, 15+)	11 000	10 000	8700
	[8900–14 000]	[8600–12 000]	[7300–11 000]
AIDS-related deaths (men, 15+)	7500	6500	5800
	[6300–9100]	[5500–7700]	[4700–7000]
People living with HIV			
People living with HIV (all ages)	940 000	1.2 m	1.3 m
	[900 000–1.0 m]	[1.1 m–1.2 m]	[1.3 m–1.5 m]
People living with HIV (0-14)	84 000	77 000	58 000
	[76 000–91 000]	[69 000–84 000]	[50 000–65 000]
People living with HIV (women, 15+)	530 000	660 000	810 000
	[500 000–560 000]	[630 000–710 000]	[760 000–880 000]
People living with HIV (men, 15+)	330 000	420 000	470 000
	[310 000–360 000]	[390 000–450 000]	[440 000–520 000]
HIV prevalence (15–49) (%)	11.9 [11.5–12.3]	12.0 [11.8–12.2]	9.8 [9.5–10.1]


LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, under law covering communicable diseases not specifically mentioning HIV
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	Yes, imprisonment (14 years - life)
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 16 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No


Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	•••	
Percentage of people living with HIV who report experienced stigma and discrimination		2023
in the general community in the last 12 months		29.1
Percentage of people living with HIV who report experiences of HIV-related		2023
discrimination in health-care settings in the last 12 months		21.6
GENDER INEQUALITY AND VIC	LEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in		

EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2021	0	0	0	0	0	504 412 066









Change in new
HIV infections = -64%
since 2010

Change in AIDS-related deaths = -32% since 2010

Incidence:
prevalence = 1.7
ratio


Incidence: = 0.85

KEY POPULATIONS Men who People who People in Sex workers have sex inject drugs people prisons with men Estimated size of population 88 400 30,000 25 300 **HIV** prevalence 22.8% 10.9% 8.9% 12.3% HIV testing and status 65.7%** 71.2%** 70.1%** 61.4%** awareness **Antiretroviral therapy** 68.4%** 64.5%** 74.6%** 17.1%** 100%** coverage Condom use 25% 55.1% 44.4% Coverage of HIV prevention 37.7% programmes Avoidance of health care 29.3% because of stigma and 24.2% 44.6% discrimination Experience of sexual and/or 80.9% 25.7% 12.9%

** Programme data—not representative.

physical violence

HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TRANSMISSION					
	2015	2023			
Percentage of pregnant women living with HIV accessing antiretroviral medicines	85% [78–97%]	90% [82–100%]			
Final vertical transmission rate including during breastfeeding	16.4% [14.9–17.8%]	6.6% [4.9–8.0%]			
Early infant diagnosis	55.4% [51.0–63.6%]	76.7% [69.6–89.2%]			

HIV COMORBIDITIES	
Estimated number of incident tuberculosis cases among people living with HIV (2023)	19 000 [11 000 –28 000]
People living with HIV who started TB preventive therapy (2023)	76.7%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	
HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	0.7%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years (2018)	
— Women	34.5%
— Men	53.5%
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised (2023)	31.8%
Voluntary medical male circumcisions performed according to national standards (2023)	521 195
People who received PrEP at least once during the reporting period (2023)	184 256
Harm reduction	
 Use of sterile injecting equipment at last injection 	
 Needles and syringes distributed per person who injects 	
 Coverage of agonist maintenance therapy 	


ZIMBABWE


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	79 000	50 000	15 000
	[55 000–110 000]	[35 000–72 000]	[11 000–22 000]
New HIV infections (0–14)	17 000	8800	3600
	[11 000–24 000]	[5700–12 000]	[2300–5100]
New HIV infections (15-24)	27 000	17 000	4400
	[18 000–37 000]	[11 000–23 000]	[3000–6000]
New HIV infections (women, 15+)	35 000	25 000	7500
	[22 000–52 000]	[16 000–37 000]	[4900–11 000]
New HIV infections (men, 15+)	27 000	17 000	4400
	[18 000–43 000]	[11 000–26 000]	[2800–6900]
HIV incidence as new infections per 1000 uninfected population	7.1 [4.8–10]	4 [2.7–5.6]	0.98 [0.66–1.4]
AIDS-related deaths			
AIDS-related deaths (all ages)	57 000	30 000	19 000
	[46 000–68 000]	[24 000–36 000]	[16 000–23 000]
AIDS-related deaths (0–14)	12 000	6400	2300
	[7300–18 000]	[3800–9200]	[1400–3400]
AIDS-related deaths (women, 15+)	23 000	12 000	9100
	[19 000–29 000]	[10000–15 000]	[7300–11 000]
AIDS-related deaths (men, 15+)	21 000	11 000	8000
	[17 000–25 000]	[9100–13 000]	[6500–9600]
People living with HIV			
People living with HIV (all ages)	1.3 m	1.4 m	1.3 m
	[1.2 m–1.4 m]	[1.3 m–1.5 m]	[1.2 m–1.4 m]
People living with HIV (0–14)	170 000	130 000	70 000
	[140 000–200 000]	[110 000–160 000]	[56 000–82 000]
People living with HIV (women, 15+)	660 000	730 000	750 000
	[600 000–740 000]	[670 000–820 000]	[690 000–840 000]
People living with HIV (men, 15+)	470 000	500 000	480 000
	[430 000–520 000]	[460 000–560 000]	[440 000–540 000]
HIV prevalence (15–49) (%)	15.7 [14.6–16.8]	14.5 [13.5–15.5]	10.5 [9.7–11.2]


LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	No
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	Yes, imprisonment (up to 14 years)
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 16 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No


STIGMA AND DISCRIMINATION		
Percentage of women aged 15–49 years who report discriminatory attitudes towards people living with HIV	•••	2019
		28.7
Percentage of people living with HIV who		2022
report experienced stigma and discrimination in the general community in the last 12 months		28
Percentage of people living with HIV who report experiences of HIV-related		2021
discrimination in health-care settings in the last 12 months		30.7
GENDER INEQUALITY AND VIO	LEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced		2019
physical or sexual violence from a male intimate partner in the past 12 months		19
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons		

EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2023	0	0	176 939 051	99 352 668	0	276 291 719









Change in new
HIV infections
since 2010 = -80%

Change in AIDSrelated deaths = -66% since 2010

Incidence:
prevalence = 1.2
ratio

Incidence:
mortality ratio


0.59

KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population	•••				24 000
HIV prevalence	40.2%	8.1%		17.6%	16.7%
HIV testing and status awareness	96.6%	99.4%**		29.8%**	
Antiretroviral therapy coverage	83.4%	83.4%**			98.2%
Condom use	62.4%	41.5%		82%	
Coverage of HIV prevention programmes	20.7%	25.5%		27.9%	
Avoidance of health care because of stigma and discrimination	43.7%	8.3%		10.8%	
Experience of sexual and/or physical violence	49.3%				

** Programme data—not representative.

HIV TESTING AND TREATMENT CASCADE



THE STATE OF THE S		MENANTOR HEALT
	OF VERICAL	TRANSMISSION
LLIIVIII VAITOIV	OI VENTICAL	INVIADIAISSIOIA

	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	80% [71–94%]	88% [78–100%]
Final vertical transmission rate including during breastfeeding	12.2% [9.0–15.4%]	7.4% [5.4–9.3%]
Early infant diagnosis	51.3% [45.6–60.8%]	84.0% [74.7–99.6%]

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	21 000 [13 000 -30 000]
People living with HIV who started TB preventive therapy (2023)	78.3%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV PREVENTION

HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	0.9%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital,	

Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years — Women

— Men
Women aged 15–49 years who have their
demand for family planning satisfied by

Men aged 15–49 years who are circumcised (2023)	21.8%				
Voluntary modical male circumcisions					

Voluntary medical male circumcisions	
performed according to national standards (2023)	155 617
(2023)	

People who received PrEP at least once	30 396
during the reporting period (2023)	30 396

Harm reduction

modern methods

- Use of sterile injecting equipment at last injection
- Needles and syringes distributed per person who injects
- Coverage of agonist maintenance therapy
- Naloxone available (2024) No

EASTERN AND SOUTHERN AFRICA


EASTERN EUROPE AND CENTRAL ASIA

The annual number of new HIV infections in eastern Europe and central Asia continues to rise. It reached 140 000 [120 000–160 000] in 2023, a 20% increase since 2010 (Figure 4.1). The region is off track to reach the targets to end AIDS by 2030. Four countries (Kazakhstan (1), Russian Federation (2), Ukraine (1), Uzbekistan (3)) report 92% of all new registered HIV cases¹ in the region according to published case reports from 15 of 16 countries.

In 2022, 94% of new HIV infections were among people from key populations and their sex partners, and 15% of new infections were among sex workers (4). HIV case reporting in the region suggests that an increasing proportion of new HIV infections are transmitted sexually. Available data suggest one explanation for this is transmission from people who inject drugs or formerly injected drugs to their partners in addition to a

Numbers of new HIV infections in eastern Europe and central Asia are rising

Figure 4.1 Numbers of new HIV infections and AIDS-related deaths, eastern Europe and central Asia, 2000–2023



Source: UNAIDS epidemiological estimates, 2024 (https://aidsinfo.unaids.org/).

¹ New registered HIV cases are newly diagnosed individuals included in the HIV case reporting system of the country.



2023 DATA

- 20% increase in new HIV infections since 2010
- **34%** increase in AIDS-related deaths since 2010
- People living with HIV:
 2.1 million
 [1.9 million–2.3 million]
- New HIV infections:
 140 000 [120 000–160 000]
- AIDS-related deaths:
 44 000 [35 000–54 000]

Testing and treatment cascade (all ages):

- % of people living with HIV who know their HIV status:
 59 [48-67]
- % of people living with HIV who are on treatment:
 50 [41–57]
- % of people living with HIV who have a suppressed viral load: 42 [39–46]

Financing the HIV response

Resource availability for HIV:
 US\$ 1.68 billion [54% gap to meet the 2025 target]

growing recognition of transmission among men who have sex with men. Unsafe drug injecting practices are a key factor in the region's epidemic, representing 27% of new HIV infections. Although 75% of countries mention harm reduction services in their national AIDS policies and service packages, a number of barriers—including the criminalization of possession of small amounts of drugs for personal use in nearly half (44%) of countries—stands in the way of providing and accessing services. In 2022, the number of gay men and other men who have sex with men who acquired HIV was 144% higher than in 2010 (Figure 4.2). Among people who inject drugs, new infections decreased by 10% between 2010 and 2022. In 2022, numbers of new HIV infections among sex workers and their clients rose by 74% and 109%, respectively.


Coverage of HIV services remains inadequate in the region, especially for people from the populations most affected by the epidemic. A median of 58% of sex workers (eight reporting countries), 43% of gay men and other men who have sex with men (eight reporting countries), 52% of people who inject drugs (eight reporting countries) and 65% of transgender people (three reporting countries) reported receiving at least two HIV prevention services in the past three months. Restrictive legal environments, stigma, and lack of scale-up of HIV interventions for people from key populations are major hindrances. There has been some progress, however, towards institutionalizing community-led monitoring and expanding the use of social contracting for service delivery in some countries.²

Numbers of AIDS-related deaths continue to increase, claiming the lives of 44 000 [35 000–54 000] people in 2023 (34% more than in 2010) (Figure 4.1). Testing and treatment programmes are missing large numbers of people who need antiretroviral therapy. Less than two thirds (59% [48–67%]) of people living with HIV in 2023 knew they were HIV-positive. Only about half of the 2.1 million [1.9 million–2.3 million] people living with HIV were receiving treatment in 2023. With 84% [68–96%] of people living with HIV on antiretroviral therapy having a suppressed viral load, the percentage of all people living with HIV who had a suppressed viral load was the lowest among all regions, at about 42% [39–46%].

² The following countries reported that community-led organizations can access funding (although funding is limited) through social contracting: Albania, Armenia, Azerbaijan, Kazakhstan, Kyrgyzstan, Montenegro, Republic of Moldova, Taiikistan. Ukraine. Uzbekistan.

The majority of new HIV infections are among people from key populations and their sex partners

Figure 4.2 Distribution of new HIV infections and percentage change among adults, eastern Europe and central Asia, 2010 and 2022



Source: Korenromp EL, Sabin K, Stover J, Brown T, Johnson LF, Martin-Hughes R, et al. New HIV infections among key populations and their partners in 2010 and 2022, by world region: a multisources estimation. J Acquir Immune Defic Syndr. 2024;95(15):e34–e45.

Progress towards reaching the 10–10–10 societal enablers targets in eastern Europe and central Asia remains slow. All 16 countries in the region criminalize sex work; 15 countries criminalize nondisclosure, exposure or transmission of HIV; and seven countries criminalize possession of small amounts of drugs for personal use (Figure 4.3). These laws, along with aggressive policing and stigma and discrimination, prevent all people—especially those from key populations—from seeking HIV and other health services.

Nearly half (49%) of surveyed people who inject drugs in Kyrgyzstan (5) and 32% of people living with HIV in Tajikistan (5, 6) reported avoiding medical care due to stigma and discrimination. Around 30% of surveyed people who inject drugs in the Republic of Moldova said they avoided starting treatment due to stigma and discrimination (5, 6). Survey data indicate that sexual or physical violence is common among people from key populations in the region: a median of 20% of sex workers (six reporting countries), 19% of gay men and other men who have sex with men (six reporting countries), 20% of people who inject drugs (four reporting countries) and 22% of transgender people (three reporting countries) reported experiencing physical or sexual violence in the past 12 months.


The HIV response in the region is occurring within the context of war in Ukraine, armed conflicts and political unrests in other countries, and shifts towards repressive governance and shrinking civic space. Despite the substantial strain of the war in Ukraine, with over 5.9 million refugees in European countries and 3.4 million internally displaced people (7), Ukraine has succeeded in maintaining its HIV services, notably the provision of antiretroviral therapy in Government-controlled areas. A reported 143 591 people living with HIV were receiving treatment in 2023 (8), close to the number before the invasion. According to the Information System for

Monitoring of Socially Significant Diseases, as of 1 January 2024, a total of 7943 Ukrainian refugees were receiving antiretroviral therapy and 1900 Ukrainians who had left the country have returned and re-initiated antiretroviral therapy in Ukraine (9).

The war in Ukraine and an array of economic and political challenges across the region pose long-term risks for the HIV response and the health system response in general. The region's growing HIV epidemic calls for HIV sustainability plans and actions that emphasize enabling legal environments; prioritize expanded prevention and treatment coverage, especially for people from key populations; facilitate and support community-led interventions; and boost domestic funding.


Eastern Europe and central Asia is off track to ensure less than 10% of countries have punitive legal and policy environments

Figure 4.3 Countries with discriminatory and punitive laws, eastern Europe and central Asia, 2024



Source: National Commitments and Policy Instrument, 2017–2024 (http://lawsandpolicies.unaids.org/), supplemented by additional sources (see references in regional factsheet and http://lawsandpolicies.unaids.org/).

Figure 4.4 HIV prevalence among people from key populations compared with adults (aged 15–49 years), reporting countries in eastern Europe and central Asia, 2019–2023



Source: Global AIDS Monitoring, 2020–2024; UNAIDS epidemiological estimates, 2024 (https://aidsinfo.unaids.org/). Note: n = number of countries. Total number of reporting countries = 16. The adult prevalence uncertainty bounds define the range within which the true value lies (if it can be measured). Narrow bounds indicate that an estimate is precise, while wide bounds indicate greater uncertainty regarding the estimate.

Table 4.1 Reported estimated size of key populations, eastern Europe and central Asia, 2019–2023

Country	National adult population (aged 15–49 years) for 2023 or relevant year	Sex workers	Sex workers as percentage of adult population (aged 15–49 years)	Gay men and other men who have sex with men	Gay men and other men who have sex with men as percentage of adult population (aged 15–49 years)	People who inject drugs	People who inject drugs as percentage of adult population (aged 15–49 years)	Transgender people	Transgender people as percentage of adult population (aged 15–49 years)	People in prisons and other closed settings	People in prisons and other closed settings as percentage of adult population (aged 15-49 years)
Albania	1 325 000									2200	0.17%
Armenia	1 330 000	8100	0.61%	22 700	1.71%	14 100	1.06%	1000	0.08%		
Azerbaijan	5 438 000	26 400		21 900		56 500				26 100	
Belarus	4 284 000	18 600	0.42%	32 000	0.73%	80 000	1.82%	3700	0.09%		
Georgia	1 681 000			23 300	1.38%	49 700	2.94%	900		10 000	0.60%
Kazakhstan	9 347 000			71 000	0.76%	79 900	0.86%			36 400	0.39%
Kyrgyzstan	3 396 000	13 000	0.39%								
Montenegro	289 000										
Republic of Moldova	1 223 000	15 800	1.23%	14 600	1.13%	27 500	2.14%			5700	0.47%
Tajikistan	5 276 000	18 400	0.36%			18 200					
Ukraine	15 427 000							12 800	0.08%	43 500	0.28%
Estimated regional mo proportion as percent population (aged 15-4	age of adult		0.42%		1.06%		1.41%		0.07%		-

National population size estimate Local population size estimate Insufficient data No data

Global AIDS Monitoring, 2020-2024 (https://aidsinfo.unaids.org/). Source: Spectrum DemProj module, 2024.

United Nations Population Division, World Population Prospects: The 2022 revision (https://population.un.org/dataportal/home?df=b97292bf-b220-4cce-9978-f1820bb65792).

Guide for updating Spectrum HIV estimates, UNAIDS 2024 (https://hivtools.unaids.org/hiv-estimates-training-material-en/).
Estimates shown are government-provided estimates reported for 2019–2023. Additional and alternative estimates may be available from different sources, including the Key Populations Atlas (https://ppatlas.unaids.org/), academic publications and institutional documents. Notes:

The regions covered by the local population size estimates are as follows:

Azerbaijan: 3 cities (sex workers and gay men and other men who have sex with men); 9 cities (people who inject drugs); Baku (people in prisons and other closed settings) Georgia: Batumi, Kutaisi


Tajikistan: 6 sites Note on methodology

The estimated size of key populations refers to reported values through Global AIDS Monitoring since 2019 only. A comprehensive review of the data was conducted during these reporting rounds and therefore estimates should not be compared with data presented in previous UNAIDS reports. As a result of this process, the estimates reported can be categorized as follows: "National population size estimate" refers to estimates that are empirically derived using one of the following methods: multiplier, capture-recapture, mapping/enumeration, network scale-up method (NSUM) or population-based survey, or respondent-driven sampling-successive sampling (RDS-SS). Estimates had to be national or a combination of multiple sites with a clear approach to extrapolating to a national estimate

[&]quot;Local population size estimate" refers to estimates that are empirically derived using one of the before mentioned methods but only for a subnational group of sites that are insufficient for


[&]quot;Insufficient data" refers to estimates derived from expert opinions, Delphi, wisdom of the crowds, programmatic results or registry, regional benchmarks or unknown methods. Estimates may or

Figure 4.5 HIV testing and treatment cascade, by age and sex, eastern Europe and central Asia, 2023



Source: Further analysis of UNAIDS epidemiological estimates, 2024.

Figure 4.6 Distribution of people living with HIV by recent infection, knowledge of status, treatment and viral load suppression, adults (aged 15+ years), eastern Europe and central Asia, 2019–2023



Source: Further analysis of UNAIDS epidemiological estimates, 2024.


Table 4.2 Laws and policies scorecard, eastern Europe and central Asia, 2024

Yes, for adolescents aged 13–14 years
Yes, for adolescents aged 12 years or younger

Not addressed in laws or policy

Data not available

Country	Criminalization of transgender people*	Griminalization of sex work ^b	Criminalization of same-sex sexual acts in private	Griminalization of possession of small amounts of drugs ^c	Laws criminalizing HIV nondisclosure or transmission ^d	Laws or policies restricting the entry, stay and residence of people living with HIV	Parental or guardian consent for adolescents to access HIV testing
Albania	2		1	1	18	6	1
Armenia	1		1	16		6	1
Azerbaijan	1		1			6	1
Belarus	1		1	1	19	6	1
Bosnia and Herzegovina			15		20	6	
Georgia	1		1	1		6	3
Kazakhstan	1		1			6	1,22
Kyrgyzstan	1		1	1		6	1
Montenegro	1		1	1	1	6	1
North Macedonia			15		20	6	
Republic of Moldova	1	11	1	1		6	1
Russian Federation	4	12	15	17	20	6	4
Tajikistan	1		1	1	1	6	1
Turkmenistan	7	13	15		20	6	5
Ukraine	1		1		21	6	1
Uzbekistan	2	14	2	3	2	6	3







Criminalization of transgender people refers to laws that criminalize people based on their gender identity or expresssion, such as laws against cross-dressing or impersonating the opposite sex.

b Criminalization of sex work refers to criminalization of any aspect of sex work, including buying sexual services, selling sexual services, ancillary activities associated with buying or selling sexual services, and profiting from organizing or managing sex work.

Criminalization of possession of small amounts of drugs refers to the criminalization of possession of any quantity of drugs, including possession of a quantity of drugs sufficient only for personal use. A country is considered to criminalize possession of small amounts of drugs even if marijuana has been decriminalized.

d HIV nondisclosure, exposure or transmission may be explicitly criminalized in an HIV-specific law or within a law that covers a broader range of communicable diseases and mentions HIV. They may also be criminalized under a law that covers a broader range of communicable diseases but does not specifically mention HIV. Laws may limit criminalization to cases of actual and intentional transmission. This refers to cases where a person knows their HIV-positive status, acts with the intention to transmit HIV and does in fact transmit it, in line with the UNDP 2021 Guidance for Prosecutors on HIV-related Criminal Cases. Some countries do not have a law specifically criminalizing HIV nondisclosure, exposure or transmission but the general law has been used to prosecute cases in the past 10 years.

nas been used to prosecute cases in the past 10 years.

e Constitutional or legislative protections against discrimination refer to whether gender identity or sexual orientation is specified as a protected attribute or whether courts or government have legally recognized that gender identity/sexual orientation/involvement in sex work/involvement in drug use or possession are protected under another attribute.

This figure does not capture where key populations may be de facto criminalized through the misuse of other laws, such as vagrancy or public morality laws, or the use of the above laws for different populations, e.g. transgender people may be targeted using laws criminalizing same-sex sexual activity, or gay men and other men who have sex with men may be targeted using HIV criminalization laws.





Figure 4.7 Resource availability for HIV, eastern Europe and central Asia, 2010–2023



Source: UNAIDS financial estimates, July, 2024 (http://hivfinancial.unaids.org/hivfinancialdashboards.html).

REFERENCES

- HIV/AIDS surveillance in Europe 2023–2022 data. Stockholm: European Centre for Disease Prevention and Control/WHO Regional Office for Europe; 2023. Sokolova EV, Ladnaya NN, Pokrovsky W. Population survey results Russian Federation for antibodies to HIV in 2023. Presented at All- Russian Congress on Infectious Diseases, 25–27 March 2023, Academician V. I. Pokrovsky, Russian Federation. Uzbekistan case reports. Spectrum 2024. Geneva: Joint United Nations Programme on HIV/AIDS; 2024. Koenromp EL, Sabin K, Stover J, Brown T, Johnson LF, Martin-Hughes R, et al. New HIV infections among key populations and their partners in 2010 and 2022, by world region: a multisources estimation. J Acquir Immune Defic Syndr. 2024;95(15):e34–e45. Global AIDS Monitoring, 2024. Geneva: Joint United Nations Programme on HIV/AIDS (https://aidsinfo.unaids.org/). 1
- 3

- Integrated Biological Behavioral Surveillance, 2024.
 Ukraine: situation report. Geneva: United Nations Office for the Coordination of Humanitarian Affairs (https://reports.unocha.org/en/country/ukraine/).
- Spectrum DemProj module, 2024.

 Annual report of the Public Health Center of the Ministry of Health of Ukraine; national response of HIV, TB, viral hepatitis and SMT programmes in the context of full-scale Russian invasion.

 Kyiv: Public Health Center of the Ministry of Health of Ukraine; 2023 (https://phc.org.ua/sites/default/files/users/user90/National_response_HIV_TB_VH_SMT_war_2023_ENG.pdf).

ALBANIA

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	<100	<100	<100
	[<100- <100]	[<100- <200]	[<100- <200]
New HIV infections (0–14)			
	[]	[]	[]
New HIV infections (15-24)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (men, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
HIV incidence as new infections per 1000 uninfected population	<0.1 [<0.1–<0.1]	<0.1 [<0.1– <0.1]	<0.1 [<0.1–<0.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (0–14)			
	[]	[–]	[–]
AIDS-related deaths (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (men, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
People living with HIV			
People living with HIV (all ages)	710	1100	1500
	[610–790]	[930–1200]	[1300–1700]
People living with HIV (0–14)			
	[]	[–]	[–]
People living with HIV (women, 15+)	<200	<500	<500
	[<200- <200]	[<500-<500]	[<500- <500]
People living with HIV (men, 15+)	510	770	1100
	[<500–590]	[630–880]	[880–1300]
HIV prevalence (15–49) (%)	<0.1 [<0.1-<0.1]	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]


LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	No
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 18 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV		
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		***
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND VI	OLENC	E
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in		


hitting or beating his wife for specific reasons

EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	0	0	0	0	0	0


1%




Change in new



Change in AIDS-23% related deaths since 2010



Incidence: = 5.9 prevalence ratio



Incidence: 3.15 mortality ratio


KEY POPULATIONS

HIV infections

since 2010

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population	•••				2200
HIV prevalence	0.7%	2%	1.4%		0%
HIV testing and status awareness	30.6%	39.3%	50.8%		
Antiretroviral therapy coverage					
Condom use	86.7%	74%	54.5%		
Coverage of HIV prevention programmes		28.9%	77.9%		
Avoidance of health care because of stigma and discrimination	6%	9.4%	11.6%		
Experience of sexual and/or physical violence		15.2%	16.6%		

HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TRANSMISSION				
	2015	2023		
Percentage of pregnant women living with HIV accessing antiretroviral medicines	% [–%]	% [–%]		
Final vertical transmission rate including during breastfeeding	% [–%]	% [–%]		
Early infant diagnosis	%	% [–%]		

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	4 [1–12]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV PREVENTION

Prevalence of adults (15+) living with HIV with unsuppressed viral load

Knowledge of HIV prevention among young people aged 15-24 years

— Women	
— Men	

Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15-49 years

— Men Women aged 15-49 years who have their

demand for family planning satisfied by modern methods

Men aged 15–49 years who are circumcised	Not applicable		
Voluntary medical male circumcisions performed according to national standards	Not applicable		
People who received PrEP at least once during the reporting period			

Use of sterile injecting equipment at

Harm reduction

— Women

last injection (2019)	75.4%
 Needles and syringes distributed per person who injects (2019) 	42
6	

Coverage of agonist maintenance 11.2% therapy (2019) Yes

Not


ARMENIA

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	<500	<500	540
	[<500-<500]	[<500–520]	[<500–630]
New HIV infections (0–14)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (15-24)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (women, 15+)	<100	<200	<200
	[<100- <200]	[<200- <200]	[<200– <200]
New HIV infections (men, 15+)	<500	<500	<500
	[<500– <500]	[<500- <500]	[<500- <500]
HIV incidence as new infections per 1000 uninfected population	0.12 [0.11–0.13]	0.17 [0.16–0.18]	0.19 [0.17–0.22]
AIDS-related deaths			
AIDS-related deaths (all ages)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <200]
AIDS-related deaths (0–14)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (men, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
People living with HIV			
People living with HIV (all ages)	1800	3400	6300
	[1600–1900]	[3200–3600]	[5900–6900]
People living with HIV (0-14)	<100	<100	<100
	[<100-<100]	[<100- <100]	[<100- <100]
People living with HIV (women, 15+)	<500	1000	2000
	[<500–530]	[970–1100]	[1900–2200]
People living with HIV (men, 15+)	1300	2400	4300
	[1200–1400]	[2200–2500]	[4000–4700]
HIV prevalence (15–49) (%)	<0.1 [<0.1–<0.1]	0.2 [0.2–0.2]	0.4 [0.3–0.4]


LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 16 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes

STIGMA AND DISCRIMINATION	N	
Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV		
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		•••
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND VI	OLEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons		


EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2023	2 037 506	0	0	2 328 647	21 807	4 597 519




Change in new **50% HIV** infections



Change in AIDSrelated deaths 143% since 2010



Incidence: = 8.5 prevalence ratio




Incidence: 4.66 mortality ratio

KEY POPULATIONS

since 2010

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population	8100		14 100	1000	
HIV prevalence	0.2%	5%	2.6%	2.5%	0.3%
HIV testing and status awareness	92.5%	79.6%	73.8%		
Antiretroviral therapy coverage					
Condom use	93.2%	79.6%	32.4%		
Coverage of HIV prevention programmes		39.5%		77%	
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence	9.5%	7.2%	14%	40%	

HIV TESTING AND TREATMENT CASCADE



All ages	70% [65–76%]	54% [50–58%]	46% [43–50%]
	4428	3398	2905
Children (0-14)	>98% [>98- >98%]	>98% [>98– >98%]	93% [82– >98%]
	44	39	33
Women (15+)	72% [67–78%]	58% [54–62%]	51% [47–55%]
	1454	1164	1024
Men (15+)	68% [64–74%]	51% [48–56%]	43% [40–47%]
	2930	2195	1849

ELIMINATION OF VERTICAL TRANSMISSION

	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	65% [59–71%]	95% [86–100%]
Final vertical transmission rate including during breastfeeding	10.4% [9.6–11.2%]	3.6% [3.2–4.1%]
Early infant diagnosis	58.1% [52.7–63.8%]	70.5% [63.7–78.6%]

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	83 [54–120]
People living with HIV who started TB preventive therapy (2023)	27.8%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	0.2%
Knowledge of HIV prevention among young	

— Women

Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15-49 years

— Men Women aged 15-49 years who have their

demand for family planning satisfied by modern methods

Men aged 15–49 years who are circumcised	applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period (2023)	77
Harm reduction	

— Use of sterile injecting equipment at

— Women

last injection (2021)	
 Needles and syringes distributed per person who injects (2023) 	75
 Coverage of agonist maintenance therapy (2023) 	6%
— Naloxone available (2024)	No

Nlat

97.3%

AZERBAIJAN


	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	760	570	<500
	[610–950]	[<500–750]	[<500–690]
New HIV infections (0–14)	<100	<100	<100
	[<100-<100]	[<100- <100]	[<100- <100]
New HIV infections (15-24)	<200	<200	<100
	[<200- <500]	[<100- <200]	[<100- <200]
New HIV infections (women, 15+)	<200	<200	<200
	[<200- <200]	[<200- <200]	[<200- <500]
New HIV infections (men, 15+)	580	<500	<500
	[<500–740]	[<500–550]	[<500- <500]
HIV incidence as new infections per 1000 uninfected population	<0.1 [<0.1–0.1]	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	<500	<500	<200
	[<500–590]	[<200- <500]	[<100- <200]
AIDS-related deaths (0–14)	<100	<100	<100
	[<100-<100]	[<100- <100]	[<100- <100]
AIDS-related deaths (women, 15+)	<100	<100	<100
	[<100- <200]	[<100- <100]	[<100- <100]
AIDS-related deaths (men, 15+)	<500	<500	<100
	[<500-<500]	[<200-<500]	[<100- <200]
People living with HIV			
People living with HIV (all ages)	7900	8600	10 000
	[6500–9600]	[7300–10 000]	[8700–12 000]
People living with HIV (0–14)	<200	<200	<200
	[<100- <200]	[<100- <200]	[<100- <200]
People living with HIV (women, 15+)	1500	1900	2800
	[1200–1800]	[1600–2300]	[2300–3400]
People living with HIV (men, 15+)	6300	6600	7400
	[5100–7600]	[5600–7800]	[6300–8700]
HIV prevalence (15–49) (%)	0.1 [0.1–0.2]	0.1 [0.1–0.2]	0.1 [0.1–0.2]

c crime
resting or disclosure for
escents younger than 16

STIGMA AND DISCRIMINATIO	N	
Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV		
		•••
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND VI	OLEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in		

hitting or beating his wife for specific reasons


EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2023	12 705 089	0	0	2 065 056	0	14 770 145




Change in new
HIV infections = -36%
since 2010

physical violence


** Programme data—not representative.



Change in AIDSrelated deaths = -76% since 2010




Incidence:
prevalence = 4.7
ratio



Incidence: = 2.97

KEY POPULATIONS						
	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons	
Estimated size of population	•••				26 100	
HIV prevalence	3%	2.9%	6.2%	1.3%	1.7%	
HIV testing and status awareness	33.5%	25.4%	40.4%	4.3%		
Antiretroviral therapy coverage		89.6%**			91.8%**	
Condom use	57.8%	52.7%	35.7%	71.3%		
Coverage of HIV prevention programmes	50.1%	24.9%	33.9%	97%		
Avoidance of health care because of stigma and discrimination	16.6%	3%		67.7%		
Experience of sexual and/or	63.4%	22.9%	22.4%	22.3%		

HIV TESTING AND TREATMENT CASCADE



All ages	89% [75– >98%]	72% [61–85%]	67% [57–79%]
	9258	7452	6965
Children (0-14)	% [%] 	% [–%]	% [–%]
Women (15+)	>98% [82- >98%]	85% [71– >98%]	75% [63–90%]
	2751	2393	2102
Men (15+)	85% [72- >98%]	66% [56–78%]	64% [54–75%]
	6348	4920	4743

ELIMINATION OF VERTICAL TRANSMISSION			
	2015	2023	
Percentage of pregnant women living with HIV accessing antiretroviral medicines	66% [53–83%]	68% [54–83%]	
Final vertical transmission rate including during breastfeeding	18.7% [14.7–21.9%]	14.5% [11.8–16.7%]	
Early infant diagnosis	72.9% [58.3–92.1%]	66.5% [53.4–81.1%]	

HIV COMORBIDITIES	
Estimated number of incident tuberculosis cases among people living with HIV (2023)	110 [64–170]
People living with HIV who started TB preventive therapy (2023)	97.1%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

virus starting hepatitis C treatment	
HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	<0.1%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period (2023)	100
Harm reduction	
 Use of sterile injecting equipment at last injection (2022) 	82.6%
 Needles and syringes distributed per person who injects (2022) 	55
 Coverage of agonist maintenance therapy (2022) 	1.8%
— Naloxone available (2024)	No

BELARUS


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	2500	2000	890
	[2000–3200]	[1300–2800]	[<500–2100]
New HIV infections (0–14)			
	[–]	[–]	[]
New HIV infections (15-24)	<500	<500	<200
	[<500–570]	[<200-<500]	[<100- <500]
New HIV infections (women, 15+)	770	610	<500
	[610–1000]	[<500–880]	[<100–660]
New HIV infections (men, 15+)	1700	1300	610
	[1300–2100]	[890–1900]	[<500–1400]
HIV incidence as new infections per 1000 uninfected population	0.26 [0.21–0.33]	0.21 [0.14–0.29]	<0.1 [<0.1–0.23]
AIDS-related deaths			
AIDS-related deaths (all ages)	<500	580	<500
	[<500–640]	[<500–910]	[<500- <500]
AIDS-related deaths (0–14)			
	[]	[]	[–]
AIDS-related deaths (women, 15+)	<200	<100	<100
	[<100- <200]	[<100- <200]	[<100- <100]
AIDS-related deaths (men, 15+)	<500	<500	<500
	[<500- <500]	[<500–720]	[<200-<500]
People living with HIV			
People living with HIV (all ages)	16 000	24 000	27 000
	[14 000–20 000]	[20 000–29 000]	[22 000–35 000]
People living with HIV (0–14)			
	[–]	[–]	[–]
People living with HIV (women, 15+)	5200	7900	10 000
	[4300–6300]	[6600–9700]	[8000–13 000]
People living with HIV (men, 15+)	11 000	16 000	17 000
	[9300–14 000]	[13 000–19 000]	[13 000–22 000]
HIV prevalence (15–49) (%)	0.3 [0.2–0.3]	0.4 [0.3–0.5]	0.4 [0.3–0.6]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	No law requiring parental/guardian consent
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes


STIGMA AND DISCRIMINATION	
Percentage of women aged 15–49 years who report discriminatory attitudes towards people living with HIV	. 2019
	. 57
Percentage of people living with HIV who	2022
report experienced stigma and discrimination n the general community in the last 12 months	21.4
Percentage of people living with HIV who report experiences of HIV-related	2022
discrimination in health-care settings in the last 12 months	35
GENDER INEQUALITY AND VIOLE	ENCE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months	
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in	2019
hitting or beating his wife for specific reasons	3.7


EXPENDITURES (in US dollars)						
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	35 279 743	0	0	4 360 092	440 703	40 080 538

(Refers to women only)



1 000 0 800 0 600 1 400 2 200 2 2010 2023





Change in new
HIV infections = -64%
since 2010

** Programme data—not representative.

Change in AIDSrelated deaths = -27% since 2010 Incidence:
prevalence = 3.3
ratio


Incidence: = 1.65

KEY POPULATIONS Men who People who Transgender People in Sex workers have sex inject drugs people prisons with men Estimated size of population 18 600 32 000 80 000 3700 **HIV** prevalence 9.7% 5.8% 22.7% HIV testing and status 83.1% 76.2% 78.5% ... **Antiretroviral therapy** 58.0% 94.4%** 85.4% ... coverage 88.6% 76.8% 46.2% Condom use Coverage of HIV prevention 73.5% 51.7% programmes Avoidance of health care because of stigma and discrimination Experience of sexual and/or physical violence

Estimated number of incident tuberculosis cases among people living with HIV (2023)	200 [140–270]
People living with HIV who started TB preventive therapy (2023)	36.8%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV COMORBIDITIES

HIV TESTING AND TREATMENT CASCADE



virus starting hepatitis C treatment	
HIV PREVENTION	
THE TREVERTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	0.1%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods (2019)	65.5%
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period (2023)	236
Harm reduction	
 Use of sterile injecting equipment at last injection 	
 Needles and syringes distributed per person who injects (2023) 	35
 Coverage of agonist maintenance therapy (2023) 	3.3%

therapy (2023)


Naloxone available (2024)

ELIMINATION OF VERTICAL TRANSMISSION			
	2015	2023	
Percentage of pregnant women living with HIV accessing antiretroviral medicines	% [–%]	% [–%]	
Final vertical transmission rate including during breastfeeding	% [–%]	% [–%]	
Early infant diagnosis	40.8% [30.9–55.9%]	% [–%]	

Νo

BOSNIA AND HERZEGOVINA

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <200]
New HIV infections (0–14)			
	[–]	[–]	[–]
New HIV infections (15-24)	<100	<100	<100
	[<100-<100]	[<100- <100]	[<100-<100]
New HIV infections (women, 15+)	<100	<100	<100
	[<100-<100]	[<100-<100]	[<100-<100]
New HIV infections (men, 15+)	<100	<100	<100
	[<100-<100]	[<100-<100]	[<100-<100]
HIV incidence as new infections per 1000 uninfected population	<0.01 [<0.01–<0.01]	<0.1 [<0.01-<0.1]	<0.1 [<0.1–<0.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	<100	<100	<100
	[<100- <100]	[<100– <100]	[<100- <100]
AIDS-related deaths (0–14)			
	[–]	[]	[–]
AIDS-related deaths (women, 15+)	<100	<100	<100
	[<100-<100]	[<100- <100]	[<100-<100]
AIDS-related deaths (men, 15+)	<100	<100	<100
	[<100-<100]	[<100- <100]	[<100-<100]
People living with HIV			
People living with HIV (all ages)	<200	<500	630
	[<200- <500]	[<500-<500]	[<500–880]
People living with HIV (0-14)			
	[–]	[]	[–]
People living with HIV (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <200]
People living with HIV (men, 15+)	<200	<500	540
	[<200-<200]	[<200-<500]	[<500–770]
HIV prevalence (15–49) (%)	<0.1 [<0.1–<0.1]	<0.1 [<0.1-<0.1]	<0.1 [<0.1–<0.1]



^{*}The incidence:mortality in 2023 is not published if the country has not achieved antiretroviral therapy coverage of 91% (95% x 95%) or higher (the testing and treatment target for 2025).

EXPENDITURES (i	n US dollars)					
Funding sources						
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report:						

HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TRANSMISSION						
	2015	2023				
Percentage of pregnant women living with HIV accessing antiretroviral medicines	% [–%]	% [–%]				
Final vertical transmission rate including during breastfeeding	% [–%]	% [–%]				
Early infant diagnosis	% [–%]	% [–%]				

GEORGIA


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	<500	620	500
	[<500–530]	[550–690]	[<500–540]
New HIV infections (0–14)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (15-24)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (women, 15+)	<200	<200	<200
	[<200- <200]	[<200- <200]	[<200- <200]
New HIV infections (men, 15+)	<500	<500	<500
	[<500– <500]	[<500- <500]	[<500- <500]
HIV incidence as new infections per 1000 uninfected population	0.12 [0.11–0.14]	0.17 [0.15–0.18]	0.14 [0.12–0.15]
AIDS-related deaths			
AIDS-related deaths (all ages)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (0–14)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (men, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
People living with HIV			
People living with HIV (all ages)	2600	5200	9000
	[2400–2900]	[4800–5600]	[8500–9500]
People living with HIV (0–14)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
People living with HIV (women, 15+)	750	1500	2600
	[680–820]	[1400–1600]	[2500–2800]
People living with HIV (men, 15+)	1800	3700	6300
	[1700–2000]	[3400–4000]	[5900–6800]
HIV prevalence (15–49) (%)	0.1 [0.1–0.1]	0.2 [0.2–0.2]	0.4 [0.3–0.4]

Yes, a specific crime
Yes
No
No
No
No restrictions
Yes, for adolescents younger than 18 years
No
No


STIGMA AND DISCRIMINATIO	N	
Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV		
		•••
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND VI	OLEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in		

hitting or beating his wife for specific reasons


EXPENDITURES (in US dollars)							
Funding sources							
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total	
Last available report: 2023	15 953 541	0	0	2 844 185	132 330	19 011 058	




Change in new
HIV infections = 6%
since 2010



Change in AIDS-related deaths = 340% since 2010



Incidence:
prevalence = 5.6
ratio




Incidence: mortality ratio = 3.31

KEY POPULATIONS

Sex workers	Men who have sex	People who inject drugs	Transgender people	People in prisons
•••	23 300	49 700		10 000
0%	15.3%	0.1%		0.3%
100%**	77.5%	100%**		
	70.8%	38.1%		
	16.8%	49.3%		
	0% 100%**	Sex workers have sex with men 23 300 0% 15.3% 100%** 77.5% 70.8%	Sex workers have sex with men winject drugs 23 300 49 700 0% 15.3% 0.1% 100%** 77.5% 100%** 70.8% 38.1% 16.8% 49.3%	Sex workers have sex with men inject drugs People who inject drugs Transgender people 23 300 49 700 0% 15.3% 0.1% 100%** 77.5% 100%*** 70.8% 38.1% 16.8% 49.3%

HIV TESTING AND TREATMENT CASCADE



All ages	86% [81–91%]	72% [68–76%]	68% [64–72%]
	7666	6446	6052
Children (0-14)	79% [72–85%]	65% [60–70%]	61% [56–66%]
	45	37	35
Women (15+)	79% [75–84%]	74% [70–78%]	70% [66–74%]
	2071	1937	1826
Men (15+)	88% [83–95%]	71% [67–77%]	67% [63–72%]
	5550	4472	4191

ELIMINATION OF VERTICAL TRANSMISSION

	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	98% [90–100%]	64% [59–71%]
Final vertical transmission rate including during breastfeeding	9.9% [8.9–11.2%]	15.5% [14.6–16.4%]
Early infant diagnosis	69.0% [63.0–74.7%]	64.4% [59.4–71.0%]

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	48 [29–71]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV PREVENTION

Prevalence of adults (15+) living with HIV
with unsuppressed viral load

<0.1%

Knowledge of HIV prevention among young people aged 15–24 years

— Women

— N	1en							
ondom	use	at	last	sex	with	а	non-marital,	

Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years

_	vvomen	
	Man	

Women aged 15–49 years who have their demand for family planning satisfied by

modern methods

Men aged 15–49 years who are circumcised Not applicable

Voluntary medical male circumcisions Not

People who received PrEP at least once during the reporting period (2023) applicable

Harm reduction

- Use of sterile injecting equipment at last injection (2022)
- Needles and syringes distributed per person who injects (2021)
- Coverage of agonist maintenance therapy (2023)
- Naloxone available (2024)

88%

83

Yes


KAZAKHSTAN

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	2500	2800	2300
	[2200–2800]	[2400–3300]	[1600–3100]
New HIV infections (0–14)			
	[–]	[–]	[–]
New HIV infections (15-24)	<500	<500	<200
	[<500–540]	[<500-<500]	[<100- <200]
New HIV infections (women, 15+)	880	800	520
	[760–1000]	[690–930]	[<500–710]
New HIV infections (men, 15+)	1500	2000	1700
	[1300–1700]	[1700–2300]	[1200–2300]
HIV incidence as new infections per 1000 uninfected population	0.15 [0.13–0.17]	0.16 [0.14–0.18]	0.12 [<0.1–0.16]
AIDS-related deaths			
AIDS-related deaths (all ages)			
	[–]	[–]	[–]
AIDS-related deaths (0–14)			
	[–]	[–]	[–]
AIDS-related deaths (women, 15+)			
	[–]	[–]	[–]
AIDS-related deaths (men, 15+)			
	[–]	[–]	[–]
People living with HIV			
People living with HIV (all ages)	17 000	27 000	40 000
	[15 000–19 000]	[24 000–30 000]	[35 000–46 000]
People living with HIV (0-14)	510	620	<500
	[<500–590]	[540–730]	[<500–610]
People living with HIV (women, 15+)	6000	9400	13 000
	[5400–6800]	[8500–11 000]	[12 000–15 000]
People living with HIV (men, 15+)	10 000	17 000	26 000
	[9000–11 000]	[15 000–19 000]	[23 000–30 000]
HIV prevalence (15-49) (%)	0.2 [0.1–0.2]	0.3 [0.2–0.3]	0.3 [0.3–0.4]


LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	Require HIV testing or disclosure for some permits
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 16 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes

STIGMA AND DISCRIMINATIO	N	
Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	2011	
	64.8	
Percentage of people living with HIV who		2021
report experienced stigma and discrimination in the general community in the last 12 months		36.5
Percentage of people living with HIV who report experiences of HIV-related		2021
discrimination in health-care settings in the last 12 months		17.7
GENDER INEQUALITY AND V	OLEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons		•••


EXPENDITURES (in	US dollars)					
Funding sources						
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2023	57 748 936	0	964 395	1 499 419	847 288	62 678 204




Change in new
HIV infections = -8%
since 2010



Change in AIDSrelated deaths = ...
since 2010



Incidence:
prevalence = 5.8
ratio



Incidence: mortality ratio = 3.38

<0.1%


KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population	•••	71 000	79 900		36 400
HIV prevalence	1.5%	8.8%	7.6%		4.2%
HIV testing and status awareness	95.5%	89.8%	85.8%		
Antiretroviral therapy coverage		66.2%**	65.5%		92.1%**
Condom use	96.7%	85.3%	65.3%		
Coverage of HIV prevention programmes	91.9%	59.5%	74.2%		
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

** Programme data—not representative.

Estimated number of incident tuberculosis cases among people living with HIV (2023)	880 [460–1400]
People living with HIV who started TB preventive therapy (2023)	69.3%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment (2019)	

HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TRANSMISSION			
	2015	2023	
Percentage of pregnant women living with HIV accessing antiretroviral medicines	% [–%]	% [–%]	
Final vertical transmission rate including during breastfeeding	% [–%]	% [–%]	
Early infant diagnosis	87.2% [75 6–101 3%]	% [_ %]	

17 162

15 793

HIV PREVENTION

— Men

HIV COMORBIDITIES

Prevalence of adults (15+) living with HIV with unsuppressed viral load
14 1 1 1 1 1 1 1

Knowledge of HIV prevention among young people aged 15–24 years

— Women

Condom use at last sex with a non-marital, non-cohabiting partner among people aged

non-cohabiting partner among people aged 15–49 years — Women

— Men

Women aged 15–49 years who have their demand for family planning satisfied by

modern methods

Men aged 15–49 years who are circumcised

Voluntary medical male circumcisions Not performed according to national standards applicable

People who received PrEP at least once during the reporting period (2023) 5777

Harm reduction

- Use of sterile injecting equipment at last injection (2022)
- Needles and syringes distributed per person who injects (2023)
 - Coverage of agonist maintenance therapy (2023) 7.8%
- Naloxone available (2024) No

19 772

138

KYRGYZSTAN


	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	690	760	760
	[620–750]	[690–830]	[690–830]
New HIV infections (0–14)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (15-24)	<200	<100	<100
	[<200- <200]	[<100- <100]	[<100- <100]
New HIV infections (women, 15+)	<500	<500	<500
	[<500-<500]	[<500- <500]	[<500- <500]
New HIV infections (men, 15+)	<500	<500	<500
	[<500-<500]	[<500- <500]	[<500- <500]
HIV incidence as new infections per 1000 uninfected population	0.13 [0.11–0.14]	0.13 [0.12–0.14]	0.11 [0.1–0.12]
AIDS-related deaths			
AIDS-related deaths (all ages)	<200	<200	<200
	[<100- <200]	[<200- <200]	[<200- <500]
AIDS-related deaths (0–14)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (men, 15+)	<100	<100	<200
	[<100- <100]	[<100- <200]	[<100- <200]
People living with HIV			
People living with HIV (all ages)	4000	7100	12 000
	[3500–4300]	[6500–7500]	[11 000–12 000]
People living with HIV (0-14)	<500	570	<500
	[<500-<500]	[530–600]	[<500- <500]
People living with HIV (women, 15+)	1400	2600	4700
	[1200–1600]	[2400–2800]	[4300–5000]
People living with HIV (men, 15+)	2300	3900	6400
	[2000–2500]	[3500–4100]	[6000–6900]
HIV prevalence (15–49) (%)	0.1 [<0.1–0.1]	0.2 [0.2–0.2]	0.3 [0.2–0.3]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, under a law that covers a broader range of communicable diseases and mentions HIV
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	Prohibit short- and/or long-stay and require HIV testing or disclosure for some permits
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 14 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes


Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	2014	
	73.7	
Percentage of people living with HIV who		2020
report experienced stigma and discrimination in the general community in the last 12 months		10.2
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND VI	OLEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in		

hitting or beating his wife for specific reasons


EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2023	3 686 583	0	2 116 795	6 543 779	176 568	12 523 725




Change in new
HIV infections = 10%
since 2010



Change in AIDS-related deaths = 65% since 2010



Incidence:
prevalence = 6.6
ratio



Incidence: = 2.92

KEY POPULATIONS Men who People who Transgender People in Sex workers have sex inject drugs people prisons with men 13 000 Estimated size of population **HIV** prevalence 3.4% 10.8% 18% HIV testing and status 80.0% 78.0% 100% ... **Antiretroviral therapy** 0% 42.3% 22.0% ... coverage Condom use 93% 47.9% 53.7% Coverage of HIV prevention 57% 51.2% 53.9% programmes Avoidance of health care 5.9% 48.9% because of stigma and 0.5% discrimination Experience of sexual and/or 20.7% 26.4% 28.4% physical violence

HIV TESTING AND TREATMENT CASCADE 10 000 9 000 Number of people living with HIV 8 000 7 000 6 000 5 000 4 000 3 000 2 000 1 000 0 People living with HIV who know People living with HIV on People living with HIV who are their status treatment virally suppressed All ages 79% [73-84%] 55% [51-59%] 51% [47-54%] 9075 6358 Children (0-14) 53% [48-58%] 38% [35-42%] 33% [30-36%] 129 210 151 79% [73-84%] 60% [56-64%] 56% [52-59%] Women (15+) 3681 2812 2611 Men (15+) 81% [75-86%] 53% [49-56%] 48% [44-51%] 5184 3395 3073

ELIMINATION OF VERTICAL TRANSMISSION			
	2015	2023	
Percentage of pregnant women living with HIV accessing antiretroviral medicines	48% [43–53%]	90% [82–99%]	
Final vertical transmission rate including during breastfeeding	46.8% [44.7–49.0%]	16.7% [15.5–17.9%]	
Early infant diagnosis	27.6% [24.9–30.4%]	67.4% [61.5–74.0%]	

HIV COMORBIDITIES	
Estimated number of incident tuberculosis cases among people living with HIV (2023)	280 [210–350]
People living with HIV who started TB preventive therapy (2023)	32.4%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment (2019)	

Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment (2019)	
HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	0.1%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period (2023)	392
Harm reduction	
 Use of sterile injecting equipment at last injection 	
 Needles and syringes distributed per person who injects 	
 Coverage of agonist maintenance therapy 	

MONTENEGRO


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (0–14)			
	[–]	[]	[–]
New HIV infections (15-24)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (men, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
HIV incidence as new infections per 1000 uninfected population	<0.1 [<0.1– <0.1]	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (0–14)			
	[–]	[–]	[–]
AIDS-related deaths (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (men, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
People living with HIV			
People living with HIV (all ages)	<200	<500	<500
	[<200- <500]	[<500-<500]	[<500–520]
People living with HIV (0-14)			
	[–]	[–]	[–]
People living with HIV (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
People living with HIV (men, 15+)	<200	<500	<500
	[<200- <200]	[<200-<500]	[<500-<500]
HIV prevalence (15–49) (%)	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]	0.1 [0.1–0.2]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	No
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	No
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 18 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No

STIGMA AND DISCRIMINATION	ON
Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	2013
	52
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months	
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months	
GENDER INEQUALITY AND V	IOLENCE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months	
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in	

hitting or beating his wife for specific reasons


EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	0	0	0	0	0	0




Change in new
HIV infections
since 2010

17%


physical violence



Change in AIDS-related deaths = 32% since 2010



Incidence:
prevalence = 5.7
ratio



Incidence: mortality ratio = 5.33

KEY POPULATIONS Men who People who Transgender People in Sex workers have sex inject drugs people prisons with men Estimated size of population 97 200 **HIV** prevalence 0.9% 0.5% 0% HIV testing and status 11.0% 24.1% awareness **Antiretroviral therapy** coverage Condom use 70.1% 33.3% Coverage of HIV prevention 17.2% programmes Avoidance of health care 24% 30.8% because of stigma and discrimination Experience of sexual and/or 19.9%

HIV TESTING AND TREATMENT CASCADE 300 250 Number of people living with HIV 200 150 100 50 0 People living with HIV who know People living with HIV who are People living with HIV on their status treatment virally suppressed All ages 69% [53-87%] 67% [51-84%] 63% [48-80%] 284 ...% [...-...%] Children (0-14) ...% [...-...%] ...% [...–...%] Women (15+) 72% [58–88%] 68% [54-83%] 66% [53-82%] 32 35 33 Men (15+) 69% [52-89%] 67% [51-87%] 63% [48-82%] 249 242 228

ELIMINATION OF VERTICAL TRANSMISSION				
	2015	2023		
Percentage of pregnant women living with HIV accessing antiretroviral medicines	% [–%]	% [–%]		
Final vertical transmission rate including during breastfeeding	% [–%]	% [–%]		
Early infant diagnosis	% [–%]	% [–%]		

HIV COMORBIDITIES	
Estimated number of incident tuberculosis cases among people living with HIV (2023)	3 [0–9]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment (2019)	


People coinfected with HIV and hepatitis C virus starting hepatitis C treatment (2019)	
HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	<0.1%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period (2023)	51
Harm reduction	
 Use of sterile injecting equipment at last injection (2020) 	93.8%
 Needles and syringes distributed per person who injects (2020) 	74
 Coverage of agonist maintenance therapy 	
— Naloxone available (2024)	No

THE REPUBLIC OF NORTH MACEDONIA

KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population					
HIV prevalence					
HIV testing and status awareness					
Antiretroviral therapy coverage					
Condom use					
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

HIV TESTING AND TREATMENT CASCADE



HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	1 [0–5]
People living with HIV who started TB preventive therapy (2023)	
Women who tested positive for HIV among those screened for cervical cancer (programme data) (2019)	100%
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment (2019)	

HIV PREVENTION

HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	<0.1%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period	
Harm reduction	
 Use of sterile injecting equipment at last injection 	
 Needles and syringes distributed per person who injects (2022) 	53
 Coverage of agonist maintenance therapy (2019) 	30.6%
— Naloxone available (2024)	Data not

- Naloxone available (2024)

available

EVPENDITURES (in US dellars)

EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2019	2 177 200	0	0	109 812	0	2 287 012

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, under law covering communicable diseases not specifically mentioning HIV
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Data not available
Criminalization of transgender people	Data not available
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Data not available
Spousal consent for married women to access sexual and reproductive health services	Data not available
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Data not available

STIGMA AND DISCRIMINATION

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV

. ...

Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months

...

Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months

GENDER INEQUALITY AND VIOLENCE

Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months

•••

Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons (Refers to women only)

2019

10.0

REPUBLIC OF MOLDOVA


	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	1600	1200	880
	[1100–2300]	[860–1800]	[630–1300]
New HIV infections (0–14)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (15-24)	<500	<500	<200
	[<500-<500]	[<200- <500]	[<100- <200]
New HIV infections (women, 15+)	<500	<500	<500
	[<500–710]	[<500–540]	[<200- <500]
New HIV infections (men, 15+)	1000	800	590
	[720–1500]	[570–1200]	[<500–850]
HIV incidence as new infections per 1000 uninfected population	0.43 [0.31–0.63]	0.36 [0.26–0.53]	0.3 [0.21–0.43]
AIDS-related deaths			
AIDS-related deaths (all ages)	900	760	<500
	[610–1300]	[520–1100]	[<500–650]
AIDS-related deaths (0–14)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (women, 15+)	<500	<200	<100
	[<200- <500]	[<200- <500]	[<100- <200]
AIDS-related deaths (men, 15+)	590	560	<500
	[<500–820]	[<500–790]	[<500- <500]
People living with HIV			
People living with HIV (all ages)	16 000	16 000	16 000
	[13 000–19 000]	[13 000–20 000]	[14 000–20 000]
People living with HIV (0-14)	<500	<500	<500
	[<200- <500]	[<200- <500]	[<200- <500]
People living with HIV (women, 15+)	5000	5500	6200
	[4200–6100]	[4600–6700]	[5200–7500]
People living with HIV (men, 15+)	10 000	10 000	10000
	[8700–13 000]	[8600–13 000]	[8400–12 000]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	No
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 16 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No


Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV		
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND V	IOLEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in		

hitting or beating his wife for specific reasons


EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2023	5 857 796	0	0	4 159 037	181 943	10 625 628




Change in new
HIV infections = -43%
since 2010



Change in AIDSrelated deaths = -50% since 2010




Incidence:
prevalence = 5.4
ratio



Incidence: mortality ratio = 1.51

KEY POPULATIONS						
	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons	
Estimated size of population	15 800	14 600	27 500		5700	
HIV prevalence	2.7%	11.4%	11.4%			
HIV testing and status awareness	63.5%	47.9%	49.7%			
Antiretroviral therapy coverage			70.3%			
Condom use	95.6%	59.7%	40.6%			
Coverage of HIV prevention programmes		47.1%	36.5%			
Avoidance of health care because of stigma and discrimination	5.1%	17.3%	18.8%			
Experience of sexual and/or physical violence						

HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TRANSMISSION					
	2015	2023			
Percentage of pregnant women living with HIV accessing antiretroviral medicines	73% [59–87%]	88% [71–100%]			
Final vertical transmission rate including during breastfeeding	16.6% [12.5–20.5%]	12.8% [9.6–15.8%]			
Early infant diagnosis	77.5% [62.5–92.3%]	90.5% [73.0–107.8%]			

4450

3771

HIV COMORBIDITIES	
Estimated number of incident tuberculosis cases among people living with HIV (2023)	290 [240–350]
People living with HIV who started TB preventive therapy (2023)	32.5%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	
HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	0.4%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period (2023)	561
Harm reduction	
 Use of sterile injecting equipment at last injection (2020) 	94.7%
 Needles and syringes distributed per person who injects (2023) 	90
 Coverage of agonist maintenance therapy (2023) 	4.9%
— Naloxone available (2024)	Yes

6076


TAJIKISTAN

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	1100	890	<500
	[950–1300]	[700–1100]	[<500–780]
New HIV infections (0–14)	<200	<200	<100
	[<200- <200]	[<200- <200]	[<100- <100]
New HIV infections (15-24)	<200	<200	<100
	[<200- <500]	[<100- <200]	[<100- <200]
New HIV infections (women, 15+)	<500	<500	<100
	[<500- <500]	[<200– <500]	[<100- <500]
New HIV infections (men, 15+)	660	520	<200
	[550–810]	[<500–670]	[<200–510]
HIV incidence as new infections per 1000 uninfected population	0.14 [0.12–0.17]	0.1 [<0.1–0.13]	<0.1 [<0.1–<0.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	<500	<500	<500
	[<500–580]	[<500–570]	[<500- <500]
AIDS-related deaths (0–14)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (women, 15+)	<200	<100	<100
	[<100- <200]	[<100- <200]	[<100- <100]
AIDS-related deaths (men, 15+)	<500	<500	<500
	[<200– <500]	[<500- <500]	[<200– <500]
People living with HIV			
People living with HIV (all ages)	8800	11 000	15 000
	[7300–10 000]	[10000–13 000]	[13 000–17 000]
People living with HIV (0–14)	500	790	820
	[<500–590]	[690–890]	[740–910]
People living with HIV (women, 15+)	2900 [2400–3400]	3700 [3200–4200]	4800 [4100–5600]
People living with HIV (men, 15+)	5400	7000	9200
	[4500–6300]	[6100–8000]	[8300–11 000]
HIV prevalence (15–49) (%)	0.2 [0.2–0.2]	0.2 [0.2–0.2]	0.2 [0.2–0.2]


LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	No
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 18 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes

STIGMA AND DISCRIMINATIO	N	
Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	2017	2020
(2020 refers to women only)	75.3	47
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		•••
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND V	OLEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons		

EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2023	3 503 630	0	0	0	0	3 503 630



800 0 600 10 400 2010 2023 AIDS-related deaths



Change in new
HIV infections = -71%

Change in AIDS-related deaths = -42% since 2010

Incidence:
prevalence = 2.2
ratio


Incidence: mortality ratio 0.94

KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population	18 400				269 700
HIV prevalence	2.9%	4.3%	8.9%		3.4%
HIV testing and status awareness	55.9%	53.3%	65.1%		
Antiretroviral therapy coverage	85.8%**	88.1%**	74.1%**		100%**
Condom use	82.2%	78.6%	37.8%		
Coverage of HIV prevention programmes		77.4%	39.9%		
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence	13.6%	1.5%			

** Programme data—not representative.

HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TRANSMISSION	
2015	

Percentage of pregnant women living with HIV accessing antiretroviral medicines	56% [47–67%]	100% [86–100%]
Final vertical transmission rate including during breastfeeding	43.0% [41.3–44.8%]	10.5% [10.0–11.8%]
Early infant diagnosis	20.1% [17.1–23.9%]	100.8% [79.6–125.6%]

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	250 [180–330]
People living with HIV who started TB preventive therapy (2023)	84.1%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment (2019)	

HIV PREVENTION

THE TREVERSION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	<0.1%

Knowledge of HIV prevention among young people aged 15–24 years

— Women	
— Men	

Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years

-49 years			
— Women			

Women aged 15–49 years who have their demand for family planning satisfied by modern methods

Men aged 15–49 years who are circumcised	applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable

People who received PrEP at least once during the reporting period (2023)	1033

Harm reduction

2023

— Men

 Use of sterile injecting equipment at 	
last injection (2022)	

 Needles and syringes distributed 	per
person who injects	

— Coverage of agonist maintenance	
therapy	

– Naloxone available (2024)	Ye
-----------------------------	----

Nlat

90%

UKRAINE


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	16 000	11 000	
	[13 000–18 000]	[8800–13 000]	[–]
New HIV infections (0–14)	630	<500	
	[<500–1100]	[<500–670]	[–]
New HIV infections (15-24)	3800	1700	
	[3200–4400]	[1300–2000]	[–]
New HIV infections (women, 15+)	6800	4800	
	[5600–8000]	[3900–5900]	[–]
New HIV infections (men, 15+)	8000	5700	
	[6700–9500]	[4600–7000]	[–]
HIV incidence as new infections per 1000 uninfected population	0.34 [0.29–0.4]	0.25 [0.2–0.3]	[–]
AIDS-related deaths			
AIDS-related deaths (all ages)	16 000	11 000	
	[13 000–19 000]	[8800–14 000]	[–]
AIDS-related deaths (0–14)	<500	<500	
	[<500–710]	[<500-<500]	[–]
AIDS-related deaths (women, 15+)	6900	5200	
	[5700–8300]	[4000–6500]	[–]
AIDS-related deaths (men, 15+)	8400	5900	
	[7000–9900]	[4500–7100]	[–]
People living with HIV			
People living with HIV (all ages)	250 000	240 000	
	[220 000–280 000]	[210 000–270 000]	[–]
People living with HIV (0–14)	4500	3900	
	[3600–5700]	[3100–5300]	[–]
People living with HIV (women, 15+)	110 000	110 000	
	[100 000–130 000]	[99 000–130 000]	[–]
People living with HIV (men, 15+)	130 000	120 000	
	[110 000–150 000]	[110 000–140 000]	[]
HIV prevalence (15–49) (%)	1.0 [0.8–1.1]	1.0 [0.8–1.1]	[]


LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, under a law that covers a broader range of communicable diseases and mentions HIV
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	Prohibit short- and/or long-stay and require HIV testing or disclosure for some permits
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 14 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No


STIGMA AND DISCRIMINATION		
Percentage of women aged 15–49 years who report discriminatory attitudes towards people living with HIV	•••	2020
		66.6
Percentage of people living with HIV who report experienced stigma and discrimination		2024
in the general community in the last 12 months		6.2
Percentage of people living with HIV who report experiences of HIV-related		2024
discrimination in health-care settings in the last 12 months		19.9
GENDER INEQUALITY AND VIO	LENC	
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in		2023
hitting or beating his wife for specific reasons (Refers to women only)		3.0


EXPENDITURES (in US dollars)

	,						
Funding sources							
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total	
Last available report: 2022	0	0	0	0	0	0	









Change in new
HIV infections = ...

** Programme data—not representative.

Change in AIDSrelated deaths = since 2010 Incidence:
prevalence = ratio


Incidence: mortality ratio*

* The incidence:mortality in 2023 is not published if the country has not achieved antiretroviral therapy coverage of 91% (95% x 95%) or higher (the testing and treatment target for 2025).

KEY POPULATIONS Men who People who Transgender People in Sex workers have sex inject drugs people prisons with men Estimated size of population 12 800 43 500 **HIV** prevalence 3.1% 3.9% 20.9% 1.7% 8.3% HIV testing and status 64.2% 72.0% 51.0% 52.7% **Antiretroviral therapy** 55.5% 98.1%** 77.9% 55.4% ... coverage 92.2% 76.9% 43.4% 79.4% Condom use Coverage of HIV prevention 30.2% 22.8% programmes Avoidance of health care 8.4% because of stigma and 21.3% 6.3% discrimination Experience of sexual and/or 28.8% 23.6% 14.2% physical violence

HIV COMORBIDITIES	
Estimated number of incident tuberculosis cases among people living with HIV (2023)	9800 [6500 –14 000]
People living with HIV who started TB preventive therapy (2023)	72.7%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment (2019)	

HIV TESTING AND TREATMENT CASCADE



People coinfected with HIV and hepatitis C virus starting hepatitis C treatment (2019)	
HIV PREVENTION	
HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period (2023)	13 147
Harm reduction	
 Use of sterile injecting equipment at last injection (2020) 	96.6%
 Needles and syringes distributed per person who injects (2022) 	41

— Coverage of agonist maintenance

therapy (2023)

Naloxone available (2024)

ELIMINATION OF VERTICAL TRANSMISSION				
	2015	2023		
Percentage of pregnant women living with HIV accessing antiretroviral medicines	81% [69–97%]	% [–%]		
Final vertical transmission rate including during breastfeeding	10.3% [8.9–15.0%]	% [–%]		
Early infant diagnosis	37.0% [31.7–44.1%]	% [–%]		

11%

Yes


UZBEKISTAN

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	3900	4100	3700
	[3700–4000]	[3900–4300]	[3500–4000]
New HIV infections (0–14)	860	810	<200
	[820–880]	[780–830]	[<200- <200]
New HIV infections (15-24)	<500	<500	<500
	[<500–500]	[<500-<500]	[<500- <500]
New HIV infections (women, 15+)	1300	1400	1600
	[1200–1400]	[1300–1600]	[1500–1700]
New HIV infections (men, 15+)	1700	1800	2000
	[1600–1900]	[1700–2000]	[1800–2100]
HIV incidence as new infections per 1000 uninfected population	0.13 [0.12–0.14]	0.12 [0.12–0.13]	<0.1 [<0.1–0.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	<500	920	600
	[<500–550]	[710–1100]	[<500–710]
AIDS-related deaths (0–14)	<500	<500	<200
	[<500-<500]	[<500-<500]	[<200– <200]
AIDS-related deaths (women, 15+)	<100	<500	<500
	[<100- <100]	[<200- <500]	[<200- <500]
AIDS-related deaths (men, 15+)	<200	<500	<500
	[<100- <500]	[<500–570]	[<500- <500]
People living with HIV			
People living with HIV (all ages)	23 000	39 000	62 000
	[20 000–25 000]	[37 000–40 000]	[59 000–65 000]
People living with HIV (0–14)	4000	5200	3400
	[3900–4100]	[5100–5400]	[3300–3600]
People living with HIV (women, 15+)	8400	15 000	27 000
	[7200–9300]	[14 000–16 000]	[26 000–29 000]
People living with HIV (men, 15+)	11 000	18 000	31 000
	[9400–12 000]	[17 000–19 000]	[30 000–33 000]
HIV prevalence (15–49) (%)	0.1 [<0.1–0.1]	0.2 [0.2–0.2]	0.2 [0.2–0.3]


LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	Yes, imprisonment (up to 14 years)
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 18 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes

STIGMA AND DISCRIMINATION	ON
Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months	
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months	 t
GENDER INEQUALITY AND \	/IOLENCE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimat partner in the past 12 months	


EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2023	23 002 615	0	0	9 319 454	439 304	32 919 426




Change in new -3% **HIV** infections since 2010



Change in AIDS-35% related deaths since 2010



Incidence: = 6.0 prevalence ratio




Incidence: 4.34 mortality ratio

KEY POPULATIONS

	Sex workers	Men who	People who	-	People in
	OUX HOINGID	with men	inject drugs	people	prisons
Estimated size of population					
HIV prevalence	1.3%		2.9%		
HIV testing and status awareness			100%**		
Antiretroviral therapy coverage					
Condom use	72%				
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence ** Programme data—not representa					

HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TRANSMISSION

	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	82% [75–90%]	78% [73–85%]
Final vertical transmission rate including during breastfeeding	125.9% [117.7–134.3%]	16.2% [15.2–17.1%]
Early infant diagnosis	69.2% [63.0–76.0%]	66.4% [62.6–72.5%]

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	680 [430–980]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	<0.1%

Knowledge of HIV prevention among young people aged 15-24 years

— Women	
— Men	

Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15

5-4	49 years	
	— Women	
	— Men	

Women aged 15-49 years who have their demand for family planning satisfied by 80.8% modern methods (2022)

Men aged	15–49	years	who	are	circumcised	Not applicable

Voluntary medical male circumcisions	Not
performed according to national standards	applicable

Pec	ple who received	PrEP at least	once	440
dur	ing the reporting	period (2023))	448

- Use of sterile injecting equipment at last injection
- Needles and syringes distributed per person who injects
- Coverage of agonist maintenance therapy
- Naloxone available (2024) Νo


LATIN AMERICA

The annual number of new HIV infections in Latin America increased by 9% between 2010 and 2023 (Figure 5.1), with eight countries experiencing increases since 2015. In 2022, a significant proportion (66%) of new HIV infections were among people from key populations and their sex partners. In 2022, numbers of new HIV infections were 20% higher than in 2010 among gay men and other men who have sex with men, 42% higher among sex workers, and 19% higher among transgender women (Figure 5.2) (1).

Numbers of AIDS-related deaths have decreased by 28% since 2010 overall, but increased among women in Costa Rica, El Salvador, Mexico, Panama, Paraguay and Peru.

Progress on reducing numbers of new HIV infections is slow, but numbers of AIDS-related deaths have fallen by 28% since 2010

Figure 5.1 Numbers of new HIV infections and AIDS-related deaths, Latin America, 2000–2023



Source: UNAIDS epidemiological estimates, 2024 (https://aidsinfo.unaids.org/).



2023 DATA

- 9% increase in new HIV infections since 2010
- 28% decrease in AIDS-related deaths since 2010
- People living with HIV:
 2.3 million
 [2.1 million–2.6 million]
- New HIV infections:
 120 000 [97 000–150 000]
- AIDS-related deaths:
 30 000 [22 000–42 000]

Testing and treatment cascade (all ages):

- % of people living with HIV who know their HIV status: 89 [70->98]
- % of people living with HIV who are on treatment:
 73 [57–85]
- % of people living with HIV who are virally suppressed:
 67 [60–76]

Financing of the HIV response:

 Resource availability for HIV:
 US\$ 3 billion [21% gap to meet the 2025 target] High prevalence has been reported among non-migrating afro-descendant and Indigenous populations in some countries, including Brazil, where the prevalence of HIV among afro-descendant women is two times higher than in the overall female population (2), and Guatemala, where HIV prevalence among afro-descendant Garifuna populations is estimated at 1% (3). High HIV prevalence (over 5%) has been reported among Indigenous communities in the Bolivarian Republic of Venezuela (Warao) (9.6%), Peru (Chayahuita) (7.5%), and Colombia (Wayuu women) (7.0%), with geographical and linguistic barriers among the factors affecting access to services for Indigenous people.


Countries are having to adapt their HIV responses to the significant movements of migrants and refugees in the region (4). As of November 2023, there were over 6.5 million Venezuelan migrants in Latin America, with significant populations in Colombia (2.9 million) and Peru (1.5 million) (5). Emerging data from across the region suggest that HIV prevalence among migrants is at least double the regional average (6). There is a need for health systems in destination and transit countries to integrate migrant populations and offer comprehensive health insurance, including HIV prevention, testing and treatment options. HIV-related stigma, fear of deportation and limited access to services among Venezuelan migrants and displaced people are resulting in insufficient engagement with HIV services.

Generally, HIV prevention programmes in the region are not effective at reaching the populations most at risk of HIV infection. Despite increased availability of pre-exposure prophylaxis (PrEP), post-exposure prophylaxis and HIV self-testing, the uptake of these options remains low compared with other regions. Only 204 000 people used PrEP at least once in 2023, compared with the target of 2.3 million people by 2025 for the region. This is a reminder of the need to foster demand and to involve communities in providing these kinds of services.

It is legally possible for community-led organizations to provide the following services: adherence and retention support (13 countries), distribution of condoms and lubricants (13 countries), linkages to HIV treatment (nine countries), information on life skills-based HIV and sexuality education (12 countries), HIV testing (10 countries), treatment literacy (12 countries), legal services (seven countries), legal literacy (nine countries), needle and syringe distribution (one country), and distribution of antiretroviral medicines (four

A growing number of new HIV infections in Latin America are among people from key populations and their sexual partners

Figure 5.2 Distribution of new HIV infections and percentage change among adults, Latin America, 2010 and 2022



Source: Korenromp EL, Sabin K, Stover J, Brown T, Johnson LF, Martin-Hughes R, et al. New HIV infections among key populations and their partners in 2010 and 2022, by world region: a multisources estimation. J Acquir Immune Defic Syndr. 2024;95(1S):e34–e45.

countries). There are no countries where it is legally possible for community-led organizations to distribute naloxone.


Coverage of programmes to prevent vertical transmission has declined and is below 50% in Guatemala and the Bolivarian Republic of Venezuela. HIV treatment coverage among children aged 0–14 years living with HIV (38% [29–46%]) is much lower than among adults aged 15 years and over (74% [58–86%]).

Stigma and discrimination continue to harm the health and well-being of people living with or at risk of HIV. Stigma Index 2.0 surveys conducted in Bolivia, Ecuador, Nicaragua, Paraguay and Peru show that about 15% of respondents have experienced stigma when seeking HIV services, and more than one quarter (27%) reported experiencing stigma when trying to access other health services (7). Notably, about 70% of transgender people reported experiencing stigma when seeking health care. Other data, from Peru, reveal that 96% of transgender women have experienced violence, 62% engage in sex work due to a lack of other income opportunities, and only 5% have completed secondary education (8).

Punitive laws remain on the statute books in many countries in the region: eight countries criminalize sex work; eight explicitly criminalize HIV nondisclosure, exposure or transmission; and nine require HIV testing for marriage, work or residence permits or for people from certain groups. Legal and policy environments are evolving in some countries, however, and two countries (Uruguay, Bolivarian Republic of Venezuela) did not have laws criminalizing any of the four key populations or HIV. A legal environment that facilitates access to effective, equitable and person-centred HIV services is essential for ending AIDS as a public health threat.

Resources have been declining

Figure 5.3 Resource availability for HIV, Latin America, 2010–2023




Source: UNAIDS financial estimates, July, 2024 (http://hivfinancial.unaids.org/hivfinancialdashboards.html).

Latin America is the region with the highest autonomy of national resources for the HIV response worldwide, reaching 96% in 2023. Resources for the response—particularly national resources—decreased by 5% in 2023 compared with 2022 (Figure 5.3). Six of 13 countries reported allocating less than 8% of their total HIV resources to HIV prevention—and of these, four reported allocating less than 2.5% of their total resources. Given the context of low economic growth, complex political situations, severe fiscal problems associated with public debt, an increase in migrant flows, and the impacts of extreme natural events, it is crucial to ensure national resources for the response and sustained support from donors.

The average procurement prices of antiretroviral medicines in the region have decreased in recent years, from US\$ 205 per person-year in 2020 to US\$ 148, which is encouraging given the previously high costs. Average prices are, however, still more than double those in eastern and southern Africa. Reducing the procurement prices of antiretroviral medicines further could lead to significant cost-savings and increase access to treatment.

Governments in middle-income Latin American countries and development partners must lead efforts to secure reduced prices for antiretroviral medicines. Leveraging mechanisms such as those offered by the Pan American Health Organization and other pooled procurement strategies can help achieve this goal.

Figure 5.4 HIV prevalence among people from key populations compared with adults (aged 15–49 years), reporting countries in Latin America, 2019–2023



Source: UNAIDS Global AIDS Monitoring, 2020-2024; UNAIDS epidemiological estimates, 2024 (https://aidsinfo.unaids.org/)

Note: n = number of countries. Total number of reporting countries = 17

The adult prevalence uncertainty bounds define the range within which the true value lies (if it can be measured). Narrow bounds indicate that an estimate is precise, while wide bounds indicate greater uncertainty regarding the estimate.

Table 5.1 Reported estimated size of key populations, Latin America, 2019–2023

Country	National adult population (aged 15–49 years) for 2023 or relevant year	Sex workers	Sex workers as percentage of adult population (aged 15–49 years)	Gay men and other men who have sex with men	Gay men and other men who have sex with men as percentage of adult population (aged 15–49 years)	People who inject drugs	People who inject drugs as percentage of adult population (aged 15–49 years)	Transgender people	Transgender people as percentage of adult population (aged 15–49 years)	People in prisons and other closed settings	People in prisons and other closed settings as percentage of adult population (aged 15–49 years)
Argentina	23 294 000									117 800	0.51%
Plurinational State of Bolivia	6 390 000			35 500							
Brazil	114 468 000									837 400	0.73%
Chile	9 874 000			122 600	1.22%			19 600	0.20%	53 100	0.54%
Colombia	27 005 000									101 600	0.38%
Costa Rica	2 730 000									15 600	0.57%
Ecuador	9 815 000			89 400	0.93%						
El Salvador	3 448 000	23 700	0.69%	61 300	1.78%						
Guatemala	10 016 000			120 700	1.23%			4400	0.04%	24 100	0.25%
Honduras	6 020 000										
Mexico	68 931 000	244 100	0.36%	1 226 000	1.83%			122 700	0.18%	202 000	0.30%
Nicaragua	3 870 000									22 000	0.57%
Panama	2 269 000	8700		19 800				2100			
Paraguay	3 680 000			27 800				900			
Peru	18 078 000									94 900	0.53%
Uruguay	1 658 000			28 600	1.73%						
Bolivarian Republic of Venezuela	14 463 000							14 600	0.10%		
Estimated regional m proportion as percen population (aged 15-	tage of adult		0.81%		1.43%		0.17%		0.10%		-

National population size estimate Local population size estimate Insufficient data No data

Global AIDS Monitoring, 2020-2024 (https://aidsinfo.unaids.org/). Source: Spectrum DemProj module, 2024.

Guide for updating Spectrum HIV estimates, UNAIDS 2024 (https://hivtools.unaids.org/hiv-estimates-training-material-en/).

Estimates shown are government-provided estimates reported for 2019–2023. Additional and alternative estimates may be available from different sources, including the Key Populations Atlas (https://kpatlas.unaids.org/), academic publications and institutional documents. The regions covered by the local population size estimates are as follows:

Bolivia (Plurinational State of): Cochabamba, El Alto, La Paz, Santa Cruz Panama: Bocas del Toro, Chiriquí, Coclé, Comarca Ngäbe-Buglé, Guna Yala, Los Santos, Panamá Centro (sex workers); Bocas del Toro, Chiriquí, Coclé, Colón, Comarca Ngäbe-Buglé, Darién, Guna Yala, Herrera, Los Santos, Panamá, Veraguas (gay men and other men who have sex with men); Azuero, Bocas del Toro, Chiriqui, Coclé, Comarca Ngäbe-Buglé, Panamá Centro, Panamá Este, Panamá Norte, Panamá Oeste, Veraguas (transgender people)


Paraguay: Alto Paraná, Asunción and Central, Caaguazú (gay men and other men who have sex with men); Alto Paraná, Amambay, Asunción and Central, Caaguazú (transgender people) Note on methodology

The estimated size of key populations refers to reported values through Global AIDS Monitoring since 2019 only. A comprehensive review of the data was conducted during these reporting rounds and therefore estimates should not be compared with data presented in previous UNAIDS reports. As a result of this process, the estimates reported can be categorized as follows: "National population size estimate" refers to estimates that are empirically derived using one of the following methods: multiplier, capture-recapture, mapping/enumeration, network scaleup method (NSUM) or population-based survey, or respondent-driven sampling-successive sampling (RDS-SS). Estimates had to be national or a combination of multiple sites with a clear approach to extrapolating to a national estimate

[&]quot;Local population size estimate" refers to estimates that are empirically derived using one of the before mentioned methods but only for a subnational group of sites that are insufficient for national extrapolation.


^{&#}x27;Insufficient d[']ata" refers to estimates derived from expert opinions, Delphi, wisdom of the crowds, programmatic results or registry, regional benchmarks or unknown methods. Estimates may or may not be national.

Figure 5.5 HIV testing and treatment cascade, by age and sex, Latin America, 2023



Source: Further analysis of UNAIDS epidemiological estimates, 2024.

Figure 5.6 Distribution of people living with HIV by recent infection, knowledge of status, treatment and viral load suppression, adults (aged 15+ years), Latin America, 2019–2023




Source: Further analysis of UNAIDS epidemiological estimates, 2024.

Table 5.2 Laws and policies scorecard, Latin America, 2024


Yes, for adolescents aged 12 years or younger

Not addressed in laws or policy

Data not available







- Criminalization of transgender people refers to laws that criminalize people based on their gender identity or expresssion, such as laws against cross-dressing or impersonating the
- riminalization of sex work refers to criminalization of any aspect of sex work, including buying sexual services, selling sexual services, ancillary activities associated with buying or b
- С
- Criminalization of sex work refers to criminalization of any aspect of sex work, including buying sexual services, and profiting from organizing or managing sex work.

 Criminalization of possession of small amounts of drugs refers to the criminalization of possession of any quantity of drugs, including possession of a quantity of drugs sufficient only for personal use. A country is considered to criminalize possession of small amounts of drugs even if marijuana has been decriminalized.

 HIV nondisclosure, exposure or transmission may be explicitly criminalized in an HIV-specific law or within a law that covers a broader range of communicable diseases and mentions HIV. They may also be criminalized under a law that covers a broader range of communicable diseases but does not specifically mention HIV. Laws may limit criminalization to cases of actual d and intentional transmission. This refers to cases where a person knows their HIV-positive status, acts with the intention to transmit HIV and does in fact transmit it, in line with the UNDP 2021 Guidance for Prosecutors on HIV-related Criminal Cases. Some countries do not have a law specifically criminalizing HIV nondisclosure, exposure or transmission but the general law
- has been used to prosecute cases in the past 10 years.

 Constitutional or legislative protections against discrimination refer to whether gender identity or sexual orientation is specified as a protected attribute or whether courts or government have legally recognized that gender identity/sexual orientation/involvement in sex work/involvement in drug use or possession are protected under another attribute.

This figure does not capture where key populations may be de facto criminalized through the misuse of other laws, such as vagrancy or public morality laws, or the use of the above laws for different populations, e.g. transgender people may be targeted using laws criminalizing same-sex sexual activity, or gay men and other men who have sex with men may be targeted using HIV criminalization laws.

Source:	
1	National Commitments and Policy Instrument, 2024 (http://lawsandpolicies.unaids.org/).
2	National Commitments and Policy Instrument, 2022 (http://lawsandpolicies.unaids.org/).
3	National Commitments and Policy Instrument, 2021 (http://lawsandpolicies.unaids.org/).
4	National Commitments and Policy Instrument, 2019 (http://lawsandpolicies.unaids.org/).
5	Still not welcome: HIV-related travel restrictions. Geneva: Joint United Nations Programme on HIV/AIDS and United Nations Development Programme; 2019 (https://www.unaidsorg/sites/default/files/media_asset/hiv-related-travel-restrictions-explainer_en.pdf).
6	El Salvador. Penal Code, Articles 170 and 170A.
7	Guatemala. Decreto 9-2009, Article 39 (https://www.refworld.org/pdfid/4a03e3d22.pdf).
8	Mexico. Codigo Penal para el Estado de Baja California, Article 267 (https://www.congresobc.gob.mx/Documentos/ProcesoParlamentario/Leyes/TOMO_V/20210226_CODPENAL.PDF).
9	Nicaragua. Penal Code, Article 202 (https://www.oas.org/dil/esp/Codigo_Penal_Nicaragua.pdf).
10	Peru. Decreto Legislativo No. 635, Penal Code 2022, Articles 179, 181 (https://lpderecho.pe/codigo-penal-peruano-actualizado/).
11	Panama. Penal Code, Article 320 (https://ministeriopublico.gob.pa/wp-content/uploads/2016/09/CODIGO-PENAL-2019-FINAL-1.pdf).
12	Peru. Decreto Legislativo No. 635 Codigo Penal, Decimo Segundo Edicion Oficial, 2016, Article 299 (https://lpderecho.pe/codigo-penal-peruano-actualizado/).
13	Argentina. Criminal Code Law 11.179, Article 202 (https://www.wipo.int/wipolex/en/text/521035).
14	Bolivia. Criminal Code, Article 277 (https://ihl-databases.icrc.org/en/national-practice/criminal-procedure-code-1999-2010).
15	Brazil. Penal Code, Articles 130, 131, 267, 268 (https://www.planalto.gov.br/ccivil_03/decreto-lei/del2848compilado.htm).
16	Ecuador. Reglamento para la Atencion a las Personas que Viven con el VIH/SIDA, Article 11 (https://oig.cepal.org/sites/default/files/2002_reglamentoleyvih_ecu.pdf).
17	El Salvador. Ley de Prevencion y Control de la Infeccion Provocada por el Virus de Inmunodeficiencia Humana, Article 15 (https://www.asamblea.gob.sv/sites/default/files/documents/decretos/171117_073722329)_archivo_documento_legislativo.pdf
18	HIV Justice Network. Amsterdam: HIV Justice Foundation; 2022 (https://www.hivjustice.net).
19	Nicaragua. Ley No. 820, Ley de Promoción, Protección y Defensa de los Derechos Humano ante el VIH y SIDA para su Prevención y Atención (http://legislacion.asamblea.gob.ni Normaweb.nsf/164aa15ba012e567062568a2005b564b/266ec7c2c26fdf9906257af000550f1c?OpenDocument&Highlight=2,2012).
20	Panama. Penal Code, Article 308 (https://en.calameo.com/read/0005798491847eb9f9501).
21	Peru. Penal Code, Article 289 (https://lpderecho.pe/codigo-penal-peruano-actualizado/).
22	Honduras. Ley Especial sobre VIH/SIDA, 1999, Article 60 (http://www.poderjudicial.gob.hn/CEDIJ/Leyes/Documents/LeyEspecialVIHSIDA.pdf).
23	Normas tecnicas y administrativas del programa nacional de salud integral de los y las adolescentes, 2006 (https://data.miraquetemiro.org/sites/default/files/documentos/norma_adolescentes_panama_0.pdf); Ley 68 que Regula los Derechos y Obligaciones de los Pacientes en Materia de Informacion y de Decision Libre, Article 19.2 (https://www.hospitalsantotomas.gob.pa/download/transparencia/otros_documentos_y_normas/9.6.0-LEY-68-DERECHOS-PACIENTE.pdf).
24	Peru. NTS N 167-2020-MINSA/2020/DGIESP Norma Tcnica de Salud para el Atencin Integral de la Nias, Nios y Adolescentes Infectados por el Virus de la Inmunodeficiencia Humana (VIH), Article 6.2.2 (https://cdn.www.gob.pe/uploads/document/file/1402571/RM%20N%C2%B0882-2020-MINSA.PDF.PDF).
25	Guatemala. Civil Code, Article 97 (https://www.oas.org/dil/esp/Codigo_Civil_Guatemala.pdf).

REFERENCES

- 1
- Korenromp EL, Sabin K, Stover J, Brown T, Johnson LF, Martin-Hughes R, et al. New HIV infections among key populations and their partners in 2010 and 2022, by world region: a multisources estimation. J Acquir Immune Defic Syndr. 2024;95(15):e34–e45.

 Ministry of Health annual HIV epidemiological bulletin 2023. Addendum report by race published on 1 December 2023. Epidemiological report: health of the black population—volume 2. Boletim Epidemiológico Secretaria de Vigilância em Saúde e Ambiente Ministério da Saúde.

 Bio-behavioural study on the prevalence of HIV, syphilis, and hepatitis B in Maya (KAQCHIKEL, K'ICHE', MAM, Q'EQCHI') and Garifuna populations in Guatemala. Ministry of Public Health and Social Assistance and National Program on Prevention and Control of STIs, HIV, and AIDS; 2022.

 Mid-year trends 2023. Geneva: United Nations High Commissioner for Refugees (https://www.unhcr.org/mid-year-trends-report-2023). 2
- 3

- R4V. Inter-agency Coordination Platform for Refugees and Migrants from Venezuela (https://www.r4v.info/en/home).

 Ministry of Health and Social Protection of Colombia, Johns Hopkins University, RedSomos. Biobehavioral survey of HIV, syphilis and the health status of Venezuelans living in Colombia. 6 Ministry of Health and Social Protection of Colombia, Johns Hopkins University, RedSomos. Biobenavioral survey of Hiv, sypnilis and the health status of venezueians living in Colombia Bogotá and Baltimore, MD: Ministry of Health and Social Protection of Colombia and Johns Hopkins University; 2022 (https://hopkinshumanitarianhealth.org/assets/documents/23-1_Biobenavioural_Survey_Main_Report_English_FINAL_02212354.pdf).

 Multicountry Stigma Index study 2.0. The Hague and Geneva: Alianza Liderazgo en Positivo and Global Fund to Fight AIDS, Tuberculosis and Malaria; 2023.

 Miluska Vida y Dignidad A.C. Edinburgh: Global Network of Sex Work Projects (https://www.nswp.org/members/latin-america/miluska-vida-y-dignidad-ac).

ARGENTINA


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	5700	5600	4200
	[5100–6300]	[4900–6200]	[3600–5200]
New HIV infections (0–14)			
	[–]	[]	[–]
New HIV infections (15-24)	2000	1800	1300
	[1600–2200]	[1500–2100]	[1000–1600]
New HIV infections (women, 15+)	2000	1900	1500
	[1700–2200]	[1700–2200]	[1200–1800]
New HIV infections (men, 15+)	3600	3500	2700
	[3000–4100]	[2900–4100]	[2100–3300]
HIV incidence as new infections per 1000 uninfected population	0.14 [0.12–0.15]	0.13 [0.11–0.14]	<0.1 [<0.1–0.11]
AIDS-related deaths			
AIDS-related deaths (all ages)	1400	1300	1400
	[1100–1800]	[1000–1700]	[990–1700]
AIDS-related deaths (0–14)			
	[–]	[–]	[–]
AIDS-related deaths (women, 15+)	<500	<500	<500
	[<500- <500]	[<500-<500]	[<500- <500]
AIDS-related deaths (men, 15+)	970	920	950
	[690–1300]	[630–1200]	[640–1300]
People living with HIV			
People living with HIV (all ages)	92 000	110 000	140 000
	[85 000–98 000]	[100 000–120 000]	[130 000–150 000]
People living with HIV (0–14)			
	[–]	[]	[–]
People living with HIV (women, 15+)	32 000	39 000	49 000
	[29 000–34 000]	[36 000–42 000]	[45 000–54 000]
People living with HIV (men, 15+)	59 000	72 000	86 000
	[53 000–64 000]	[64 000–78 000]	[78 000–94 000]
HIV prevalence (15–49) (%)	0.4 [0.4–0.4]	0.4 [0.4–0.4]	0.4 [0.4–0.4]

Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, under law covering communicable diseases not specifically mentioning HIV
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	Data not available
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents 12 years or younger
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No


STIGMA AND DISCRIMINATION		
Percentage of women aged 15–49 years who report discriminatory attitudes towards people living with HIV		2020
•		16.3
Percentage of people living with HIV who		2021
report experienced stigma and discrimination in the general community in the last 12 months		6.9
Percentage of people living with HIV who report experiences of HIV-related		2021
discrimination in health-care settings in the last 12 months		11
GENDER INEQUALITY AND VIOL	LENG	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in		2020
hitting or beating his wife for specific reasons		3.1

EXPENDITURES (in US dollars)						
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	0	0	0	0	0	0


(Refers to women only)




Change in new
HIV infections = -26%
since 2010



Change in AIDSrelated deaths = -6%
since 2010



Incidence:
prevalence = 3.1
ratio




Incidence: = 2.17

KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population	•••				117 800
HIV prevalence					1.4%
HIV testing and status awareness					
Antiretroviral therapy coverage					100%**
Condom use					
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence ** Programme data—not representa	 tive.				

HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TRANSMISSION					
	2015	2023			
Percentage of pregnant women living with HIV accessing antiretroviral medicines	% [–%]	% [–%]			
Final vertical transmission rate including during breastfeeding	% [–%]	% [–%]			
Early infant diagnosis	46.4% [42.3–51.6%]	%			

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	980 [560–1500]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV PREVENTION

Prevalence of adults (15+) living with HIV with unsuppressed viral load

Knowledge of HIV prevention among young people aged 15–24 years

— Women

Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years

— Women

— Men

— Men

Women aged 15–49 years who have their demand for family planning satisfied by modern methods (2020)

Not

Men aged 15–49 years who are circumcised

applicable Not

80.7%

Voluntary medical male circumcisions performed according to national standards

People who received PrEP at least once

applicable 3927

during the reporting period (2023)

Harm reduction

- Use of sterile injecting equipment at last injection
- Needles and syringes distributed per person who injects
- Coverage of agonist maintenance therapy
- Naloxone available (2024) No

THE PLURINATIONAL STATE OF BOLIVIA


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	2000	2000	2000
	[1700–2500]	[1700–2600]	[1600–2600]
New HIV infections (0–14)	<200	<200	<100
	[<200- <200]	[<100- <200]	[<100- <200]
New HIV infections (15-24)	<500	<500	<500
	[<500-<500]	[<500-<500]	[<200- <500]
New HIV infections (women, 15+)	<500	<500	520
	[<500–550]	[<500–570]	[<500–710]
New HIV infections (men, 15+)	1400	1500	1400
	[1200–1800]	[1200–1900]	[1100–1800]
HIV incidence as new infections per 1000 uninfected population	0.2 [0.17–0.25]	0.19 [0.16–0.24]	0.16 [0.13–0.22]
AIDS-related deaths			
AIDS-related deaths (all ages)	1300	1100	630
	[1100–1600]	[920–1500]	[<500–960]
AIDS-related deaths (0–14)	<200	<100	<100
	[<100- <200]	[<100- <200]	[<100- <100]
AIDS-related deaths (women, 15+)	<500	<500	<200
	[<500- <500]	[<200- <500]	[<100- <500]
AIDS-related deaths (men, 15+)	890	850	<500
	[710–1100]	[670–1100]	[<500–690]
People living with HIV			
People living with HIV (all ages)	20 000	23 000	31 000
	[17 000–25 000]	[20 000–28 000]	[27 000–37 000]
People living with HIV (0–14)	980	900	710
	[830–1200]	[740–1100]	[570–920]
People living with HIV (women, 15+)	4900	5800	8300
	[4100–5900]	[5000–7000]	[7200–9900]
People living with HIV (men, 15+)	14 000	17 000	22 000
	[12 000–18 000]	[14 000–20 000]	[19 000–26 000]
HIV prevalence (15–49) (%)	0.3 [0.3–0.4]	0.3 [0.3–0.4]	0.4 [0.3–0.4]


Yes, a specific crime
No
No
Yes
No
No restrictions
Yes, for adolescents younger than 18 years
No
Yes


Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV		
Percentage of people living with HIV who		
report experienced stigma and discrimination		
in the general community in the last 12 months		
Percentage of people living with HIV who		
report experiences of HIV-related		•••
discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND VIO	OLEN	CE
Proportion of ever-married or partnered		•••
women aged 15–49 years who experienced		
physical or sexual violence from a male intimate partner in the past 12 months		
Percentage of women and men aged 15 to 49		
years who agree that a husband is justified in		•••
1		


hitting or beating his wife for specific reasons

EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	0	0	0	0	0	0









Change in new -1% **HIV** infections since 2010

** Programme data—not representative.

Change in AIDS--51% related deaths since 2010

Incidence: = 6.4 prevalence ratio


Incidence: 2.45 mortality ratio

KEY POPULATIONS Men who People who People in Sex workers have sex inject drugs people prisons with men Estimated size of population **HIV** prevalence 25.8% 30.8% HIV testing and status 94.0% 85.6% awareness **Antiretroviral therapy** 68.9%** 53.8%** ... coverage Condom use 68.1% 83.4% Coverage of HIV prevention programmes Avoidance of health care because of stigma and 15.3% 5.7% discrimination Experience of sexual and/or physical violence

Estimated number of incident tuberculosis cases among people living with HIV (2023)	710 [450–1000]
People living with HIV who started TB preventive therapy (2023)	54.8%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV COMORBIDITIES

HIV TESTING AND TREATMENT CASCADE



HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	0.2%
Knowledge of HIV prevention among young	

Condom use at last sex with a non-marital,	
— Men	
— Women	
people aged to E4 years	

non-cohabiting partner among people aged 15-49 years

— Women

— Men

Women aged 15–49 years who have t	heir
demand for family planning satisfied by	эу

modern medious					
Men aged	15–49	years	who are	circumcised	Not applicable

Voluntary medical male circumcisions	Not
performed according to national standards	applicable

People who received	PrEP at least once
during the reporting	period

Naloxone available (2024)

People who received PrEP at least once	
during the reporting period	

_	Use	of
	last	inie

Harm reduction

Use of sterile injecting equipment at last injection	
 Needles and syringes distributed per person who injects 	

_	Coverage of agonist maintenance
	therapy

Νo

ELIMINATION OF VERTICAL TRANSMISSION

	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	55% [44–63%]	8 9 % [76–100%]
Final vertical transmission rate including during breastfeeding	23.9% [21.6–26.4%]	14.0% [10.6–17.3%]
Early infant diagnosis	% [–%]	% [–%]


BRAZIL


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	49 000 [45 000–52 000]	49 000 [46 000–52 000]	51 000 [48 000–54 000]
New HIV infections (0–14)	 []	 []	 [–]
New HIV infections (15-24)	 [–]	[]	[–]
New HIV infections (women, 15+)	 []	 [–] 	 [–]
New HIV infections (men, 15+)	[]	 []	[]
HIV incidence as new infections per 1000 uninfected population	0.25 [0.23–0.26]	0.24 [0.22–0.25]	0.24 [0.22–0.25]
AIDS-related deaths			
AIDS-related deaths (all ages)	17 000 [14 000–20 000]	19 000 [15 000–23 000]	14 000 [10 000–17 000]
AIDS-related deaths (0–14)	 [–]	[]	 [–]
AIDS-related deaths (women, 15+)	 []	 [–] 	 [–]
AIDS-related deaths (men, 15+)	[]	[]	[]
People living with HIV			
People living with HIV (all ages)	640 000 [590 000–680 000]	770 000 [720 000–830 000]	1.0 m [930 000–1.1 m]
People living with HIV (0–14)	 []	 []	 [–]
People living with HIV (women, 15+)	 [–]	[]	[–]
People living with HIV (men, 15+)	 []	 []	 [–]
HIV prevalence (15–49) (%)	0.5 [0.4–0.5]	0.5 [0.4–0.6]	0.6 [0.5–0.6]


LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, under law covering communicable diseases not specifically mentioning HIV
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents 12 years or younger
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No


Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV		
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		•••
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND VI	OLEN	CE
Proportion of ever-married or partnered		
women aged 15–49 years who experienced ohysical or sexual violence from a male intimate partner in the past 12 months		

EXPENDITURES (in US dollars)								
		Fund	ding sources					
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total		
Last available report: 2023	636 121 074	0	0	0	0	636 121 074		









Change in new
HIV infections = 5%
since 2010

Change in AIDS-related deaths = -18% since 2010

Incidence:
prevalence = 5.1
ratio

Incidence: mortality ratio

2.62


KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population	•••				837 400
HIV prevalence					
HIV testing and status awareness					
Antiretroviral therapy coverage					
Condom use					
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	20 000 [16 000 -24 000]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV TESTING AND TREATMENT CASCADE



HIV PREVENTION

Prevalence of adults (15+) living with I	ΗIV
with unsuppressed viral load	

Knowledge of HIV prevention among young people aged 15–24 years

— Women

— Men

Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years

— Women

— Men

Women aged 15–49 years who have their demand for family planning satisfied by modern methods

Men aged 15–49 years who are circumcised

Not applicable

Voluntary medical male circumcisions performed according to national standards

Not applicable

People who received PrEP at least once during the reporting period (2023)

110 427

Νo

ELIMINATION OF VERTICAL TRANSMISSION

	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	% [–%]	% [–%]
Final vertical transmission rate including during breastfeeding	% [–%]	% [–%]
Early infant diagnosis	% [–%]	% [–%]

Harm reduction

- Use of sterile injecting equipment at last injection
- Needles and syringes distributed per person who injects
- Coverage of agonist maintenance therapy
- Naloxone available (2024)




EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	3400	4300	3400
	[2700–4000]	[3500–4900]	[2700–4000]
New HIV infections (0–14)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100-<100]
New HIV infections (15-24)	890	1100	820
	[680–1100]	[900–1400]	[630–1000]
New HIV infections (women, 15+)	<500	600	<500
	[<500–560]	[510–670]	[<500–540]
New HIV infections (men, 15+)	2900	3700	2900
	[2300–3500]	[2900–4200]	[2300–3500]
HIV incidence as new infections per 1000 uninfected population	0.2 [0.16–0.24]	0.24 [0.2–0.28]	0.18 [0.14–0.21]
AIDS-related deaths			
AIDS-related deaths (all ages)			
	[–]	[–]	[–]
AIDS-related deaths (0–14)	 []]	 []
AIDS-related deaths (women, 15+)			
	[–]	[]	[–]
AIDS-related deaths (men, 15+)	 []	 []	[]
People living with HIV			
People living with HIV (all ages)	36 000	53 000	91 000
	[32 000–39 000]	[46 000–58 000]	[81 000–100 000]
People living with HIV (0–14)	<200	<200	<200
	[<200- <200]	[<200-<500]	[<200- <500]
People living with HIV (women, 15+)	5400	7900	14 000
	[4900–5800]	[7200–8700]	[13 000–15 000]
People living with HIV (men, 15+)	30 000	45 000	77 000
	[26 000–34 000]	[38 000–50 000]	[68 000–86 000]
HIV prevalence (15–49) (%)	0.3 [0.3–0.4]	0.5 [0.4–0.5]	0.7 [0.6–0.7]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	No, but the general law has been used to prosecute cases in the past 10 years
Criminalization of sex work among consenting adults	No
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	No
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 14 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes

STIGMA AND DISCRIMINATIO	N	
Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV		
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND VI	OLEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons		


EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2023	130 410 106	75 153 469	0	0	0	205 582 953




Change in new
HIV infections = 1%

** Programme data—not representative.


since 2010



Change in AIDSrelated deaths = ...
since 2010




Incidence:
prevalence = 3.7
ratio



Incidence: = 3.56

KEY POPULATIONS						
	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons	
Estimated size of population	•••	122 600		19 600	53 100	
HIV prevalence					0.4%	
HIV testing and status awareness		7.1%				
Antiretroviral therapy coverage	93.3%**			98.0%**	94.0%**	
Condom use		53.6%		44.1%		
Coverage of HIV prevention programmes						
Avoidance of health care because of stigma and discrimination						
Experience of sexual and/or physical violence						

HIV TESTING AND TREATMENT CASCADE



All ages	97% [87– >98%] 89 023	70% [62–77%] 64 000	66% [59–72%] 60 256	
Children (0-14)	% [–%] 	% [%] 	% [–%] 	
Women (15+)	97% [90- >98%] 13 422	66% [61–71%] 9073	61% [56–66%] 8401	
Men (15+)	97% [85– >98%] 75 454	71% [62–78%] 54 795	67% [58–74%] 51 731	

ELIMINATION OF VERTICAL TRANSMI	SSION
---------------------------------	-------

	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	% [–%]	% [–%]
Final vertical transmission rate including during breastfeeding	8.1% [6.8–9.0%]	3.9% [3.6–4.2%]
Early infant diagnosis	68.6% [62.9–76.1%]	% [–%]

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	340 [280–400]
People living with HIV who started TB preventive therapy (2023)	2.1%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment (2019)	

HIV PREVENTION

THE TREVEITHOR	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	0.2%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	

Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years

-49 years	 	p p	-5	
— Women				

Women aged 15–49 years who have their demand for family planning satisfied by modern methods

Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions	Not
performed according to national standards	applicable

People who received PrEP at least once	1000
during the reporting period (2023)	1893

Harm reduction

— Men

- Use of sterile injecting equipment at last injection
- Needles and syringes distributed per person who injects
- Coverage of agonist maintenance therapy
- Naloxone available (2024) No

COLOMBIA

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	12 000	12 000	13 000
	[9300–16 000]	[8300–17 000]	[8000–23 000]
New HIV infections (0–14)			
	[–]	[–]	[–]
New HIV infections (15-24)	1300	1300	1300
	[990–1700]	[910–1800]	[800–2200]
New HIV infections (women, 15+)	1500	1600	1700
	[1200–2000]	[1100–2300]	[1000–3000]
New HIV infections (men, 15+)	10 000	10 000	11 000
	[7700–13 000]	[6800–15 000]	[6700–20 000]
HIV incidence as new infections per 1000 uninfected population	0.28 [0.21–0.36]	0.26 [0.18–0.37]	0.25 [0.15–0.45]
AIDS-related deaths			
AIDS-related deaths (all ages)	8300	5500	3700
	[5900–11 000]	[3500–7700]	[2100–6700]
AIDS-related deaths (0–14)			
	[–]	[–]	[–]
AIDS-related deaths (women, 15+)	1300	<500	<500
	[950–1800]	[<500–750]	[<500–640]
AIDS-related deaths (men, 15+)	6700	4800	3100
	[4800–9200]	[3000–6700]	[1700–5700]
People living with HIV			
People living with HIV (all ages)	140 000	170 000	230 000
	[120 000–170 000]	[140 000–200 000]	[190 000–310 000]
People living with HIV (0–14)			
	[–]	[–]	[–]
People living with HIV (women, 15+)	24 000	28 000	41 000
	[21 000–30 000]	[24 000–34 000]	[32 000–54 000]
People living with HIV (men, 15+)	120 000	130 000	190 000
	[92 000–140 000]	[110 000–160 000]	[150 000–250 000]
HIV prevalence (15–49) (%)	0.5 [0.4–0.6]	0.5 [0.4–0.6]	0.6 [0.5–0.8]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	No
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	No
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 14 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No

STIGMA	AND DISCRI	IMINATION
	TITO DISCIT	

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV

Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months

Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months


GENDER INEQUALITY AND VIOLENCE

Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months

Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons

EXPENDITURES (in US dollars)

Funding sources						
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	186 774 161	0	417 131	7 384 130	0	194 581 196



^{*} The incidence:mortality in 2023 is not published if the country has not achieved antiretroviral therapy coverage of 91% (95% x 95%) or higher (the testing and treatment target for 2025).

KEY POPULATIONS					
	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population	•••				101 600
HIV prevalence					2.9%
HIV testing and status awareness	17.1%**	33.0%**	61.5%**	100%**	
Antiretroviral therapy coverage	78.7%**	84.6%**	65.0%**	77.4%**	97.1%**
Condom use				74.6%	
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

^{**} Programme data—not representative.

HIV PREVENTION Prevalence of adults (15+) living with HIV with unsuppressed viral load Knowledge of HIV prevention among young people aged 15-24 years — Women — Men Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15-49 years — Women — Men Women aged 15-49 years who have their demand for family planning satisfied by modern methods Not Men aged 15-49 years who are circumcised applicable Voluntary medical male circumcisions Not performed according to national standards applicable People who received PrEP at least once 6670 during the reporting period (2023) Harm reduction

— Use of sterile injecting equipment at

— Needles and syringes distributed per

person who injects (2021)

— Coverage of agonist maintenance

- Naloxone available (2024)

21

Νo

last injection

therapy


COSTA RICA

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	910	1000	900
	[780–1000]	[800–1200]	[<500–1200]
New HIV infections (0–14)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (15-24)	<500	<500	<500
	[<500-<500]	[<500-<500]	[<200- <500]
New HIV infections (women, 15+)	<200	<200	<200
	[<200– <200]	[<200- <200]	[<100- <200]
New HIV infections (men, 15+)	750	860	780
	[620–840]	[660–1000]	[<500–1100]
HIV incidence as new infections per 1000 uninfected population	0.2 [0.17–0.22]	0.21 [0.16–0.24]	0.17 [<0.1–0.24]
AIDS-related deaths			
AIDS-related deaths (all ages)	<200	<500	<200
	[<200– <200]	[<200- <500]	[<200- <500]
AIDS-related deaths (0–14)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (men, 15+)	<200	<200	<200
	[<100- <200]	[<200– <500]	[<100- <200]
People living with HIV			
People living with HIV (all ages)	9200	13 000	19 000
	[8200–9800]	[12 000–14 000]	[16 000–22 000]
People living with HIV (0–14)	<200	<200	<200
	[<200- <200]	[<200- <200]	[<200- <200]
People living with HIV (women, 15+)	1700	2100	2700
	[1500–1800]	[2000–2300]	[2500–3100]
People living with HIV (men, 15+)	7400	11 000	16 000
	[6400–8100]	[9500–12 000]	[14 000–19 000]
HIV prevalence (15–49) (%)	0.3 [0.3–0.3]	0.4 [0.4–0.4]	0.5 [0.5–0.6]


Yes, a specific crime
No
No
No
No
No restrictions
Yes, for adolescents younger than 18 years
No
Yes

STIGMA AND DISCRIMINATION	JN
Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months	
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months	
GENDER INEQUALITY AND \	/IOLENCE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimat partner in the past 12 months	 e


EXPENDITURES (in	US dollars)						
Funding sources							
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total	
Last available report: 2023	82 924 106	3 206 487	0	1 575 271	118 182	87 848 716	




Change in new
HIV infections = -1%
since 2010



Change in AIDS-related deaths = 1% since 2010



Incidence:
prevalence = 4.7
ratio




Incidence: = 4.16

KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population	•••				15 600
HIV prevalence					0.1%
HIV testing and status awareness					
Antiretroviral therapy coverage					89.9%**
Condom use					
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence ** Programme data—not representa	 tive.				

HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TRANSMISSION

	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	90% [82–98%]	83% [72–93%]
Final vertical transmission rate including during breastfeeding	13.0% [12.0–13.9%]	13.3% [11.5–14.9%]
Early infant diagnosis	54.7% [50.1–59.9%]	% [–%]

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	58 [37–83]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV PREVENTION

Prevalence of adults (15+) living with HIV with unsuppressed viral load

Knowledge of HIV prevention among young people aged 15–24 years

— Women

— Men

Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years

— Women

— Men

Women aged 15–49 years who have their demand for family planning satisfied by modern methods

Men aged 15–49 years who are circumcised

d Not applicable

Voluntary medical male circumcisions performed according to national standards

Not applicable

People who received PrEP at least once during the reporting period (2023)

2562

Harm reduction

- Use of sterile injecting equipment at last injection
- Needles and syringes distributed per person who injects
- Coverage of agonist maintenance therapy
- Naloxone available (2024) No

ECUADOR


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	2400	2400	2200
	[2100–2800]	[2000–2800]	[1600–3000]
New HIV infections (0–14)	<200	<200	<200
	[<200– <500]	[<200- <200]	[<100- <200]
New HIV infections (15-24)	980	940	820
	[800–1100]	[760–1100]	[590–1100]
New HIV infections (women, 15+)	740	750	660
	[610–900]	[620–920]	[<500–890]
New HIV infections (men, 15+)	1500	1500	1400
	[1200–1800]	[1200–1800]	[1000–1900]
HIV incidence as new infections per 1000 uninfected population	0.16 [0.14–0.19]	0.15 [0.12–0.18]	0.12 [<0.1–0.16]
AIDS-related deaths			
AIDS-related deaths (all ages)	920	930	<500
	[690–1200]	[720–1200]	[<500–580]
AIDS-related deaths (0–14)	<200	<100	<100
	[<100- <200]	[<100- <200]	[<100- <100]
AIDS-related deaths (women, 15+)	<500	<200	<200
	[<500- <500]	[<200- <500]	[<100- <200]
AIDS-related deaths (men, 15+)	510	670	<500
	[<500–670]	[500–870]	[<200- <500]
People living with HIV			
People living with HIV (all ages)	31 000	38 000	51 000
	[28 000–35 000]	[34 000–42 000]	[44 000–58 000]
People living with HIV (0-14)	1100	1100	1100
	[950–1300]	[950–1200]	[860–1200]
People living with HIV (women, 15+)	9600	12 000	17 000
	[8500–11 000]	[11 000–14 000]	[15 000–19 000]
People living with HIV (men, 15+)	20 000	24 000	33 000
	[18 000–23 000]	[22 000–28 000]	[28 000–38 000]
HIV prevalence (15–49) (%)	0.4 [0.3–0.4]	0.4 [0.3–0.4]	0.4 [0.4–0.5]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	No
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	No
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 14 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No


STIGMA AND DISCRIMINATION		
Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV		
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		•••
GENDER INEQUALITY AND VIC	LEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in		

hitting or beating his wife for specific reasons


EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	7 743 537	0	0	4 506 268	0	12 249 805




Change in new
HIV infections = -9%
since 2010



Change in AIDSrelated deaths = -57% since 2010




Incidence:
prevalence = 4.3
ratio



Incidence: = 4.04

KEY POPULATIONS Men who People who People in Sex workers have sex inject drugs people prisons with men Estimated size of population 89 400 **HIV** prevalence 1% 10.2% 18.2% 0.6% HIV testing and status awareness **Antiretroviral therapy** 33.1%** coverage Condom use Coverage of HIV prevention programmes Avoidance of health care because of stigma and discrimination Experience of sexual and/or physical violence ** Programme data—not representative.

HIV	TESTI	NG AND) TREA	TMENT	CASC	ADE



	46 413	40 971	36 541
Children (0-14)	37% [30–44%]	35% [29–42%]	35% [28–41%]
	392	371	367
Women (15+)	85% [74–97%]	75% [66–86%]	69% [60–79%]
	14 222	12 656	11 531
Men (15+)	96% [82– >98%]	84% [72–96%]	74% [63–85%]
	31 799	27 944	24 642
	<u> </u>		

ELIMINATION OF VERTICAL TRANSMISSION

	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	49% [44–56%]	76% [67–90%]
Final vertical transmission rate including during breastfeeding	20.5% [18.3–22.5%]	15.5% [11.9–18.3%]
Early infant diagnosis	% [–%]	72.5% [63.9–85.5%]

HIV COMORBIDITIES	
Estimated number of incident tuberculosis cases among people living with HIV (2023)	1500 [1100 –1900]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

-174	/ D	DE	VEN	

Prevalence of adults (15+) living with HIV with unsuppressed viral load	0.1%
Knowledge of HIV prevention among young people aged 15–24 years	

— Women ...

— Men ...

Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years

> — Women — Men

Women aged 15–49 years who have their demand for family planning satisfied by modern methods

Men aged 15–49 years who are circumcised Not applicable

Voluntary medical male circumcisions Not performed according to national standards applicable

People who received PrEP at least once during the reporting period (2023)

Harm reduction

- Use of sterile injecting equipment at last injection
- Needles and syringes distributed per person who injects
- Coverage of agonist maintenance therapy
- Naloxone available (2024)

Yes

EL SALVADOR


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	1300	930	830
	[1200–1500]	[790–1100]	[560–1100]
New HIV infections (0–14)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (15-24)	<500	<500	<500
	[<500–590]	[<500-<500]	[<200- <500]
New HIV infections (women, 15+)	<500	<500	<500
	[<500-<500]	[<500-<500]	[<200- <500]
New HIV infections (men, 15+)	860	620	560
	[720–980]	[520–720]	[<500–790]
HIV incidence as new infections per 1000 uninfected population	0.22 [0.19–0.24]	0.15 [0.13–0.17]	0.13 [<0.1–0.18]
AIDS-related deaths			
AIDS-related deaths (all ages)	<500	<500	<500
	[<500-<500]	[<500–510]	[<500- <500]
AIDS-related deaths (0–14)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (women, 15+)	<100	<100	<200
	[<100- <200]	[<100- <100]	[<200- <200]
AIDS-related deaths (men, 15+)	<500	<500	<500
	[<200- <500]	[<500- <500]	[<200- <500]
People living with HIV			
People living with HIV (all ages)	21 000	22 000	23 000
	[19 000–22 000]	[20 000–24 000]	[20 000–25 000]
People living with HIV (0–14)	<500	<500	<500
	[<500- <500]	[<500-<500]	[<500- <500]
People living with HIV (women, 15+)	6600	7400	7 900
	[6200–7000]	[7000–7900]	[7100–8500]
People living with HIV (men, 15+)	14 000	14 000	14 000
	[12 000–15 000]	[13 000–16 000]	[13 000–16 000]
HIV prevalence (15–49) (%)	0.6 [0.5–0.6]	0.6 [0.5–0.6]	0.5 [0.4–0.5]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	No law requiring parental/guardian consent
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No


STIGMA AND DISCRIMINATION	N	
Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	•••	
Percentage of people living with HIV who		2023
in the general community in the last 12 months		2.4
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND V	IOLEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in		

hitting or beating his wife for specific reasons

EXPENDITURES (in	US dollars)					
Funding sources						
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2023	46 299 267	3 988 351	10 237 255	5 446 674	212 107	66 781 400




Change in new
HIV infections
since 2010 = -37%



Change in AIDSrelated deaths = 11% since 2010




Incidence:
prevalence = 3.6
ratio



Incidence: = 1.52

KEY POPULATIONS Men who People in People who Sex workers have sex inject drugs people prisons with men Estimated size of population 23 700 61 300 **HIV** prevalence 3% 6.3% 8.5% 0.1% HIV testing and status 99.4% 99.8% 98.5% ... awareness **Antiretroviral therapy** 65.9%** 80.7%** 66.5%** 100%** coverage 95.3% 73.6% 59.7% Condom use Coverage of HIV prevention 73.4% 64.1% programmes Avoidance of health care because of stigma and discrimination Experience of sexual and/or physical violence ** Programme data—not representative.

HIV TESTING AND TREATMENT CASCADE



All ages	90% [81–97%]	69% [62-75%]	60% [34-63%]
	20 250	15 611	13 463
Children (0-14)	35% [31–40%]	26% [23–30%]	23% [20–27%]
	106	78	70
Women (15+)	86% [78–93%]	68% [61–73%]	59% [54–64%]
	6747	5326	4669
Men (15+)	93% [83– >98%]	71% [63–78%]	60% [54–67%]
	13 398	10 207	8724

ELIMINATION OF VERTICAL TRANSMISSION 2015 Percentage of pregnant women living with HIV 70%

accessing antiretroviral medicines	[63–78%]	[71–93%]
Final vertical transmission rate including during breastfeeding	18.7% [16.3–20.9%]	18.4% [15.3–22.7%]
	70.3%	43.4%

Early infant diagnosis [62.6–77.6%] [38.1–50.0%]

		-		IN A		Ю	Ю.		
1511	v		J	IVAL	U	м	Ю	_	-

Estimated number of incident tuberculosis cases among people living with HIV (2023)	320 [240–420]
People living with HIV who started TB preventive therapy (2023)	62.1%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV PREVENTION

Prevalence of adults (15+) living with HIV with unsuppressed viral load

Knowledge of HIV prevention among young people aged 15–24 years

— Women

— Men

Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years

— Women

— Men

Women aged 15–49 years who have their demand for family planning satisfied by modern methods

Men aged 15–49 years who are circumcised

ed Not applicable

Voluntary medical male circumcisions performed according to national standards

Not applicable

0.2%

People who received PrEP at least once during the reporting period (2023)

1348

Harm reduction

- Use of sterile injecting equipment at last injection
- Needles and syringes distributed per person who injects
- Coverage of agonist maintenance therapy
- Naloxone available (2024)

LATIN AMERICA 219

2023

81%

GUATEMALA


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	1400	1200	1500
	[1200–1600]	[1000–1400]	[1500–1800]
New HIV infections (0–14)	<500	<500	<500
	[<500- <500]	[<500- <500]	[<200- <500]
New HIV infections (15-24)	<500	<500	<500
	[<500-<500]	[<500- <500]	[<500- <500]
New HIV infections (women, 15+)	<500	<500	510
	[<500-<500]	[<500- <500]	[<500–580]
New HIV infections (men, 15+)	630	550	810
	[560–790]	[<500–700]	[760–950]
HIV incidence as new infections per 1000 uninfected population	<0.1 [<0.1–0.11]	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	610	720	<500
	[510–780]	[530–940]	[<500–630]
AIDS-related deaths (0–14)	<500	<200	<200
	[<500-<500]	[<200- <500]	[<200- <200]
AIDS-related deaths (women, 15+)	<200	<200	<200
	[<200- <200]	[<100- <200]	[<200- <500]
AIDS-related deaths (men, 15+)	<200	<500	<200
	[<200– <500]	[<500–550]	[<200– <500]
People living with HIV			
People living with HIV (all ages)	30 000	31 000	35 000
	[29 000–32 000]	[30 000–33 000]	[33 000–37 000]
People living with HIV (0-14)	2700	2400	1800
	[2600–2900]	[2200–2600]	[1700–1900]
People living with HIV (women, 15+)	9800	11 000	13 000
	[9400–11 000]	[10 000–12 000]	[12 000–13 000]
People living with HIV (men, 15+)	17 000	18 000	20 000
	[16 000–19 000]	[17 000–19 000]	[19 000–22 000]
HIV prevalence (15–49) (%)	0.3 [0.3–0.3]	0.3 [0.3–0.3]	0.2 [0.2–0.2]

Yes, a specific crime
Yes
No
Yes
No
No restrictions
Yes, for adolescents younger than 18 years
No
Yes


Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV		
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		•••
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND VI	OLEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in		

hitting or beating his wife for specific reasons


EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2023	25 386 426	8 837 860	5 277 643	2 777 276	2 003 363	44 384 283




Change in new
HIV infections = 13%
since 2010



Change in AIDSrelated deaths = -18% since 2010



Incidence:
prevalence = 4.4
ratio



Incidence: = 2.07

KEY POPULATIONS					
	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population	•••	120 700		4400	
HIV prevalence					
HIV testing and status awareness					
Antiretroviral therapy coverage	5.4%**	67.5%**		26.4%**	87.6%**
Condom use					
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence ** Programme data—not represen	 tative.				


HIV TESTING AND TREATMENT CASCADE

10 585

19 170

94% [89->98%]

Men (15+)



ELIMINATION OF VERTICAL TRANSMISSION			
	2015	2023	
Percentage of pregnant women living with HIV accessing antiretroviral medicines	19% [18–20%]	38% [36–40%]	
Final vertical transmission rate including during breastfeeding	31.1% [29.3–32.9%]	27.6% [26.2–29.1%]	
Early infant diagnosis	10.6% [10.0–11.3%]	21.5% [20.3–22.8%]	

8823

15 867

78% [74-84%]

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	480 [360–610]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment (2019)	

HIV PREVENTION

Prevalence of adults (15+) living with HIV with unsuppressed viral load

<0.1%

Knowledge of HIV prevention among young people aged 15–24 years

— Women

— Men

Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years

— Women

— Men

Women aged 15–49 years who have their demand for family planning satisfied by modern methods

Men aged 15–49 years who are circumcised

Not applicable

Voluntary medical male circumcisions performed according to national standards

Not applicable

People who received PrEP at least once during the reporting period (2023)

3519

Harm reduction

- Use of sterile injecting equipment at last injection
- Needles and syringes distributed per person who injects
- Coverage of agonist maintenance therapy
- Naloxone available (2024) Data not available

LATIN AMERICA 221

69% [65-74%]

13 974

HONDURAS

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	550	520	510
	[<500–840]	[<500–770]	[<500–720]
New HIV infections (0–14)	<200	<200	<100
	[<200– <200]	[<100- <200]	[<100- <100]
New HIV infections (15-24)	<100	<100	<100
	[<100– <200]	[<100- <100]	[<100- <100]
New HIV infections (women, 15+)	<200	<100	<100
	[<100- <200]	[<100- <200]	[<100- <200]
New HIV infections (men, 15+)	<500	<500	<500
	[<100–540]	[<200–520]	[<500–540]
HIV incidence as new infections per 1000 uninfected population	<0.1 [<0.1–0.1]	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	1400	980	<500
	[1200–1700]	[780–1200]	[<500–620]
AIDS-related deaths (0–14)	<200	<100	<100
	[<200– <200]	[<100- <200]	[<100- <100]
AIDS-related deaths (women, 15+)	510	<500	<500
	[<500–640]	[<500-<500]	[<200- <500]
AIDS-related deaths (men, 15+)	760	540	<500
	[620–910]	[<500–680]	[<200– <500]
People living with HIV			
People living with HIV (all ages)	25 000	22 000	20 000
	[24 000–27 000]	[20 000–23 000]	[17 000–22 000]
People living with HIV (0–14)	2300	1500	650
	[2100–2600]	[1300–1600]	[580–740]
People living with HIV (women, 15+)	10 000	9100	7700
	[9600–11 000]	[8300–9700]	[6900–8400]
People living with HIV (men, 15+)	13 000	11 000	11 000
	[12 000–14 000]	[10 000–12 000]	[9800–13 000]
HIV prevalence (15–49) (%)	0.4 [0.4–0.5]	0.3 [0.3–0.3]	0.2 [0.2–0.2]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	No
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 18 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes

Percentage of women aged 15–49 years who report discriminatory attitudes towards people living with HIV	•••	2019
		43.2
Percentage of people living with HIV who report experienced stigma and discrimination		2019
in the general community in the last 12 months		33
Percentage of people living with HIV who report experiences of HIV-related		2019
discrimination in health-care settings in the last 12 months		23.6
GENDER INEQUALITY AND VIC	DLENG	Œ
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate		2019
partner in the past 12 months		6.8
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in		2019


5.3

STIGMA AND DISCRIMINATION

hitting or beating his wife for specific reasons

(Refers to women only)

EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2023	38 951 776	22 169	9 139 124	3 121 669	0	52 175 392



Change in new
HIV infections = -8%
since 2010


Experience of sexual and/or

** Programme data—not representative.


physical violence

Women (15+)


Men (15+)



Change in AIDSrelated deaths = -66% since 2010



Incidence:
prevalence = 2.6
ratio



Incidence: = 0.83

KEY POPULATIONS Men who People who People in Sex workers have sex inject drugs people prisons with men Estimated size of population **HIV** prevalence 1.4% 7.6% 6.4% 0.3% HIV testing and status 77.6%** 84.5%** **Antiretroviral therapy** 11.3%** 35.3%** 18.3%** 26.0%** ... coverage 39.4% 42.4% Condom use Coverage of HIV prevention programmes Avoidance of health care because of stigma and discrimination


HIV TESTING AND TREATMENT CASCADE

79% [71-86%]

76% [66-86%]

6100

8488



ELIMINATION OF VERTICAL TRANSMISSION			
	2015	2023	
Percentage of pregnant women living with HIV accessing antiretroviral medicines	42% [37–47%]	55% [49–61%]	
Final vertical transmission rate including during breastfeeding	25.1% [23.6–26.6%]	21.4% [19.6–23.0%]	
Early infant diagnosis	35.1% [30.9–39.0%]	55.2% [49.3–61.7%]	

72% [65-78%]

67% [59-76%]

5552

7564

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	200 [140–270]
People living with HIV who started TB preventive therapy (2023)	
Women who tested positive for HIV among those screened for cervical cancer (programme data) (2019)	2.9%
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment (2019)	

HIV PREVENTION

Prevalence of adults (15+) living with HIV with unsuppressed viral load	<0.1%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	

modern methods (2019)	
Men aged 15–49 years who are circumcised	Not applicable

80.8%

Women aged 15-49 years who have their

demand for family planning satisfied by

Voluntary medical male circumcisions	Not
performed according to national standards	applicable

People who received PrEP at least once	2446
during the reporting period (2023)	2440

Harm reduction

- Use of sterile injecting equipment at last injection
- Needles and syringes distributed per person who injects
- Coverage of agonist maintenance therapy
- Naloxone available (2024) No

LATIN AMERICA 223

67% [61-74%]

63% [55-72%]

5207

7122


MEXICO

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	18 000	21 000	19 000
	[15 000–19 000]	[18 000–24 000]	[15 000–26 000]
New HIV infections (0–14)	510	<500	520
	[<500–560]	[<500–530]	[<500–660]
New HIV infections (15-24)	7300	8700	7400
	[5800–8500]	[6700–11 000]	[5400–10 000]
New HIV infections (women, 15+)	3200	3800	3400
	[2800–3500]	[3300–4400]	[2700–4500]
New HIV infections (men, 15+)	14 000	17 000	15 000
	[12 000–15 000]	[14 000–20 000]	[12 000–20 000]
HIV incidence as new infections per 1000 uninfected population	0.16 [0.14–0.17]	0.18 [0.15–0.2]	0.15 [0.11–0.2]
AIDS-related deaths			
AIDS-related deaths (all ages)	4600	4900	5100
	[3600–5500]	[3600–5900]	[3600–6700]
AIDS-related deaths (0–14)	<500	<500	<500
	[<500- <500]	[<500- <500]	[<500-<500]
AIDS-related deaths (women, 15+)	800	630	1400
	[640–940]	[<500–790]	[1000–1700]
AIDS-related deaths (men, 15+)	3400	3900	3300
	[2600–4300]	[2800–4800]	[2200–4700]
People living with HIV			
People living with HIV (all ages)	210 000	270 000	380 000
	[190 000–220 000]	[250 000–290 000]	[330 000–430 000]
People living with HIV (0–14)	2200	2700	3300
	[2100–2400]	[2500–2900]	[2900–3800]
People living with HIV (women, 15+)	37 000	51 000	71 000
	[35 000–39 000]	[48 000–54 000]	[64 000–79 000]
People living with HIV (men, 15+)	170 000	220 000	310 000
	[150 000–180 000]	[200 000–240 000]	[270 000–350 000]
HIV prevalence (15–49) (%)	0.3 [0.3–0.3]	0.4 [0.3–0.4]	0.4 [0.4–0.5]


LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	No
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	No law requiring parental/guardian consent
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No

STIGMA AND DISCRIMINAT	ION	
Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV		
Percentage of people living with HIV who report experienced stigma and discrimination the general community in the last 12 mont		
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the land months	ast	
GENDER INEQUALITY AND	VIOLENCE	
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intim partner in the past 12 months	ate	
Percentage of women and men aged 15 to 4 years who agree that a husband is justified i hitting or beating his wife for specific reasor	n	

EXPENDITURES (in US dollars)						
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report:						



8 000 6 000 6 000 9 2 000 2010 2023 AIDS-related deaths



Change in new
HIV infections = 9%
since 2010

physical violence


Change in AIDSrelated deaths = 10% since 2010 Incidence:
prevalence = 5.0
ratio

Incidence: = 2.75

KEY POPULATIONS Men who People who People in Sex workers have sex inject drugs people prisons with men Estimated size of population 244 100 1 226 000 122 700 **HIV** prevalence 0.8% 11.9% 2.9% 4.9% HIV testing and status awareness **Antiretroviral therapy** coverage Condom use Coverage of HIV prevention programmes Avoidance of health care because of stigma and discrimination Experience of sexual and/or

HIV COMORBIDITIES Estimated number of incident tuberculosis cases among people living with HIV (2023) People living with HIV who started TB preventive therapy (2023) Women who tested positive for HIV among those screened for cervical cancer (programme data) (2019) People coinfected with HIV and hepatitis C virus starting hepatitis C treatment

HIV TESTING AND TREATMENT CASCADE



People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	
HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	0.2%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period (2023)	14 380
Harm reduction	
 Use of sterile injecting equipment at last injection 	
 Needles and syringes distributed per person who injects 	

— Coverage of agonist maintenance

Yes

Naloxone available (2024)

therapy

ELIMINATION OF VERTICAL TRANSMISSION				
	2015	2023		
Percentage of pregnant women living with HIV accessing antiretroviral medicines	% [–%]	% [–%]		
Final vertical transmission rate including during breastfeeding	19.7% [17.9–21.0%]	22.6% [20.4–25.0%]		
Early infant diagnosis	% [_ %]	% [_ %]		

NICARAGUA


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	540	<500	670
	[<500–720]	[<500–720]	[<500–1100]
New HIV infections (0–14)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (15-24)	<500	<500	<500
	[<200– <500]	[<200- <500]	[<200–520]
New HIV infections (women, 15+)	<200	<200	<200
	[<200– <500]	[<100- <500]	[<200- <500]
New HIV infections (men, 15+)	<500	<500	<500
	[<500– <500]	[<500-<500]	[<500–780]
HIV incidence as new infections per 1000 uninfected population	<0.1 [<0.1–0.12]	<0.1 [<0.1–0.12]	<0.1 [<0.1–0.16]
AIDS-related deaths			
AIDS-related deaths (all ages)	<500	<500	<200
	[<500–500]	[<200- <500]	[<100- <500]
AIDS-related deaths (0–14)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (women, 15+)	<200	<100	<100
	[<100- <200]	[<100- <200]	[<100- <200]
AIDS-related deaths (men, 15+)	<500	<200	<100
	[<200– <500]	[<200- <500]	[<100- <200]
People living with HIV			
People living with HIV (all ages)	8500	9000	12 000
	[6800–10 000]	[7400–11 000]	[9000–15 000]
People living with HIV (0–14)	<500	<500	<200
	[<500- <500]	[<500- <500]	[<200- <500]
People living with HIV (women, 15+)	2800	2900	3600
	[2200–3400]	[2300–3600]	[2700–4600]
People living with HIV (men, 15+)	5400	5800	7800
	[4300–6600]	[4800–7300]	[6000–10 000]
HIV prevalence (15–49) (%)	0.2 [0.2–0.3]	0.2 [0.2–0.3]	0.3 [0.2–0.3]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	No law requiring parental/guardian consent
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV		
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months	5	
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the las 12 months	t	
GENDER INEQUALITY AND \	/IOLEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimat partner in the past 12 months	e	
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in		


hitting or beating his wife for specific reasons

EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	0	0	0	0	0	0



600 500 400 5 300 2010 2010 2023 AIDS-related deaths





Change in new
HIV infections = 25%
since 2010

Change in AIDS-related deaths = -52% since 2010

Incidence:
prevalence = 5.8
ratio

Incidence: = 3.01


KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population	•••				22 000
HIV prevalence	2.2%	8.8%	0%	9.5%	2.1%
HIV testing and status awareness	69.9%	98.8%		95.9%	
Antiretroviral therapy coverage					
Condom use	88%	56.9%		75.6%	
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence	8.5%	3.9%		19.7%	

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	190 [130–260]
People living with HIV who started TB preventive therapy (2023)	63.8%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment (2019)	

HIV TESTING AND TREATMENT CASCADE



HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	0.1%
Knowledge of HIV prevention among young people aged 15–24 years	

— Men

Condom use at last sex with a non-marital,

— Women

non-cohabiting partner among people aged 15–49 years — Women

— Men

Women aged 15–49 years who have their demand for family planning satisfied by

modern methods

Men aged 15–49 years who are circumcised Applicable applicable

Voluntary medical male circumcisions Not performed according to national standards applicable

People who received PrEP at least once during the reporting period (2023)

Harm reduction

- Use of sterile injecting equipment at last injection
- Needles and syringes distributed per person who injects
 - Coverage of agonist maintenance ...
- Naloxone available (2024) No

ELIMINATION OF VERTICAL TRANSMISSION

	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	95% [75–100%]	80% [58–100%]
Final vertical transmission rate including during breastfeeding	15.6% [14.0–18.2%]	20.5% [17.1–29.6%]
Early infant diagnosis	62.3% [49.2–79.2%]	71.5% [51.9–97.2%]

PANAMA

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	1300	1400	1500
	[1200–1400]	[1200–1500]	[1300–1700]
New HIV infections (0–14)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (15-24)	570	600	650
	[<500–650]	[<500–690]	[510–750]
New HIV infections (women, 15+)	<500	<500	<500
	[<500-<500]	[<500-<500]	[<500- <500]
New HIV infections (men, 15+)	960	1000	1100
	[800–1100]	[840–1200]	[900–1300]
HIV incidence as new infections per 1000 uninfected population	0.37 [0.32–0.4]	0.36 [0.31–0.39]	0.35 [0.29–0.39]
AIDS-related deaths			
AIDS-related deaths (all ages)	<500	500	<500
	[<500–560]	[<500–600]	[<500- <500]
AIDS-related deaths (0–14)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (women, 15+)	<100	<200	<200
	[<100- <200]	[<100- <200]	[<200- <200]
AIDS-related deaths (men, 15+)	<500	<500	<500
	[<500-<500]	[<500-<500]	[<200– <500]
People living with HIV			
People living with HIV (all ages)	19 000	23 000	30 000
	[17 000–20 000]	[21 000–24 000]	[27 000–33 000]
People living with HIV (0–14)	<500	<500	<500
	[<500-<500]	[<500- <500]	[<500-<500]
People living with HIV (women, 15+)	4900	6100	7900
	[4600–5200]	[5600–6400]	[7100–8400]
People living with HIV (men, 15+)	13 000	16 000	22 000
	[12 000–15 000]	[15 000–18 000]	[19 000–25 000]
HIV prevalence (15-49) (%)	0.8 [0.8–0.9]	0.9 [0.8–1.0]	1.0 [0.9–1.1]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, under law covering communicable diseases not specifically mentioning HIV
Criminalization of sex work among consenting adults	No
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 16 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes

ISTIGMA AND DISCRIMINATION

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV

Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months

Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months


GENDER INEQUALITY AND VIOLENCE


Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months


Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons


EXPENDITURES (in US dollars)

	<i></i>					
		Fun	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2023	30 890 838	8 027 788	10 339 481	0	0	49 258 107









Change in new
HIV infections = 16%
since 2010

Change in AIDSrelated deaths since 2010

e in AIDSd deaths = -18% 2010 Incidence:
prevalence = 5.0
ratio


Incidence: a mortality ratio = 3.1

KEY POPULATIONS Men who People who People in Sex workers have sex inject drugs people prisons with men Estimated size of population **HIV** prevalence 1.7% 3.5% 6.8% 0.9% HIV testing and status 100%** 100%** 100%** ... **Antiretroviral therapy** 89.9%** 90.8%** coverage Condom use 55.8% 63.2% 63.8% Coverage of HIV prevention 91.9% 97% 100% programmes Avoidance of health care because of stigma and discrimination Experience of sexual and/or physical violence ** Programme data—not representative.

Estimated number of incident tuberculosis cases among people living with HIV (2023)	440 [330–570]
People living with HIV who started TB preventive therapy (2023)	25%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV COMORBIDITIES

HIV TESTING AND TREATMENT CASCADE



HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	0.3%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable

Voluntary medical male circumcisions

ELIMINATION OF VERTICAL TRANSMISSION				
	2015	2023		
Percentage of pregnant women living with HIV accessing antiretroviral medicines	78% [70–87%]	88% [80–100%]		
Final vertical transmission rate including during breastfeeding	14.1% [12.9–16.2%]	11.0% [10.2–12.2%]		
Early infant diagnosis	75.7% [67.6–84.3%]	77.9% [70.3–88.0%]		

performed according to national standards	applicable
People who received PrEP at least once during the reporting period (2023)	585
Harm reduction	
 Use of sterile injecting equipment at last injection 	
 Needles and syringes distributed per person who injects 	
 Coverage of agonist maintenance therapy 	
— Naloxone available (2024)	No

Not

PARAGUAY


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	1100	1200	1400
	[890–1400]	[960–1600]	[890–2100]
New HIV infections (0–14)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <200]
New HIV infections (15-24)	<500	<500	<500
	[<500–540]	[<500–530]	[<500–630]
New HIV infections (women, 15+)	<500	<500	<500
	[<500-<500]	[<500-<500]	[<500–670]
New HIV infections (men, 15+)	730	800	890
	[580–930]	[600–1100]	[560–1400]
HIV incidence as new infections per 1000 uninfected population	0.19 [0.15–0.24]	0.2 [0.15–0.26]	0.2 [0.13–0.31]
AIDS-related deaths			
AIDS-related deaths (all ages)	<500	<500	<500
	[<200-<500]	[<500–530]	[<500–500]
AIDS-related deaths (0–14)	<100	<100	<100
	[<100-<100]	[<100-<100]	[<100- <100]
AIDS-related deaths (women, 15+)	<100	<100	<200
	[<100-<100]	[<100- <200]	[<100- <200]
AIDS-related deaths (men, 15+)	<200	<500	<200
	[<100-<200]	[<200-<500]	[<200- <500]
People living with HIV			
People living with HIV (all ages)	11 000	15 000	22 000
	[9700–14 000]	[13 000–18 000]	[18 000–27 000]
People living with HIV (0-14)	<500	<500	<500
	[<500-<500]	[<500–<500]	[<500–520]
People living with HIV (women, 15+)	3600	4900	7100
	[3100–4300]	[4300–6000]	[6000–8700]
People living with HIV (men, 15+)	7600	10 000	15 000
	[6300–9100]	[8600–12 000]	[12 000–18 000]
HIV prevalence (15–49) (%)	0.3 [0.3–0.4]	0.4 [0.3–0.5]	0.5 [0.4–0.6]

No, but the general law has been used to prosecute cases in the past 10 years
No
No
No
No
Require HIV testing or disclosure for some permits
No law requiring parental/guardian consent
No
No


STIGMA AND DISCRIMINATIO	N	
Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV		
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND VI	OLENG	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		•••
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in		

hitting or beating his wife for specific reasons


EXPENDITURES (in	US dollars)					
		Fund	ling sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	5 421 242	0	0	45 368	0	5 466 610




Change in new 23% HIV infections since 2010



Change in AIDSrelated deaths 68% since 2010



Incidence: prevalence = 6.2 ratio



Incidence: 3.18 mortality ratio

KEY POPULATIONS Men who People who Transgender People in Sex workers have sex inject drugs people prisons with men Estimated size of population **HIV** prevalence 0.6% 25.6% 29.9% HIV testing and status 66.9% 49.8% awareness Antiretroviral therapy coverage Condom use 98.7% 83.5% 83.2% Coverage of HIV prevention programmes Avoidance of health care because of stigma and discrimination Experience of sexual and/or physical violence

HIV TESTING AND TREATMENT CASCADE 25 000 Number of people living with HIV 20 000 15 000 10 000 5 000 0 People living with HIV who know People living with HIV on People living with HIV who are their status treatment virally suppressed All ages 92% [77->98%] 58% [48-70%] 49% [40-59%] 20 387 12 754 10 717

Children (0–14)	56% [43–75%] 213	36% [28–49%] 139	24% [1 92	9–33%]
Women (15+)	90% [76– >98%] 6426	55% [46–67%] 3880	45% [3 3227	88–56%]
Men (15+)	94% [77– >98%] 13 747	60% [49–73%] 8735	51% [4 7398	11–62%]
ELIMINATION	ON OF VERTI	CAL TRANSM	IISSIOI	N
ELIMINATION	ON OF VERTI	CAL TRANSN		N 2023
	gnant women living v	20	1 5 %	
Percentage of pre	gnant women living v	20 - v ith HIV 56 [47–6	1 5 % 57%]	2023 63%
Percentage of pre	gnant women living v	20 - v ith HIV 56 [47–6	15 % 57%]	2023 63% [51–78%]
Percentage of pre accessing antiretro Final vertical trans	gnant women living v oviral medicines smission rate including	20: vith HIV 56 [47–6 g during 20.0	15 % 57%] 0% 24.8%]	2023 63% [51–78%] 18.4%

Estimated number of incident tuberculosis cases among people living with HIV (2023)	380 [310–450]
People living with HIV who started TB preventive therapy (2023)	6.2%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment (2019)	

with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment (2019)	
HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	0.2%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period (2023)	852
Harm reduction	
 Use of sterile injecting equipment at last injection 	
 Needles and syringes distributed per person who injects 	
 Coverage of agonist maintenance therapy 	
— Naloxone available (2024)	No

231



EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	3500	4700	6300
	[2800–4300]	[3800–6000]	[4800–8400]
New HIV infections (0–14)			
	[–]	[–]	[]
New HIV infections (15-24)	1400	1900	2500
	[1200–1800]	[1500–2300]	[1800–3200]
New HIV infections (women, 15+)	620	1000	1700
	[<500–780]	[830–1300]	[1300–2300]
New HIV infections (men, 15+)	2700	3500	4400
	[2100–3400]	[2800–4500]	[3200–5800]
HIV incidence as new infections per 1000 uninfected population	0.12 [<0.1–0.15]	0.15 [0.13–0.2]	0.19 [0.14–0.25]
AIDS-related deaths			
AIDS-related deaths (all ages)	1800	1300	770
	[1300–2300]	[880–1900]	[520–1200]
AIDS-related deaths (0–14)			
	[]	[–]	[–]
AIDS-related deaths (women, 15+)	<200	<200	<200
	[<100- <200]	[<100- <200]	[<100- <500]
AIDS-related deaths (men, 15+)	1500	1200	530
	[1100–2100]	[760–1600]	[<500–810]
People living with HIV			
People living with HIV (all ages)	61 000	72 000	110 000
	[53 000–71 000]	[64 000–84 000]	[97 000–130 000]
People living with HIV (0-14)			
	[]	[–]	[–]
People living with HIV (women, 15+)	10 000	14 000	25 000
	[9100–12 000]	[12 000–16 000]	[21 000–30 000]
People living with HIV (men, 15+)	50 000	57 000	86 000
	[43 000–58 000]	[50 000–67 000]	[73 000–100 000]
HIV prevalence (15–49) (%)	0.3 [0.3–0.4]	0.4 [0.3–0.4]	0.5 [0.4–0.6]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, under law covering communicable diseases not specifically mentioning HIV
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	No
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 14 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes

years who report discriminatory attitudes towards people living with HIV	•••		
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months			
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months			

STIGMA AND DISCRIMINATION

Percentage of women and men aged 15-49

GENDER INEQUALITY AND VIOLENCE


Proportion of ever-married or partnered	
women aged 15-49 years who experienced	
physical or sexual violence from a male intimate	
partner in the past 12 months	


Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons

Total


EXPENDITURES (in US dollars)				
	Fund	ling sources		
Domestic public	Domestic private	International:	International:	International:


Global Fund PEPFAR all others Last available report: 2023 79 145 561 0 0 7 891 988 87 037 549





-56%





Change in new **HIV** infections 81% since 2010

Change in AIDSrelated deaths since 2010

Incidence: prevalence ratio

= 5.6

Incidence: mortality ratio


5.39

KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population	•••				94 900
HIV prevalence	1.3%	10%		30.9%	0.5%
HIV testing and status awareness	100%**	100%**		100%**	
Antiretroviral therapy coverage					88.3%**
Condom use		54.8%			
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

** Programme data—not representative.

HIV TESTING AND TREATMENT CASCADE



	LTRANSMISSION
 I CIE VERIICAI	IRANSIVIISSIUM

	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	% [–%]	% [–%]
Final vertical transmission rate including during breastfeeding	% [–%]	% [–%]
Early infant diagnosis	56.2% [48.0–64.3%]	% [–%]

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	3500 [2300 –5000]
People living with HIV who started TB preventive therapy (2023)	31.1%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV PREVENTION

Prevalence of adults (15+) living with HIV with unsuppressed viral load

Knowledge of HIV prevention among young people aged 15-24 years

— Women

— Men

Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15-49 years

— Women

— Men

Women aged 15-49 years who have their demand for family planning satisfied by modern methods

Men aged 15-49 years who are circumcised

Not applicable

Voluntary medical male circumcisions performed according to national standards

Not applicable

People who received PrEP at least once during the reporting period (2023)

1259

Harm reduction

- Use of sterile injecting equipment at last injection
- Needles and syringes distributed per person who injects
- Coverage of agonist maintenance therapy
- Naloxone available (2024) Νo

URUGUAY


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	750	820	800
	[540–1100]	[530–1300]	[<500–1700]
New HIV infections (0–14)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (15-24)	<200	<200	<200
	[<200- <500]	[<100- <500]	[<100- <500]
New HIV infections (women, 15+)	<500	<500	<500
	[<200- <500]	[<200- <500]	[<200–540]
New HIV infections (men, 15+)	<500	520	520
	[<500–720]	[<500–860]	[<500–1100]
HIV incidence as new infections per 1000 uninfected population	0.23 [0.16–0.33]	0.24 [0.16–0.39]	0.24 [0.12–0.5]
AIDS-related deaths			
AIDS-related deaths (all ages)	<500	<200	<200
	[<200- <500]	[<200- <500]	[<100- <500]
AIDS-related deaths (0–14)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (women, 15+)	<100	<100	<100
	[<100- <200]	[<100- <200]	[<100- <100]
AIDS-related deaths (men, 15+)	<200	<200	<200
	[<100- <500]	[<100- <200]	[<100- <500]
People living with HIV			
People living with HIV (all ages)	9000	12 000	16 000
	[7200–12 000]	[9200–15 000]	[12 000–22 000]
People living with HIV (0-14)	<200	<200	<500
	[<100- <500]	[<200- <500]	[<200- <500]
People living with HIV (women, 15+)	3000	3900	5500
	[2400–3900]	[3000–5300]	[4100–7800]
People living with HIV (men, 15+)	5800	7500	10 000
	[4600–7700]	[5800–9900]	[7900–14 000]
HIV prevalence (15-49) (%)	0.5 [0.4–0.6]	0.5 [0.4–0.7]	0.6 [0.5–0.9]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	No
Criminalization of sex work among consenting adults	No
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	No
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	No law requiring parental/guardian consent
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes


Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	•••	
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		•••
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND VI	OLEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		
Percentage of women and men aged 15 to 49		

years who agree that a husband is justified in hitting or beating his wife for specific reasons


EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	0	0	0	0	0	0




Change in new
HIV infections
since 2010



Change in AIDSrelated deaths = -30% since 2010



Incidence:
prevalence = 5.0
ratio



Incidence: = 3.31

KEY POPULATIONS Men who People who Transgender People in Sex workers have sex inject drugs people prisons with men Estimated size of population 28 600 **HIV** prevalence HIV testing and status awareness **Antiretroviral therapy** coverage Condom use 57.2% Coverage of HIV prevention 55.3% programmes Avoidance of health care 2.4% because of stigma and discrimination Experience of sexual and/or physical violence

HIV TESTING AND TREATMENT CASCADE 16 000 14 000 Number of people living with HIV 12 000 10 000 8 000 6 000 4 000 2 000 People living with HIV who know People living with HIV on People living with HIV who are their status treatment virally suppressed All ages 93% [72->98%] 75% [58->98%] ...% [...-...%] 14 915 12 000 Children (0-14) >98% [62->98%] >98% [61->98%] ...% [...-...%] 217 213 Women (15+) 96% [71->98%] 85% [63->98%] ...% [...-...%] 5305 4705 Men (15+) 92% [71->98%] 69% [53-94%] ...% [...-...%] 9393 7082

ELIMINATION OF VERTICAL TRANSMISSION			
	2015	2023	
Percentage of pregnant women living with HIV accessing antiretroviral medicines	73% [54–94%]	% [–%]	
Final vertical transmission rate including during breastfeeding	16.7% [11.1–21.8%]	10.0% [9.0–12.0%]	
Early infant diagnosis	82.2% [60.7–106.5%]	83.8% [60.3–121.8%]	

Estimated number of incident tuberculosis cases among people living with HIV (2023)	190 [150–230]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	
HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	
Knowledge of HIV prevention among young	

People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	
HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period (2023)	240
Harm reduction	
 Use of sterile injecting equipment at last injection 	
 Needles and syringes distributed per person who injects 	

3 1 31	
larm reduction	
 Use of sterile injecting equipment at last injection 	
 Needles and syringes distributed per person who injects 	
 Coverage of agonist maintenance therapy 	
— Naloxone available (2024)	No

THE BOLIVARIAN REPUBLIC OF VENEZUELA


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	3900	2900	7600
	[2900–5800]	[1900–4100]	[6300–9200]
New HIV infections (0–14)	1100	760	560
	[980–1300]	[650–900]	[<500–650]
New HIV infections (15-24)	1200	900	3200
	[820–2000]	[540–1400]	[2400–4000]
New HIV infections (women, 15+)	690	540	1800
	[<500–1100]	[<500–780]	[1500–2200]
New HIV infections (men, 15+)	2000	1600	5300
	[1300–3300]	[930–2400]	[4200–6500]
HIV incidence as new infections per 1000 uninfected population	0.13 [0.1–0.2]	<0.1 [<0.1–0.14]	0.27 [0.22–0.32]
AIDS-related deaths			
AIDS-related deaths (all ages)			
	[]	[]	[]
AIDS-related deaths (0–14)			
	[]	[]	[–]
AIDS-related deaths (women, 15+)	 []	 []	[]
AIDS-related deaths (men, 15+)			
	[]	[–]	[–]
People living with HIV			
People living with HIV (all ages)	110 000	110 000	100 000
	[100 000–120 000]	[95 000–110 000]	[91 000–110 000]
People living with HIV (0–14)	5300	5700	4200
	[4800–5700]	[5200–6300]	[3700–4800]
People living with HIV (women, 15+)	27 000	26 000	27 000
	[24 000–29 000]	[24 000–29 000]	[24 000–29 000]
People living with HIV (men, 15+)	79 000	73 000	71 000
	[70 000–87 000]	[64 000–79 000]	[63 000–78 000]
HIV prevalence (15–49) (%)	0.6 [0.6–0.7]	0.5 [0.5–0.6]	0.5 [0.5–0.6]

No No
No
No
No
No restrictions
No law requiring parental/guardian consent
No
No


STIGMA AND DISCRIMINATION		
Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV		
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		•••
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND VIO	LEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		
Percentage of women and men aged 15 to 49		

years who agree that a husband is justified in hitting or beating his wife for specific reasons


EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	0	4 263 000	0	8 520 000	3 424 733	16 207 733




Change in new **HIV** infections **98**% since 2010



Change in AIDSrelated deaths since 2010



Incidence: = 7.5 prevalence ratio




Incidence: 3.69 mortality ratio

KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population	•••			14 600	
HIV prevalence	2.6%	34.1%		35.8%	1%
HIV testing and status awareness	100%	96.6%		94.4%	
Antiretroviral therapy coverage		89.8%			
Condom use	96.3%	56%		18.6%	
Coverage of HIV prevention programmes	8.2%				
Avoidance of health care because of stigma and discrimination	7.5%				
Experience of sexual and/or physical violence					

HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VE	RTICAL TRANSMISSION
	0045

	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	19% [16–22%]	36% [33–41%]
Final vertical transmission rate including during breastfeeding	28.4% [26.7–29.7%]	25.6% [23.8–27.0%]
Early infant diagnosis	% [–%]	7.9% [7.1–8.9%]

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	980 [360–1900]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV PREVENTION

Prevalence of adults (15+) living with HIV with unsuppressed viral load

Knowledge of HIV prevention among young people aged 15-24 years

— Women

Condom use at last sex with a non-marital,

non-cohabiting partner among people aged 15-49 years

— Women

— Men

— Men

Women aged 15-49 years who have their demand for family planning satisfied by modern methods

Men aged 15-49 years who are circumcised

Not applicable

Voluntary medical male circumcisions performed according to national standards

Not applicable

People who received PrEP at least once during the reporting period

Harm reduction

- Use of sterile injecting equipment at last injection
- Needles and syringes distributed per person who injects
- Coverage of agonist maintenance therapy
- Naloxone available (2024) Νo

MIDDLE EAST AND NORTH AFRICA


Numbers of new HIV infections in the Middle East and North Africa increased by 116% between 2010 and 2023 (Figure 6.1). The HIV response remains a long way from achieving coverage targets for HIV by 2025. Yet, with HIV prevalence still very low, the region can rapidly reduce the number of new infections if countries take appropriate and effective actions that meet the needs of the populations most at risk of HIV.

Ostracized and criminalized populations are disproportionally affected by the HIV epidemic. People from key populations and their sex partners accounted for an estimated 84% of new HIV infections in 2022 (Figure 6.2), with gay men and other men who have sex with men experiencing especially steep rises in numbers of new HIV infections (1). Almost 20% of new HIV infections in the region were in young people aged 15–24 years, the majority of them male (55%). These epidemic patterns underscore

2023

Numbers of new HIV infections are rising in the Middle East and North Africa

Figure 6.1 Numbers of new HIV infections and AIDS-related deaths, Middle East and North Africa, 2000–2023



Source: UNAIDS epidemiological estimates, 2024 (https://aidsinfo.unaids.org/).



2023 DATA

- 116% increase in new HIV infections since 2010
- **6%** decrease in AIDS-related deaths since 2010
- People living with HIV:210 000 [170 000–280 000]
- New HIV infections:23 000 [16 000–35 000]
- AIDS-related deaths: 6200 [4100–9400]

Testing and treatment cascade (all ages):

- % of people living with HIV who know their status:
 64 [45–88]
- % of people living with HIV who are on treatment:
 49 [34–68]
- % of people living with HIV who have a suppressed viral load: 45 [36–60]

Financing of the HIV response

 Resource availability for HIV:
 US\$ 164 million [85% gap to meet the 2025 target] the need for scaled-up HIV interventions for people from key populations and especially young people, and for reducing the societal and structural barriers that limit their access to needed services.

Numbers of AIDS-related deaths are declining at a slow rate (by only about 6% between 2010 and 2023). At 49% [34–68%], HIV treatment coverage in the region is the lowest in the world. Treatment coverage is especially low among children (35% [23–49%]) and women (44% [31–62%]). The region is a long way from reaching the 95–95–95 targets.

HIV services are either missing many of the people who are most at risk or are entirely absent. Intense stigma and discrimination marginalize people from key populations and deter them from seeking HIV-related health services. Strong social taboos, punitive laws and affordability barriers also restrict access. Out-of-pocket health spending in the region is among the highest in the world (2).

The region's HIV response is affected by extensive sociopolitical, economic and humanitarian crises, including in the occupied Palestinian territory, Somalia, Sudan, the Syrian Arab Republic and Yemen. In Sudan, almost 15 million people need health assistance, but 70% of health facilities are not operating in hard-to-reach areas (3). Financial support from the Global Fund to Fight AIDS, Tuberculosis and Malaria has enabled the replenishment of stocks of antiretroviral medicines and re-enrolment in treatment of approximately 4000 people living with HIV who dropped out of care because of the ongoing civil war in Sudan (5).


Yet, with an overall HIV burden that is still comparatively low, countries can end AIDS as a public health threat. This will require stronger political and increased funding, including support for community-led and other civil society organizations that serve the needs of people living with, at risk of, or affected by HIV (4).

Even where the removal of punitive laws may be politically unrealistic at the moment, there is scope for relaxing their enforcement in favour of public health objectives so that more people can access HIV services. Total resources available for HIV in the region were US\$ 164 million, which amounts to an 85% gap to meet the 2025 target (Figure 6.3).

The collection of improved and disaggregated HIV-related data, with ensured confidentiality, would contribute to boosting the region's HIV responses. This includes data for key population size estimates; HIV-related risk behaviours and determinants; experiences of stigma, discrimination and violence; and HIV programme coverage, access and quality (6).

The majority of new HIV infections are among people from key populations


Figure 6.2 Distribution of new HIV infections and percentage change among adults, Middle East and North Africa, 2010 and 2022



Source: Korenromp EL, Sabin K, Stover J, Brown T, Johnson LF, Martin-Hughes R, et al. New HIV infections among key populations and their partners in 2010 and 2022, by world region: a multisources estimation. J Acquir Immune Defic Syndr. 2024;95(15):e34–e45.

Resources for HIV in the Middle East and North Africa are in flux

Figure 6.3 Resource availability for HIV, Middle East and North Africa, 2010–2023



 $Source: UNAIDS\ financial\ estimates,\ July,\ 2024\ (http://hivfinancial.unaids.org/hivfinancialdashboards.html).$

Figure 6.4 HIV prevalence among people from key populations compared with adults (aged 15–49 years), reporting countries in the Middle East and North Africa, 2019–2023



Source: Global AIDS Monitoring, 2020–2024; UNAIDS epidemiological estimates, 2024 (https://aidsinfo.unaids.org/). Note: n = number of countries. Total number of reporting countries = 19.

The adult prevalence uncertainty bounds define the range within which the true value lies (if it can be measured). Narrow bounds indicate that an estimate is precise, while wide bounds indicate greater uncertainty regarding the estimate.

Table 6.1 Reported estimated size of key populations, Middle East and North Africa, 2019–2023

Country	National adult population (aged 15-49 years) for 2023 or relevant year	Sex workers	Sex workers as percentage of adult population (aged 15–49 years)	Gay men and other men who have sex with men	Gay men and other men who have sex with men as percentage of adult population (aged 15–49 years)	People who inject drugs	People who inject drugs as percentage of adult population (aged 15–49 years)	Transgender people	Transgender people as percentage of adult population (aged 15-49 years)	People in prisons and other closed settings	People in prisons and other closed settings as percentage of adult population (aged 15–49 years)
Djibouti	625 000										
Morocco	19 503 000									102 700	0.53%
Oman	2 872 000									3500	
	nal median proportion f adult population ars): ^a		0.38%		0.50%		0.10%		0.13%		-

Source: Global AIDS Monitoring, 2020–2024 (https://aidsinfo.unaids.org/). Spectrum DemProj module, 2024.

^a Guide for updating Spectrum HIV estimates, UNAIDS 2024 (https://hivtools.unaids.org/hiv-estimates-training-material-en/).

Estimates shown are government-provided estimates reported for 2019–2023. Additional and alternative estimates may be available from different sources, including the Key Populations Atlas (https://kpatlas.unaids.org/), academic publications and institutional documents.

The regions covered by the local population size estimates are as follows: Oman: Central Prison


Notes:

Note on methodology
"The estimated size of key populations refers to reported values through Global AIDS Monitoring since 2019 only. A comprehensive review of the data was conducted during these reporting rounds and therefore estimates should not be compared with data presented in previous UNAIDS reports. As a result of this process, the estimates reported can be categorized as follows: "National population size estimate" refers to estimates that are empirically derived using one of the following methods: multiplier, capture-recapture, mapping/enumeration, network scale-up method (NSUM) or population-based survey, or respondent-driven sampling-successive sampling (RDS-SS). Estimates had to be national or a combination of multiple sites with a clear approach

to extrapolating to a national estimate.
"Local population size estimate" refers to estimates that are empirically derived using one of the before mentioned methods but only for a subnational group of sites that are insufficient for national extrapolation.


'Insufficient data" refers to estimates derived from expert opinions, Delphi, wisdom of the crowds, programmatic results or registry, regional benchmarks or unknown methods. Estimates may or may not be national."

Figure 6.5 HIV testing and treatment cascade, by age and sex, Middle East and North Africa, 2023




Source: Further analysis of UNAIDS epidemiological estimates, 2024.


Figure 6.6 Distribution of people living with HIV by recent infection, knowledge of status, treatment and viral load suppression, adults (aged 15+ years), Middle East and North Africa, 2019–2023



Source: Further analysis of UNAIDS epidemiological estimates, 2024.

Table 6.2 Laws and policies scorecard, Middle East and North Africa, 2024






Yes, for adolescents aged 17–18 years
Yes, for adolescents aged 15–16 years
Yes, for adolescents aged 13–14 years
Yes, for adolescents aged 12 years or younger

Not addressed in laws or policy

Data not available





No

Data not available

No

Yes

Data not available

No

Yes

Data not available

Criminalization of sex work refers to criminalization of any aspect of sex work, including buying sexual services, selling sexual services, ancillary activities associated with buying or b

С

Criminalization of sex work refers to criminalization of any aspect of sex work, including buying sexual services, and profiting from organizing or managing sex work.

Criminalization of possession of small amounts of drugs refers to the criminalization of possession of any quantity of drugs, including possession of a quantity of drugs sufficient only for personal use. A country is considered to criminalize possession of small amounts of drugs even if marijuana has been decriminalized.

HIV nondisclosure, exposure or transmission may be explicitly criminalized in an HIV-specific law or within a law that covers a broader range of communicable diseases and mentions HIV. They may also be criminalized under a law that covers a broader range of communicable diseases but does not specifically mention HIV. Laws may limit criminalization to cases of actual d and intentional transmission. This refers to cases where a person knows their HIV-positive status, acts with the intention to transmit HIV and does in fact transmit it, in line with the UNDP 2021 Guidance for Prosecutors on HIV-related Criminal Cases. Some countries do not have a law specifically criminalizing HIV nondisclosure, exposure or transmission but the general law has been used to prosecute cases in the past 10 years.

Constitutional or legislative protections against discrimination refer to whether gender identity or sexual orientation is specified as a protected attribute or whether courts or government

have legally recognized that gender identity/sexual orientation/involvement in sex work/involvement in drug use or possession are protected under another attribute.

This figure does not capture where key populations may be de facto criminalized through the misuse of other laws, such as vagrancy or public morality laws, or the use of the above laws for different populations, e.g. transgender people may be targeted using laws criminalizing same-sex sexual activity, or gay men and other men who have sex with men may be targeted using HIV criminalization laws.

Source:

- National Commitments and Policy Instrument, 2024 (http://lawsandpolicies.unaids.org/).
- National Commitments and Policy Instrument, 2022 (http://lawsandpolicies.unaids.org/).
- 4
- National Commitments and Policy Instrument, 2021 (http://lawsandpolicies.unaids.org/). National Commitments and Policy Instrument, 2021 (http://lawsandpolicies.unaids.org/). National Commitments and Policy Instrument, 2019 (http://lawsandpolicies.unaids.org/). National Commitments and Policy Instrument, 2018 (http://lawsandpolicies.unaids.org/).
- National Commitments and Policy Instrument, 2017 (http://lawsandpolicies.unaids.org/).
 Still not welcome: HIV-related travel restrictions. Geneva: UNAIDS and United Nations Development Programme; 2019 (https://www.unaids.org/sites/default/files/media_asset/hiv-6 7
- related-travel-restrictions-explainer_en.pdf).
 Chiam Z, Duffy S, González Gil M, Goodwin L, Mpemba Patel NT. Trans legal mapping report 2019: recognition before the law. Geneva: ILGA World; 2020. 8
- Jordan. Penal Code, Article 307 (https://ahtnc.org.jo/sites/default/files/penal_code.pdf).
- 10
- 12
- Lebanon. Penal Code, Article 521 (https://sherloc.unodc.org/cld/uploads/res/document/lebanon-penal-code_html/Lebanon_Penal_Code_1943.pdf).

 Algeria. Penal Code, Article 343 (https://www.wipo.int/edocs/lexdocs/laws/fr/dz/dz/020fr.pdf).

 Djibouti. Penal Code, 1995 (https://www.ilo.org/dyn/natlex/docs/MONOGRAPH/111743/139414/F1148501931/DJI-111743.pdf).

 Iraq: gender justice and the law. New York: United Nations Development Programme; 2018 (https://arabstates.unfpa.org/sites/default/files/pub-pdf/Iraq%20Country%20 13 Assessment%20-%20English_0.pdf).
- Assessment 2019 Re20Linguist 2019.

 Overview of trafficking and prostitution laws in the Middle East and Africa. London: Thomson Reuters Foundation; 2012 (https://www.trust.org/publications/i/?id=1035fde5-b945-49ed-8cd4-166bc1ec156b).

 Lebanon. Penal Code, Article 523 (https://sherloc.unodc.org/cld/legisltaion/lbn/lebanon_penal_code/_/article_523-524/article_523-524.html?lng=en). 14
- 15
- Somalia. Penal Code, Articles 405, 407 (https://www.refworld.org/docid/4bc5906e2.html).
- United Arab Emirates. Penal Code, Articles 360, 363, 365, 366, 368 (https://cdn.expatwoman.com/s3fs-public/UAE%20Penal%20Code.pdf). 17
- 18 Yemen. Republican Decree for Law No. 12 for the Year 1994 Concerning Crimes and Penalties (https://www.ilo.org/dyn/natlex/docs/ELECTRONIC/83557/92354/F1549605860/
- 19 Mendos LR, Botha K, Carrano Lelis R, Lopez de la Peña E, Savelev I, Tan D. State-sponsored homophobia 2020: global legislation overview update. Geneva: ILGA; 2020.
- https://liga.org/downloads/ILGA_World_State_Sponsored_Homophobia_report_global_legislation_overview_update_December_2020.pdf
 Tunisia. Penal Code, Article 230 (https://learningpartnership.org/sites/default/files/resources/pdfs/Tunisia-Penal-Code-2010-French.pdf).
- 20
- Algeria. Loi No. 04-18 du 13 Dhou El Kaada 1425 Correspondant au 25 Dcembre 2004 Relative la Prvention et la Repression de l'Usage et du Trafic Illicites de Stupfiants et de
- Argena. Lot No. 44-18 du 13 Dhoù et Nadad 1425 Correspondant au 25 Doembre 2004 Relative la Privention et la Repression de l'Usage et du Tranc linicités de Stupriants et de Substances Psychotropes, Article 12 (https://sherloc.unodc.org/cld/uploads/res/document/dza/loi-04-18_html/algeria-loi04-18.pdf).

 Bahrain. Law No. 15 of 2007 with Respect to Narcotic Drugs and Psychotropic Substances, Article 2 (http://www.nhra.bh/files/files/NHRA%20Laws/PPR/Law%20No_%20(15)%20 of%202007%20With%20Respect%20to%20Narcotic%20Drugs%20and%20Psychotropic%20Substances.pdf).

 Djibouti. Penal Code, Articles 355–359 (https://www.ilo.org/dyn/natlex/docs/MONOGRAPH/111743/139414/F1148501931/DJI-111743.pdf). 22
- 23
- 24 25 Iraq. Law No. 11 of 1988, Law on Narcotic Drugs and Psychotropic Substances
- Penalties for drug law offences in Europe at a glance. Lisbon: European Union Drugs Agency (https://www.euda.europa.eu/publications/topic-overviews/content/drug-lawpenalties-at-a-glance_en).
- 26 Lebanon. Lebanese Law on Drug Violations (https://www.aub.edu.lb/faid/Documents/LEBANESE%20SANCTIONS%20ON%20DRUG%20LAW%20VIOLATION.pdf).
- Kingdom of Morocco country overview of the drug situation, 2016. Lisbon: European Union Drugs Agency (https://www.emcdda.europa.eu/publications/country-overviews/ 27
- morocco/2016/html_en#:~:text=Drug%20use%20remains%20a%20criminal,up%20to%20EUR%2060%20000).

 United Arab Emirates. Federal Law 14, 1995 (https://sherloc.unodc.org/cld/uploads/res/document/are/federal-law-no-14-of-1995_html/UAE-fedlaw_14-95.pdf). 28
- Algeria. Penal Code, Article 275 (https://www.equalrightstrust.org/sites/default/files/ertdocs/code_penal.pdf). HIV Justice Network. Amsterdam: HIV Justice Foundation; 2022 (https://www.hivjustice.net). 29
- 30
- 31 Djibouti. Loi No. 174/AN/07/5eme L portant mesures protectrices adaptees a la situation des personnes vivant avec le VIH/SIDA et des groupes vulnerables, Article 18 (https:// natlex.ilo.org/dyn/natlex/fe/details?p3_isn=76117).
 Lebanon. Penal Code, Articles 604, 606 (https://learningpartnership.org/sites/default/files/resources/pdfs/Lebanon%20Penal%20Code%201943%20Arabic.pdf).
- 32
- 33
- Somalia. Penal Code, Article 440 (https://www.refworld.org/legal/legislation/natlegbod/1964/en/7233).

 Djibouti. Decree No. 2008-0182/PR/MS portant Institution des Normes et Directives en Matire de Conseil Dpistage Volontaire du VIH/SIDA en Rpublique de Djibouti, Article 19 34 (http://www.ilo.org/wcmsp5/groups/public/---ed_protect/---protrav/---ilo_aids/documents/legaldocument/wcms_126992.pdf). National consolidated HIV testing services guidelines. Khartoum: Sudan Ministry of Health; 2016.
- 35
- 36 Kuwait. Penal Code, Article 198 (https://perma.cc/CX2W-2KN7).

REFERENCES

- 1 Korenromp EL, Sabin K, Stover J, Brown T, Johnson LF, Martin-Hughes R, et al. New HIV infections among key populations and their partners in 2010 and 2022, by world region: a multisources estimation. J Acquir Immune Defic Syndr. 2024;95(15):e34–e45.

 Arab human development report 2022: expanding opportunities for an inclusive and resilient recovery in the post-Covid era. New York: United Nations Development Programme
- 2 Regional Bureau for Arab States; 2022 (https://www.undp.org/arab-states/publications/arab-human-development-report-2022-expanding-opportunities-inclusive-and-resilient-recoveryost-covid-era).
- WHO Director-General's remarks at the International humanitarian conference for Sudan and its neighbours. Presented at the International Humanitarian Conference for Sudan and 2 Neighbouring Countries, 15 April 2024, Paris, France (https://www.who.int/news-room/speeches/item/who-director-general-s-remarks-at-the-international-humanitarian-conference-forsudan-and-its-neighbours).
- Sudan's unsung heroes: protecting people living with and affected by HIV amidst conflict and famine. Geneva: Joint United Nations Programme on HIV/AIDS; 2024 (https://www.unaids.org/en/resources/presscentre/featurestories/2024/april/20240415_sudan). 3
- 4 Mumtaz GR, Chemaitelly H, AlMukdad S, Osman A, Fahme S, Rizk NA, et al. Status of the HIV epidemic in key populations in the Middle East and north Africa: knowns and unknowns. Lancet HIV. 2022;9(7):e506-e516.
- 5 Karbasi A, Fordjuoh J, Abbas M, Iloegbu C, Patena J, Adenikinju D, et al. An evolving HIV epidemic in the Middle East and North Africa (MENA) region: a scoping review. Int J Environ Res Public Health, 2023;20(5):3844.

ALGERIA

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	1200	1400	2100
	[1100–1300]	[1200–1500]	[1700–2800]
New HIV infections (0–14)	<100	<200	<200
	[<100- <100]	[<200- <200]	[<200- <500]
New HIV infections (15-24)	<500	<500	<500
	[<500-<500]	[<500- <500]	[<500–650]
New HIV infections (women, 15+)	<500	540	860
	[<500–540]	[<500–610]	[650–1100]
New HIV infections (men, 15+)	620	670	1100
	[530–690]	[570–760]	[760–1500]
HIV incidence as new infections per 1000 uninfected population	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]	<0.1 [<0.1– <0.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	<500	<500	<500
	[<500-<500]	[<500- <500]	[<500- <500]
AIDS-related deaths (0–14)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (women, 15+)	<100	<100	<100
	[<100- <200]	[<100- <100]	[<100- <200]
AIDS-related deaths (men, 15+)	<200	<200	<200
	[<200- <200]	[<200- <500]	[<100- <200]
People living with HIV			
People living with HIV (all ages)	10 000	15 000	26 000
	[9500–11 000]	[14 000–15 000]	[23 000–29 000]
People living with HIV (0–14)	<500	620	1300
	[<500-<500]	[590–650]	[1200–1400]
People living with HIV (women, 15+)	4300	6300	11 000
	[4000–4500]	[6000–6600]	[10 000–12 000]
People living with HIV (men, 15+)	5500	7700	13 000
	[4900–5800]	[6900–8300]	[12 000–15 000]
HIV prevalence (15–49) (%)	<0.1 [<0.1– <0.1]	<0.1 [<0.1– <0.1]	<0.1 [<0.1–<0.1]


LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, under law covering communicable diseases not specifically mentioning HIV
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	Yes, imprisonment (up to 14 years)
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 18 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No

Last available report:


STIGMA AND DISCRIMINATIO	N	
Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	2013	2019
(2019 refers to women only)	61	63.8
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND VI	OLEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in		2019
hitting or beating his wife for specific reasons		34.1

EXPENDITURES (in US dollars)					
Funding sources					
Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total


(Refers to women only)




Change in new
HIV infections = 75%
since 2010



Change in AIDSrelated deaths = -9%
since 2010



Incidence:
prevalence = 8.2
ratio




Incidence: = 6.41

KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population					
HIV prevalence					
HIV testing and status awareness					
Antiretroviral therapy coverage					
Condom use					
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TRANSMISSION

	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	19% [18–21%]	27% [25–30%]
Final vertical transmission rate including during breastfeeding	26.7% [25.4–27.9%]	23.7% [21.0–26.0%]
Early infant diagnosis	15.3% [14.2–16.4%]	% [–%]

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	180 [92–300]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV PREVENTION

Prevalence of adults (15+) living with HIV with unsuppressed viral load

Knowledge of HIV prevention among young people aged 15–24 years

— Women

Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years

— Women

— Men

— Men

Women aged 15–49 years who have their demand for family planning satisfied by modern methods (2019)

Not Not

Men aged 15–49 years who are circumcised

applicable Not

66.2%

Voluntary medical male circumcisions performed according to national standards

People who received PrEP at least once

applicable

during the reporting period

...

Harm reduction

- Use of sterile injecting equipment at last injection
- Needles and syringes distributed per person who injects
- Coverage of agonist maintenance therapy
- Naloxone available (2024) No

DJIBOUTI


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	650	<500	<500
	[<500–1100]	[<500–720]	[<500–560]
New HIV infections (0–14)	<200	<100	<100
	[<100- <200]	[<100- <100]	[<100- <100]
New HIV infections (15-24)	<100	<100	<100
	[<100- <200]	[<100- <100]	[<100- <100]
New HIV infections (women, 15+)	<500	<200	<200
	[<200- <500]	[<100- <500]	[<100- <500]
New HIV infections (men, 15+)	<500	<200	<200
	[<200–510]	[<100- <500]	[<200– <500]
HIV incidence as new infections per 1000 uninfected population	0.72 [0.49–1.2]	0.39 [0.22–0.72]	0.29 [0.19–0.51]
AIDS-related deaths			
AIDS-related deaths (all ages)	1100	810	540
	[790–1400]	[540–1200]	[<500–830]
AIDS-related deaths (0–14)	<200	<100	<100
	[<100- <200]	[<100- <100]	[<100- <100]
AIDS-related deaths (women, 15+)	<500	<500	<500
	[<500–580]	[<500-<500]	[<200- <500]
AIDS-related deaths (men, 15+)	540	<500	<500
	[<500–720]	[<500–580]	[<200- <500]
People living with HIV			
People living with HIV (all ages)	13 000	10 000	7300
	[9500–17 000]	[7800–14 000]	[5600–10 000]
People living with HIV (0–14)	1100	810	<500
	[830–1500]	[580–1100]	[<500–650]
People living with HIV (women, 15+)	5500	4600	3600
	[4200–7300]	[3600–6600]	[2800–4900]
People living with HIV (men, 15+)	5900	4700	3300
	[4500–7900]	[3500–6700]	[2500–4800]
HIV prevalence (15–49) (%)	2.1 [1.5–2.8]	1.4 [1.1–2.1]	0.8 [0.6–1.2]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	Data not available
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 18 years
Spousal consent for married women to access sexual and reproductive health services	Data not available
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Data not available


Percentage of women and men aged 15-49		
years who report discriminatory attitudes towards people living with HIV	•••	
Percentage of people living with HIV who		
report experienced stigma and discrimination		
in the general community in the last 12 months		
Percentage of people living with HIV who		
report experiences of HIV-related		•••
discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND VIO	OLEN	CE
Proportion of ever-married or partnered		•••
Proportion of ever-married or partnered women aged 15–49 years who experienced		
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate		
women aged 15–49 years who experienced		
women aged 15–49 years who experienced physical or sexual violence from a male intimate		


hitting or beating his wife for specific reasons

EXPENDITURES (in US dollars)						
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	0	0	0	0	0	0



2 000 0 1 500 0 1 000 0 2010 2023 AIDS-related deaths





Change in new HIV infections = -49% since 2010

Change in AIDSrelated deaths = -50% since 2010 Incidence:
prevalence = 4.5
ratio

Incidence: = 0.56

0.7%

KEY POPULATIONS Men who People who Transgender People in Sex workers have sex inject drugs people prisons with men Estimated size of population **HIV** prevalence 1.9% 2.2% HIV testing and status 100% 100% awareness **Antiretroviral therapy** coverage Condom use Coverage of HIV prevention programmes Avoidance of health care because of stigma and discrimination Experience of sexual and/or physical violence

Estimated number of incident tuberculosis cases among people living with HIV (2023)	85 [58–120]
People living with HIV who started TB preventive therapy (2023)	51.9%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV COMORBIDITIES

6 000 Number of people living with HIM 4 000 2 000 1 000

HIV TESTING AND TREATMENT CASCADE

Prevalence of adults (15+) living with HIV with unsuppressed viral load Knowledge of HIV prevention among young people aged 15–24 years — Women

HIV PREVENTION

0				
0	People living with HIV who know their status	People living with HIV on treatment	People living with HIV who are virally suppressed	
All ages	76% [59– >98%]	31% [24–44%]	23% [18–32%]	
	5597	2292	1671	
Children (0-	22% [15–33%] 92	17% [12–26%] 73	% [–%] 	
Women (15+	80% [64->98%] 2859	33% [27–46%] 1193	24% [19–34%] 872	
Men (15+)	80% [60- >98%] 2646	31% [23–44%] 1026	23% [17–33%] 750	

— Men	
Condom use at last sex with a non-marital,	
non-cohabiting partner among people aged	
15-49 years	

n-cohabiting	partner	among	people	aged
–49 years				
— Women				

Women	aged	15-49	years	who	have	their
demand	for fa	amily p	olannin	g sat	isfied	by

Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable

	- 1-1-
People who received PrEP at least once during the reporting period (2023)	10

Harm reduction

- Men

 Use of sterile injecting equipment at 	
last injection	

 Needles and syringes distributed per
person who injects

 Coverage of agonist maintenance
therapy

 Naloxone available (2024) 	Data not
— Naioxone available (2024)	available

ELIMINATION OF VERTICAL TRANSMISSION

	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	50% [34–67%]	36% [24–50%]
Final vertical transmission rate including during breastfeeding	38.3% [32.3–44.7%]	46.2% [41.0–52.2%]
Early infant diagnosis	13.2% [8.9–17.7%]	21.7% [14.4–29.9%]

EGYPT

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	1100	2100	8100
	[1100–1200]	[1900–2300]	[6700–10 000]
New HIV infections (0–14)	<100	<200	<500
	[<100- <100]	[<200- <200]	[<500- <500]
New HIV infections (15-24)	<500	<500	1600
	[<500- <500]	[<500–510]	[1300–2100]
New HIV infections (women, 15+)	<500	730	2800
	[<500- <500]	[650–820]	[2300–3500]
New HIV infections (men, 15+)	680	1300	5000
	[590–760]	[1100–1500]	[4000–6600]
HIV incidence as new infections per 1000 uninfected population	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]	<0.1 [<0.1– <0.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	<500	<500	800
	[<200- <500]	[<500-<500]	[660–990]
AIDS-related deaths (0–14)	<100	<100	<200
	[<100- <100]	[<100- <100]	[<200- <200]
AIDS-related deaths (women, 15+)	<100	<200	<500
	[<100- <100]	[<200- <200]	[<500- <500]
AIDS-related deaths (men, 15+)	<100	<500	<500
	[<100- <200]	[<200- <500]	[<500- <500]
People living with HIV			
People living with HIV (all ages)	6400	13 000	42 000
	[5900–6900]	[12 000–14 000]	[36 000–50 000]
People living with HIV (0-14)	<200	<500	910
	[<200- <200]	[<500-<500]	[820–1100]
People living with HIV (women, 15+)	2300	4600	14 000
	[2100–2500]	[4400–4900]	[13 000–17 000]
People living with HIV (men, 15+)	3900	8000	27 000
	[3500–4300]	[7100–8600]	[22 000–33 000]
HIV prevalence (15–49) (%)	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	No
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	Yes, penalty not specified
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	Deport, prohibit short- and/or long- stay and require HIV testing or disclosure for some permits
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 18 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes

	STIGMA A	AND DISCRI	MINATION
--	----------	------------	----------

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV

Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months

Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months


GENDER INEQUALITY AND VIOLENCE


Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months


Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons


EXPENDITURES (in US dollars)

	oo donano,					
		Fun	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2023	25 098 892	0	0	212 767	0	25 508 568









Change in new
HIV infections = 609%
since 2010

Change in AIDSrelated deaths = 277% since 2010 Incidence:
prevalence = 19.2
ratio


Incidence: = 8.72

KEY POPULATIONS Men who People who People in Transgender Sex workers have sex inject drugs people prisons with men Estimated size of population **HIV** prevalence HIV testing and status **Antiretroviral therapy** coverage Condom use Coverage of HIV prevention programmes Avoidance of health care because of stigma and discrimination Experience of sexual and/or physical violence

Estimated number of incident tuberculosis cases among people living with HIV (2023)	110 [85–140]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV COMORBIDITIES

HIV TESTING AND TREATMENT CASCADE



HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	<0.1%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period	

- Use of sterile injecting equipment at

— Needles and syringes distributed per

Coverage of agonist maintenance

Harm reduction

last injection

therapy

person who injects

Naloxone available (2024)

ELIMINATION OF VERTICAL TRANSMISSION				
	2015	2023		
Percentage of pregnant women living with HIV accessing antiretroviral medicines	12% [11–13%]	19% [16–22%]		
Final vertical transmission rate including during breastfeeding	44.8% [41.8–48.0%]	48.2% [44.8–52.5%]		
Early infant diagnosis	7.1% [6.5–7.9%]	8.3% [6.8–9.6%]		

Yes


THE ISLAMIC REPUBLIC OF IRAN

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	3400	2000	2600
	[1500–6800]	[810–5400]	[1300–6500]
New HIV infections (0–14)	<200	<200	<200
	[<200-<500]	[<100- <500]	[<100- <500]
New HIV infections (15-24)	920	<500	<500
	[<500–1900]	[<200–1200]	[<500–1200]
New HIV infections (women, 15+)	870	750	1000
	[<500–1800]	[<500–2100]	[500–2500]
New HIV infections (men, 15+)	2300	1100	1500
	[1000–4900]	[<500–2900]	[780–3600]
HIV incidence as new infections per 1000 uninfected population	<0.1 [<0.1–<0.1]	<0.1 [<0.01–<0.1]	<0.1 [<0.1–<0.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	2900	3000	2000
	[2000–3900]	[2000–4300]	[1100–4100]
AIDS-related deaths (0–14)	<200	<100	<100
	[<100- <200]	[<100- <200]	[<100- <500]
AIDS-related deaths (women, 15+)	580	560	520
	[<500–900]	[<500–850]	[<500–1400]
AIDS-related deaths (men, 15+)	2200	2400	1400
	[1600–3000]	[1600–3400]	[880–2600]
People living with HIV			
People living with HIV (all ages)	53 000	46 000	43 000
	[39 000–70 000]	[34 000–66 000]	[30 000–77 000]
People living with HIV (0-14)	750	890	910
	[530–1100]	[640–1300]	[<500–1800]
People living with HIV (women, 15+)	11 000	11 000	15 000
	[7700–14 000]	[8000–18 000]	[9900–27 000]
People living with HIV (men, 15+)	42 000	34 000	28 000
	[31 000–57 000]	[24 000–47 000]	[20 000–49 000]
HIV prevalence (15–49) (%)	0.1 [<0.1–0.1]	<0.1 [<0.1–0.1]	<0.1 [<0.1–0.1]


LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	No
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	Yes, death penalty
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Data not available
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	
Percentage of people living with HIV who	2021
n the general community in the last 12 months	58.7
Percentage of people living with HIV who report experiences of HIV-related	2021
5	41.8
3 3	41.
Proportion of ever-married or partnered	•••
Proportion of ever-married or partnered women aged 15–49 years who experienced ohysical or sexual violence from a male intimate partner in the past 12 months	


EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	0	0	0	0	0	0




Change in new
HIV infections = -22%



Change in AIDSrelated deaths = -32% since 2010




Incidence:
prevalence = 6.1
ratio



Incidence: = 1.26

KEY POPULATIONS					
	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population					
HIV prevalence	1.6%		1.2%	0.8%	0.1%
HIV testing and status awareness	67.1%		96.6%	98.4%	
Antiretroviral therapy coverage					98.0%**
Condom use	60.5%		30.4%	64.6%	
Coverage of HIV prevention programmes	35.1%		11.7%	1.1%	
Avoidance of health care because of stigma and discrimination	27.8%		56.3%	28.4%	
Experience of sexual and/or physical violence ** Programme data—not represent	 tative.		29.6%	60.5%	

HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TRANSMISSION				
	2015	2023		
Percentage of pregnant women living with HIV accessing antiretroviral medicines	29% [16–44%]	32% [15–53%]		
Final vertical transmission rate including during breastfeeding	32.9% [23.3–42.9%]	33.2% [22.3–42.1%]		
Early infant diagnosis	21.3% [11.7–32.0%]	32.0% [14.6–53.2%]		


HIV COMORBIDITIES	
Estimated number of incident tuberculosis cases among people living with HIV (2023)	160 [110–220]
People living with HIV who started TB preventive therapy (2023)	5%
Women who tested positive for HIV among those screened for cervical cancer (programme data) (2019)	40.7%
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment (2019)	

Women who tested positive for HIV among those screened for cervical cancer (programme data) (2019)	40.7%
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment (2019)	
HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	<0.1%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period (2023)	268
Harm reduction	
 Use of sterile injecting equipment at last injection (2023) 	89.4%
 Needles and syringes distributed per person who injects (2022) 	80
 Coverage of agonist maintenance therapy (2021) 	5.4%

KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population					3800
HIV prevalence					
HIV testing and status awareness					
Antiretroviral therapy coverage					
Condom use					
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

HIV TESTING AND TREATMENT CASCADE



HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	0 [0–3]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	***
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period	
Harm reduction	
 Use of sterile injecting equipment at last injection 	
 Needles and syringes distributed per person who injects 	

EXPENDITURES (in US dollars)

Funding sources						
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	0	0	0	0	0	0

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, under law covering communicable diseases not specifically mentioning HIV
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	Yes, death penalty
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	Data not available
Laws or policies restricting the entry, stay and residence of people living with HIV	Deport, prohibit short- and/or long- stay and require HIV testing or disclosure for some permits
Parental consent for adolescents to access HIV testing	Data not available
Spousal consent for married women to access sexual and reproductive health services	Data not available
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Data not available

STIGMA AND DISCRIMINATION

Percentage of women and men aged 15-49 years who report discriminatory attitudes towards people living with HIV

Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months

Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months

GENDER INEQUALITY AND VIOLENCE

Proportion of ever-married or partnered women aged 15-49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months

Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons

JORDAN


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (0–14)			
	[]	[–]	[]
New HIV infections (15-24)	<100	<100	<100
	[<100-<100]	[<100- <100]	[<100- <100]
New HIV infections (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (men, 15+)	<100	<100	<100
	[<100- <100]	[<100-<100]	[<100- <100]
HIV incidence as new infections per 1000 uninfected population	<0.01 [<0.01–<0.01]	<0.01 [<0.01–<0.01]	<0.01 [<0.01–<0.01]
AIDS-related deaths			
AIDS-related deaths (all ages)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100-<100]
AIDS-related deaths (0–14)			
	[–]	[–]	[–]
AIDS-related deaths (women, 15+)	<100	<100	<100
	[<100- <100]	[<100-<100]	[<100- <100]
AIDS-related deaths (men, 15+)	<100	<100	<100
	[<100-<100]	[<100- <100]	[<100- <100]
People living with HIV			
People living with HIV (all ages)	<500	<500	620
	[<500-<500]	[<500-<500]	[510–730]
People living with HIV (0–14)			
	[]	[–]	[–]
People living with HIV (women, 15+)	<100	<100	<200
	[<100- <100]	[<100- <200]	[<100- <200]
People living with HIV (men, 15+)	<200	<500	<500
	[<200-<500]	[<500–<500]	[<500–590]
HIV prevalence (15–49) (%)	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, under law covering communicable diseases not specifically mentioning HIV
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	Yes
Laws or policies restricting the entry, stay and residence of people living with HIV	Deport, prohibit short- and/or long- stay and require HIV testing or disclosure for some permits
Parental consent for adolescents to access HIV testing	No law requiring parental/guardian consent
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No

STIGMA AND DISCRIMINATIO	N	
Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV		
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		•••
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND VI	IOLEN	CE
Proportion of ever-married or partnered	2040	2022


Proportion of ever-married or partnered women aged 15–49 years who experienced	2018	2023
physical or sexual violence from a male intimate partner in the past 12 months	13.8	8.3
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons		

EXPENDITURES (in U	JS dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2020	0	0	0	0	0	0




Change in new
HIV infections = 71%
since 2010

KEY POPULATIONS




Change in AIDS-related deaths = 195% since 2010



Incidence:
prevalence = 6.6
ratio

with HIV




Incidence: = 2.3

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population					
HIV prevalence					
HIV testing and status awareness					
Antiretroviral therapy coverage					
Condom use					
Coverage of HIV prevention					

Collabili use	•••	•••	•••	
Coverage of HIV prevention programmes				
Avoidance of health care because of stigma and discrimination				
Experience of sexual and/or physical violence				

HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TR	ANSMISSIO	N
	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	% [–%]	% [–%]
Final vertical transmission rate including during breastfeeding	% [–%]	% [–%]
Early infant diagnosis	% [–%]	%

Estimated number of incident tuberculosis cases among people living with HIV (2023)	0 [0–3]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living	

People coinfected with HIV and hepatitis C virus starting hepatitis C treatment (2019)

HIV COMORBIDITIES

HIV PREVENTION

Prevalence of adults (15+) living with HIV with unsuppressed viral load

Knowledge of HIV prevention among young people aged 15–24 years

— Women

— Men

Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years

— Women

— Men

Women aged 15–49 years who have their demand for family planning satisfied by modern methods (2023)

Men aged 15–49 years who are circumcised Applicable

Voluntary medical male circumcisions performed according to national standards

Not applicable

54.1%

<0.1%

People who received PrEP at least once during the reporting period

...

Harm reduction

- Use of sterile injecting equipment at last injection
- Needles and syringes distributed per person who injects
- Coverage of agonist maintenance therapy
- Naloxone available (2024)

 Data not
 available

KUWAIT

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	<100	<100	<200
	[<100- <100]	[<100- <100]	[<200- <500]
New HIV infections (0–14)			
	[]	[–]	[]
New HIV infections (15-24)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <200]
New HIV infections (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (men, 15+)	<100	<100	<200
	[<100- <100]	[<100- <100]	[<200-<500]
HIV incidence as new infections per 1000 uninfected population	<0.01 [<0.01–<0.01]	<0.01 [<0.01–<0.01]	<0.1 [<0.1–<0.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (0–14)			
	[–]	[–]	[–]
AIDS-related deaths (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (men, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
People living with HIV			
People living with HIV (all ages)	<500	510	1100
	[<500- <500]	[<500–560]	[930–1500]
People living with HIV (0–14)			
	[–]	[–]	[–]
People living with HIV (women, 15+)	<100	<200	<200
	[<100- <100]	[<100- <200]	[<200-<200]
People living with HIV (men, 15+)	<500	<500	970
	[<200- <500]	[<500-<500]	[780–1200]
HIV prevalence (15-49) (%)	<0.1 [<0.1– <0.1]	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]


LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	Yes, imprisonment (up to 14 years)
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	Deport, prohibit short- and/or long- stay and require HIV testing or disclosure for some permits
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 18 years
Spousal consent for married women to access sexual and reproductive health services	Yes
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV		
Percentage of people living with HIV who report experienced stigma and discrimination		
in the general community in the last 12 months		
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last		
12 months		
GENDER INEQUALITY AND VIO	OLENG	CE
Proportion of ever-married or partnered		•••


STIGMA AND DISCRIMINATION

Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months	
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons	


EXPENDITURES (in	n US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report:						




Change in new
HIV infections = ####
since 2010



Change in AIDSrelated deaths = 207% since 2010



Incidence:
prevalence = 16.1
ratio




Incidence: = 15

KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population					
HIV prevalence					
HIV testing and status awareness					
Antiretroviral therapy coverage					
Condom use					
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL IN	KANSIMISSION
	2015
Percentage of pregnant women living with HIV	%

Final vertical transmission rate including during ...% ...% breastfeeding ...% ...% ...%

[...-..%]

Early infant diagnosis%
[...-...%]

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	2 [0–8]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV PREVENTION

Prevalence of adults (15+) living with HIV with unsuppressed viral load

<0.1%

Knowledge of HIV prevention among young people aged 15–24 years

— Women

— Men

Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years

— Women

— Men

Women aged 15–49 years who have their demand for family planning satisfied by modern methods

Men aged 15–49 years who are circumcised

Voluntary medical male circumcisions Not

performed according to national standards

People who received PrEP at least once

Not applicable

Not

during the reporting period

Harm reduction

2023

...%

[...-..%]

[...-...%]

- Use of sterile injecting equipment at last injection
- Needles and syringes distributed per person who injects
- Coverage of agonist maintenance therapy
- Naloxone available (2024)

accessing antiretroviral medicines

Νo


LEBANON

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	<200	<500	<500
	[<200- <200]	[<500-<500]	[<500-<500]
New HIV infections (0–14)			
	[]	[–]	[–]
New HIV infections (15-24)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (men, 15+)	<200	<500	<500
	[<200- <200]	[<200-<500]	[<200-<500]
HIV incidence as new infections per 1000 uninfected population	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (0–14)			
	[–]	[–]	[–]
AIDS-related deaths (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (men, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
People living with HIV			
People living with HIV (all ages)	1300	2400	2900
	[1200–1400]	[2100–2600]	[2400–3300]
People living with HIV (0–14)			
	[–]	[]	[–]
People living with HIV (women, 15+)	<500	<500	<500
	[<500- <500]	[<500-<500]	[<500- <500]
People living with HIV (men, 15+)	1000	2000	2600
	[880–1100]	[1700–2200]	[2100–3000]
HIV prevalence (15–49) (%)	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]

Yes, under law covering communicable diseases not specifically mentioning HIV
Yes
Yes, imprisonment (up to 14 years)
Yes
Yes
Require HIV testing or disclosure for some permits
Data not available
Data not available
Data not available

STIGMA AND DISCRIMINATIO	N	
Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV		
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		•••
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND VI	OLEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons		

EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	0	0	0	0	0	9 550 000




Change in new
HIV infections = 79%
since 2010

KEY POPULATIONS


Avoidance of health care because of stigma and discrimination

Experience of sexual and/or


physical violence



Change in AIDSrelated deaths = 25% since 2010



Incidence:
prevalence = 9.5
ratio




Incidence: = 5.48 mortality ratio

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population					
HIV prevalence		18.6%			
HIV testing and status awareness		90.1%			
Antiretroviral therapy coverage					
Condom use		53.3%			
Coverage of HIV prevention programmes					

13.5%

HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TRANSMISSION			
	2015	2023	
Percentage of pregnant women living with HIV accessing antiretroviral medicines	% [–%]	% [–%]	
Final vertical transmission rate including during breastfeeding	% [–%]	% [–%]	
Early infant diagnosis	% [–%]	% [–%]	

2107

1956

HIV COMORBIDITIES	
Estimated number of incident tuberculosis cases among people living with HIV (2023)	5 [1–11]
People living with HIV who started TB preventive therapy (2023)	0.4%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	
HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	<0.1%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	•••
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period (2023)	517
Harm reduction — Use of sterile injecting equipment at last injection	
 Needles and syringes distributed per person who injects 	
 Coverage of agonist maintenance therapy 	
— Naloxone available (2024)	Data not available

2164

LIBYA

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)			
	[–]	[–]	[–]
New HIV infections (0–14)			
	[–]	[–]	[–]
New HIV infections (15-24)			
	[–]	[–]	[–]
New HIV infections (women, 15+)			
	[–]	[–]	[–]
New HIV infections (men, 15+)			
	[–]	[–]	[–]
HIV incidence as new infections per 1000 uninfected population	[]	[]	[–]
AIDS-related deaths			
AIDS-related deaths (all ages)	<100	<100	<200
	[<100- <100]	[<100- <100]	[<200- <500]
AIDS-related deaths (0–14)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100-<100]
AIDS-related deaths (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100-<100]
AIDS-related deaths (men, 15+)	<100	<100	<200
	[<100- <100]	[<100-<100]	[<100-<200]
People living with HIV			
People living with HIV (all ages)	4300	5100	6700
	[4000–4600]	[4800–5300]	[6100–7400]
People living with HIV (0–14)	<100	<200	<200
	[<100- <200]	[<200- <200]	[<200-<200]
People living with HIV (women, 15+)	1600	1900	2600
	[1500–1700]	[1800–2000]	[2400–2900]
People living with HIV (men, 15+)	2600	3000	3900
	[2300–2800]	[2700–3300]	[3500–4400]
HIV prevalence (15–49) (%)	<0.1 [<0.1–0.1]	0.1 [0.1–0.1]	0.1 [0.1–0.1]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	Yes, imprisonment (up to 14 years)
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	Yes
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 16 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes

STIGMA AND DISCRIMINATION

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV


Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months

Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months


GENDER INEQUALITY AND VIOLENCE

Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months

Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons



HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TRANSMISSION			
	2015	2023	
Percentage of pregnant women living with HIV accessing antiretroviral medicines	% [–%]	78% [69–88%]	
Final vertical transmission rate including during breastfeeding	% [–%]	% [–%]	
Early infant diagnosis	% [–%]	% [–%]	

MOROCCO

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	1500	1200	970
	[1300–1700]	[970–1400]	[760–1300]
New HIV infections (0–14)	<200	<200	<100
	[<200– <200]	[<200- <200]	[<100- <100]
New HIV infections (15-24)	<500	<200	<100
	[<200- <500]	[<200- <200]	[<100- <200]
New HIV infections (women, 15+)	650	<500	<500
	[550–760]	[<500–530]	[<200- <500]
New HIV infections (men, 15+)	670	580	700
	[560–800]	[<500–740]	[530–940]
HIV incidence as new infections per 1000 uninfected population	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]	<0.1 [<0.1– <0.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	830	650	<500
	[680–1000]	[520–820]	[<500–510]
AIDS-related deaths (0–14)	<200	<100	<100
	[<200–<200]	[<100- <100]	[<100- <100]
AIDS-related deaths (women, 15+)	<500	<500	<200
	[<500-<500]	[<200- <500]	[<200- <200]
AIDS-related deaths (men, 15+)	<500	<500	<500
	[<500-<500]	[<500- <500]	[<200- <500]
People living with HIV			
People living with HIV (all ages)	17 000	19 000	23 000
	[16 000–19 000]	[18 000–21 000]	[21 000–26 000]
People living with HIV (0–14)	850	950	870
	[750–960]	[860–1000]	[780–970]
People living with HIV (women, 15+)	8200	9100	9900
	[7400–9100]	[8200–10000]	[9000–11 000]
People living with HIV (men, 15+)	8100	9400	12 000
	[7200–9200]	[8400–11 000]	[11 000–14 000]
HIV prevalence (15–49) (%)	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]


LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	No
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	Yes, penalty not specified
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 18 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No


Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	
Percentage of people living with HIV who	2021
report experienced stigma and discrimination in the general community in the last 12 months	9
Percentage of people living with HIV who report experiences of HIV-related	2022
discrimination in health-care settings in the last 12 months	21
GENDER INEQUALITY AND VIOLE	ENCE
Proportion of ever-married or partnered women aged 15–49 years who experienced	2019
physical or sexual violence from a male intimate partner in the past 12 months	22.2
Percentage of women and men aged 15 to 49	


STIGMA AND DISCRIMINATION


years who agree that a husband is justified in hitting or beating his wife for specific reasons

EXPENDITURES (in I	JS dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	0	0	0	0	0	0









Change in new **HIV** infections -35% since 2010

physical violence

All ages

Children (0-14)

Women (15+)

Men (15+)

Change in AIDSrelated deaths -53% since 2010

Incidence: = 4.2 prevalence ratio

Incidence: 1.97 mortality ratio

KEY POPULATIONS Men who People who People in Sex workers have sex inject drugs people prisons with men Estimated size of population 102 700 **HIV** prevalence 2.3% 5.3% 5.3% 0.2% HIV testing and status 53.0% 43.0% 49.3% ... awareness **Antiretroviral therapy** coverage 54% 56% 33.3% Condom use Coverage of HIV prevention 54.9% 53.3% 49.3% programmes Avoidance of health care 10% because of stigma and 13.9% 10.8% discrimination Experience of sexual and/or 54.4% 6.1% 30.6%

410 Estimated number of incident tuberculosis cases among people living with HIV (2023) [150-800] People living with HIV who started TB preventive therapy (2023) Cervical cancer screening of women living with HIV People coinfected with HIV and hepatitis C virus starting hepatitis C treatment

HIV COMORBIDITIES

18 000 16 000 Number of people living with HIV 14 000 12 000 10 000 8 000 6 000 4 000 2 000 0 People living with HIV who know People living with HIV on People living with HIV who are their status treatment virally suppressed

74% [67-83%]

85% [76-94%]

80% [72-88%]

68% [60-78%]

16 979

737

7862

8380

69% [63-78%]

80% [72-88%]

75% [68-83%]

64% [56-73%]

15 960

693

7390

7877

HIV TESTING AND TREATMENT CASCADE

HIV PREVENTION

< 0.1%

Not applicable

736

76.7%

with unsuppressed viral load Knowledge of HIV prevention among young people aged 15-24 years — Women — Men

Prevalence of adults (15+) living with HIV

Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15-49 years - Women

Women aged 15-49 years who have their

demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable

-		le circumcisions to national standard
		PrEP at least once period (2022)
Harm reduc	tion	

— Use of sterile injecting equipment at

CITATIATA	M OF VEDT	I ALTOANIC	
ELIMINATIO		CAL INAN	

78% [71-88%]

90% [81->98%]

84% [77-94%]

72% [64-82%]

17 993

8332

8880

	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	30% [27–33%]	60% [55–66%]
Final vertical transmission rate including during breastfeeding	24.7% [23.3–26.0%]	15.7% [12.6–17.8%]
Early infant diagnosis	%	%

— Men

last injection (2023)	/6./%
 Needles and syringes distributed per person who injects (2021) 	90
 Coverage of agonist maintenance therapy (2021) 	34%
— Naloxone available (2024)	Yes

OMAN

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	<100	<200	<200
	[<100- <200]	[<200– <200]	[<100- <200]
New HIV infections (0–14)			
	[]	[–]	[]
New HIV infections (15-24)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (men, 15+)	<100	<200	<100
	[<100- <100]	[<200- <200]	[<100- <200]
HIV incidence as new infections per 1000 uninfected population	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	<100	<100	<100
	[<100- <100]	[<100- <200]	[<100- <100]
AIDS-related deaths (0–14)			
	[]	[–]	[–]
AIDS-related deaths (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (men, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
People living with HIV			
People living with HIV (all ages)	1700	2600	2800
	[1500–1800]	[2400–2900]	[2400–3100]
People living with HIV (0-14)			
	[–]	[–]	[–]
People living with HIV (women, 15+)	<500	580	730
	[<500-<500]	[530–630]	[650–820]
People living with HIV (men, 15+)	1200	2000	2000
	[1100–1300]	[1900–2200]	[1700–2200]
HIV prevalence (15–49) (%)	<0.1 [<0.1– <0.1]	<0.1 [<0.1– <0.1]	<0.1 [<0.1–<0.1]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	Yes, imprisonment (up to 14 years)
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	Yes
Laws or policies restricting the entry, stay and residence of people living with HIV	Deport, prohibit short- and/or long- stay and require HIV testing or disclosure for some permits
Parental consent for adolescents to access HIV testing	No law requiring parental/guardian consent
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes

STIGMA AND DISCRIMINATION
Percentage of women and men aged 15–49

years who report discriminatory attitudes towards people living with HIV

Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months

Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months


GENDER INEQUALITY AND VIOLENCE

Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months


Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons

EXPENDITURES (in US dollars)


Funding sources						
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	0	0	0	0	0	0




Change in new
HIV infections = 12%
since 2010



Change in AIDSrelated deaths = 28% since 2010



Incidence:
prevalence = 3.8
ratio



Incidence: = 1.97

KEY POPULATIONS					
	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population					
HIV prevalence					0.8%
HIV testing and status awareness					
Antiretroviral therapy coverage					
Condom use					
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

2 500 Number of people living with HIV 2 000 1 500 1 000 500 0 People living with HIV who know People living with HIV on People living with HIV who are their status treatment virally suppressed All ages 85% [75-94%] 73% [65–81%] 67% [59-74%] 2339 2022 1849 Children (0-14) ...% [...-...%] ...% [...-...%] ...% [...-...%] 17 Women (15+) 89% [79->98%] 78% [70–88%] 73% [65-82%]

HIV TESTING AND TREATMENT CASCADE

ELIMINATION OF VERTICAL TRANSMISSION			
	2015	2023	
Percentage of pregnant women living with HIV accessing antiretroviral medicines	% [–%]	% [–%]	
Final vertical transmission rate including during breastfeeding	% [–%]	% [–%]	
Early infant diagnosis	60.0% [55.1–67.5%]	% [–%]	

570

1430

72% [62-80%]

528

1304

65% [57-73%]

HIV COMORBIDITIES	
Estimated number of incident tuberculosis cases among people living with HIV (2023)	8 [3–16]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment (2019)	

with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment (2019)	
HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	<0.1%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period	
Harm reduction — Use of sterile injecting equipment at last injection	
 Needles and syringes distributed per person who injects 	
 Coverage of agonist maintenance therapy 	
— Naloxone available (2024)	No

645

1667

83% [73-94%]

Men (15+)

QATAR

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	<100	<100	<200
	[<100- <100]	[<100- <100]	[<100- <200]
New HIV infections (0–14)			
	[]	[]	[–]
New HIV infections (15-24)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100-<100]
New HIV infections (women, 15+)	<100	<100	<100
	[<100-<100]	[<100- <100]	[<100- <100]
New HIV infections (men, 15+)	<100	<100	<100
	[<100- <100]	[<100-<100]	[<100- <200]
HIV incidence as new infections per 1000 uninfected population	<0.01 [<0.01–<0.1]	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	<100	<100	<100
	[<100-<100]	[<100- <100]	[<100- <100]
AIDS-related deaths (0–14)			
	[–]	[]	[–]
AIDS-related deaths (women, 15+)	<100	<100	<100
	[<100- <100]	[<100-<100]	[<100- <100]
AIDS-related deaths (men, 15+)	<100	<100	<100
	[<100- <100]	[<100-<100]	[<100- <100]
People living with HIV			
People living with HIV (all ages)	<100	<500	820
	[<100- <200]	[<500- <500]	[670–1000]
People living with HIV (0–14)			
	[–]	[]	[–]
People living with HIV (women, 15+)	<100	<100	<200
	[<100-<100]	[<100-<100]	[<200- <200]
People living with HIV (men, 15+)	<100	<500	680
	[<100- <200]	[<200-<500]	[550–840]
HIV prevalence (15–49) (%)	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	No
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	Yes, death penalty
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	Data not available
Laws or policies restricting the entry, stay and residence of people living with HIV	Deport, prohibit short- and/or long- stay and require HIV testing or disclosure for some permits
Parental consent for adolescents to access HIV testing	Data not available
Spousal consent for married women to access sexual and reproductive health services	Data not available
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes

	STIGMA A	AND DISCRII	MINATION
--	----------	-------------	----------

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV

Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months

Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months


GENDER INEQUALITY AND VIOLENCE

Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months


Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons

EXPENDITURES (in US dollars)


	,					
		Fun	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	0	0	0	0	0	0




Change in new
HIV infections = 585%
since 2010



Change in AIDSrelated deaths = 262% since 2010



Incidence:
prevalence = 14.0
ratio




Incidence: = 8.96

KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population					
HIV prevalence					
HIV testing and status awareness					
Antiretroviral therapy coverage					
Condom use					
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TRANSMISSION

	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	% [–%]	% [–%]
Final vertical transmission rate including during breastfeeding	% [–%]	% [–%]
Early infant diagnosis	% [–%]	% [–%]

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	6 [1–13]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment (2019)	

HIV PREVENTION

Prevalence of adults (15+) living with HIV with unsuppressed viral load	<0.1%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable

during the reporting period

Harm reduction

Use of sterile injecting equipment at last injection

Voluntary medical male circumcisions

performed according to national standards

People who received PrEP at least once

- Needles and syringes distributed per person who injects
- Coverage of agonist maintenance therapy
- Naloxone available (2024)
 Data not available

Not

applicable

SAUDI ARABIA


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	<100	<500	1500
	[<100- <200]	[<500-<500]	[1300–1800]
New HIV infections (0–14)			
	[–]	[–]	[–]
New HIV infections (15-24)	<100	<100	<500
	[<100- <100]	[<100- <100]	[<500- <500]
New HIV infections (women, 15+)	<100	<100	<200
	[<100- <100]	[<100- <100]	[<200– <200]
New HIV infections (men, 15+)	<100	<500	1300
	[<100- <100]	[<200-<500]	[1100–1600]
HIV incidence as new infections per 1000 uninfected population	<0.01 [<0.01–<0.01]	<0.01 [<0.01–<0.01]	<0.1 [<0.1–<0.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	<500	<500	<200
	[<500-<500]	[<500- <500]	[<100- <200]
AIDS-related deaths (0–14)			
	[–]	[–]	[–]
AIDS-related deaths (women, 15+)	<100	<100	<100
	[<100- <200]	[<100- <100]	[<100- <100]
AIDS-related deaths (men, 15+)	<500	<500	<100
	[<500-<500]	[<200- <500]	[<100- <200]
People living with HIV			
People living with HIV (all ages)	7300	6700	11 000
	[6600–7900]	[6000–7400]	[10 000–13 000]
People living with HIV (0–14)			
	[–]	[–]	[–]
People living with HIV (women, 15+)	1700	1400	1600
	[1500–1800]	[1300–1600]	[1500–1800]
People living with HIV (men, 15+)	5400	5100	9600
	[4900–6000]	[4600–5700]	[8600–11 000]
HIV prevalence (15–49) (%)	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	No, but the general law has been used to prosecute cases in the past 10 years
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	Yes, death penalty
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	Yes
Laws or policies restricting the entry, stay and residence of people living with HIV	Deport, prohibit short- and/or long- stay and require HIV testing or disclosure for some permits
Parental consent for adolescents to access HIV testing	No law requiring parental/guardian consent
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV		
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		•••
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND V	IOLEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in		


hitting or beating his wife for specific reasons

EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	0	0	0	0	0	0




New HIV infections


Change in new
HIV infections = ####



Change in AIDSrelated deaths = -68% since 2010



Incidence:
prevalence = 13.0
ratio




Incidence: = 9.24

KEY POPULATIONS

since 2010

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population	•••				10 600
HIV prevalence					
HIV testing and status awareness					
Antiretroviral therapy coverage					
Condom use					
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TRANSMISSION					
	2015	2023			
Percentage of pregnant women living with HIV accessing antiretroviral medicines	% [–%]	% [–%]			
Final vertical transmission rate including during breastfeeding	% [–%]	% [–%]			
Early infant diagnosis	[NULL]% [[NULL]–[NULL]%]	% [–%]			

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	65 [48–85]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV PREVENTION

Prevalence of adults (15+) living with HIV with unsuppressed viral load	<0.1%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Managed 45 40 are made and discounting	Not

Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period	
Harm reduction — Use of sterile injecting equipment at	

- Use of sterile injecting equipment at last injection
 Needles and syringes distributed per person who injects
 Coverage of agonist maintenance
 - Coverage of agonist maintenance
 therapy

Νo

SOMALIA


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)			
	[–]	[–]	[–]
New HIV infections (0–14)			
	[–]	[–]	[]
New HIV infections (15-24)			
	[–]	[–]	[]
New HIV infections (women, 15+)			
	[]	[]	[]
New HIV infections (men, 15+)			
	[–]	[–]	[–]
HIV incidence as new infections per 1000 uninfected population	[]	[]	[]
AIDS-related deaths			
AIDS-related deaths (all ages)	1500	980	<500
	[1300–1900]	[790–1200]	[<500–540]
AIDS-related deaths (0–14)	<500	<200	<100
	[<500- <500]	[<200– <500]	[<100- <200]
AIDS-related deaths (women, 15+)	630	<500	<200
	[520–780]	[<500–500]	[<100- <500]
AIDS-related deaths (men, 15+)	590	<500	<200
	[<500–720]	[<500-<500]	[<200- <500]
People living with HIV			
People living with HIV (all ages)	16 000	12 000	8200
	[14 000–19 000]	[10 000–14 000]	[7000–9500]
People living with HIV (0-14)	2600	1900	1000
	[2200–3100]	[1600–2300]	[840–1200]
People living with HIV (women, 15+)	6900	5200	4000
	[5900–8300]	[4500–6200]	[3500–4600]
People living with HIV (men, 15+)	6400	4600	3200
	[5400–7500]	[3900–5500]	[2700–3700]
HIV prevalence (15–49) (%)	0.2 [0.2–0.3]	0.1 [0.1–0.2]	<0.1 [<0.1–<0.1]


LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, under law covering communicable diseases not specifically mentioning HIV
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	Yes, death penalty
Criminalization of possession of small amounts of drugs	Data not available
Criminalization of transgender people	Data not available
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	No law requiring parental/guardian consent
Spousal consent for married women to access sexual and reproductive health services	Data not available
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Data not available


Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	•••	
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		•••
GENDER INEQUALITY AND VI	OLENCE	
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		
Percentage of women and men aged 15 to 49		


hitting or beating his wife for specific reasons

EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2019	0	0	0	6 467 638	0	6 467 638









Change in new **HIV** infections since 2010

Change in AIDS--74% related deaths since 2010

Incidence: prevalence ratio

Incidence: mortality ratio


KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population					
HIV prevalence					0.4%
HIV testing and status awareness					
Antiretroviral therapy coverage					
Condom use					
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	260 [160–400]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV TESTING AND TREATMENT CASCADE



HIV PREVENTION

Prevalence	of adults	(15+) living	with HIV
with unsup	pressed v	iral load	

Knowledge of HIV prevention among young pe

ople	aged	15–24	years		
_	Wome	en			

Condom use at last sex with a non-marital, non-cohabiting partner among people aged

15-49 years

— Women

— Men

Women aged 15-49 years who have their demand for family planning satisfied by modern methods

Not Men aged 15-49 years who are circumcised applicable

Voluntary medical male circumcisions performed according to national standards

People who received PrEP at least once during the reporting period

Harm reduction

- Use of sterile injecting equipment at last injection
- Needles and syringes distributed per person who injects
- Coverage of agonist maintenance therapy
- Data not Naloxone available (2024) available

ELIMINATION OF VERTICAL TRANSMISSION

	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	12% [10–14%]	47% [38–56%]
Final vertical transmission rate including during breastfeeding	% [–%]	% [–%]
Early infant diagnosis	% [–%]	3.3% [2.7–3.9%]

Not

applicable

SUDAN

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	2800	3200	5500
	[2100–3800]	[2300–4900]	[3300–9900]
New HIV infections (0–14)	630	680	930
	[<500–850]	[510–960]	[620–1500]
New HIV infections (15-24)	630	680	1200
	[<500–890]	[<500–1100]	[<500–2300]
New HIV infections (women, 15+)	1100	1200	2000
	[770–1500]	[810–1900]	[1200–3800]
New HIV infections (men, 15+)	1100	1300	2500
	[790–1600]	[900–2200]	[1500–4700]
HIV incidence as new infections per 1000 uninfected population	<0.1 [<0.1–0.11]	<0.1 [<0.1–0.13]	0.11 [<0.1–0.21]
AIDS-related deaths			
AIDS-related deaths (all ages)	1600	1900	2300
	[1100–2300]	[1400–2700]	[1500–3700]
AIDS-related deaths (0–14)	<500	<500	590
	[<500–550]	[<500–640]	[<500–910]
AIDS-related deaths (women, 15+)	670	760	840
	[<500–950]	[550–1100]	[520–1300]
AIDS-related deaths (men, 15+)	520	690	870
	[<500–840]	[<500–1100]	[<500–1500]
People living with HIV			
People living with HIV (all ages)	26 000	31 000	48 000
	[20 000–33 000]	[24 000–41 000]	[36 000–75 000]
People living with HIV (0-14)	3100	3500	4600
	[2200–4100]	[2500–4700]	[3300–6600]
People living with HIV (women, 15+)	12 000	13 000	20 000
	[9100–15 000]	[10 000–18 000]	[15 000–31 000]
People living with HIV (men, 15+)	11 000	14 000	23 000
	[8600–15 000]	[10 000–19 000]	[17 000–36 000]
HIV prevalence (15–49) (%)	0.1 [<0.1–0.2]	0.1 [0.1–0.2]	0.2 [0.1–0.3]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	No, but the general law has been used to prosecute cases in the past 10 years
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	Yes, imprisonment (14 years - life)
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	Deport, prohibit short- and/or long- stay and require HIV testing or disclosure for some permits
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 18 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes

SIIGIV	A AND I	DISCRIMI	NAHON

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV

Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months

Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months


GENDER INEQUALITY AND VIOLENCE

Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months


Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons

EXPENDITURES (in US dollars)


	,					
		Fun	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	0	0	0	0	0	0




Change in new
HIV infections = 96%
since 2010



Change in AIDS-related deaths = 43% since 2010



Incidence:
prevalence = 11.3
ratio




Incidence: = 2.14

KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population					
HIV prevalence	0.4%	0.9%			
HIV testing and status awareness					
Antiretroviral therapy coverage					
Condom use					
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TRANSMISSION

	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	6% [5–9%]	3% [2–4%]
Final vertical transmission rate including during breastfeeding	38.6% [36.8–41.1%]	39.6% [37.3–42.5%]
Early infant diagnosis	% [–%]	% [%]

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	550 [170–1200]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV PREVENTION

Prevalence of adults (15+) living with HIV with unsuppressed viral load

Knowledge of HIV prevention among young people aged 15–24 years

— Women

Men

Condom use at last sex with a non-marital,

non-cohabiting partner among people aged 15–49 years

— Women

— Men

Women aged 15–49 years who have their demand for family planning satisfied by modern methods

Men aged 15–49 years who are circumcised

Not applicable

Voluntary medical male circumcisions performed according to national standards

Not applicable

People who received PrEP at least once during the reporting period

...

Harm reduction

- Use of sterile injecting equipment at last injection
- Needles and syringes distributed per person who injects
- Coverage of agonist maintenance therapy
- Naloxone available (2024)
 Data not available

SYRIAN ARAB REPUBLIC

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	<100	<100	<100
	[<100-<100]	[<100- <100]	[<100-<100]
New HIV infections (0–14)			
	[]	[–]	[–]
New HIV infections (15-24)	<100	<100	<100
	[<100-<100]	[<100-<100]	[<100- <100]
New HIV infections (women, 15+)	<100	<100	<100
	[<100-<100]	[<100- <100]	[<100-<100]
New HIV infections (men, 15+)	<100	<100	<100
	[<100-<100]	[<100-<100]	[<100- <100]
HIV incidence as new infections per 1000 uninfected population	<0.01 [<0.01–<0.01]	<0.01 [<0.01–<0.01]	<0.01 [<0.01–<0.01]
AIDS-related deaths			
AIDS-related deaths (all ages)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100-<100]
AIDS-related deaths (0–14)			
	[–]	[–]	[–]
AIDS-related deaths (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (men, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
People living with HIV			
People living with HIV (all ages)	<500	<500	740
	[<500-<500]	[<500- <500]	[650–840]
People living with HIV (0-14)			
	[–]	[–]	[–]
People living with HIV (women, 15+)	<200	<200	<500
	[<200- <200]	[<100- <200]	[<200- <500]
People living with HIV (men, 15+)	<500	<500	520
	[<500-<500]	[<500-<500]	[<500–600]
HIV prevalence (15–49) (%)	<0.1 [<0.1–<0.1]	<0.1 [<0.1-<0.1]	<0.1 [<0.1–<0.1]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, under law covering communicable diseases not specifically mentioning HIV
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	Yes, imprisonment (up to 14 years)
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	Deport, prohibit short- and/or long- stay and require HIV testing or disclosure for some permits
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 16 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes

STIGMA AND DISCRIMINATION

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV


Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months

Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months


GENDER INEQUALITY AND VIOLENCE

Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months

Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons



HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TRANSMISSION			
	2015	2023	
Percentage of pregnant women living with HIV accessing antiretroviral medicines	% [–%]	% [–%]	
Final vertical transmission rate including during breastfeeding	% [–%]	% [–%]	
Early infant diagnosis	% [–%]	% [–%]	

TUNISIA

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	560	570	880
	[<500–850]	[<500–880]	[510–1400]
New HIV infections (0–14)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (15-24)	<200	<200	<200
	[<100- <200]	[<100- <200]	[<100- <500]
New HIV infections (women, 15+)	<100	<200	<500
	[<100- <200]	[<100- <500]	[<200- <500]
New HIV infections (men, 15+)	<500	<500	610
	[<500–670]	[<500–650]	[<500–1000]
HIV incidence as new infections per 1000 uninfected population	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]	<0.1 [<0.1–0.12]
AIDS-related deaths			
AIDS-related deaths (all ages)	<200	<500	<500
	[<200- <500]	[<200–510]	[<500–640]
AIDS-related deaths (0–14)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <200]
AIDS-related deaths (men, 15+)	<200	<500	<500
	[<100- <500]	[<200- <500]	[<200- <500]
People living with HIV			
People living with HIV (all ages)	4400	5700	8000
	[2900–6400]	[3900–8300]	[5700–12 000]
People living with HIV (0-14)	<200	<200	<200
	[<100- <200]	[<100- <500]	[<200- <500]
People living with HIV (women, 15+)	1100	1400	2300
	[730–1600]	[990–2000]	[1600–3400]
People living with HIV (men, 15+)	3200	4200	5600
	[2100–4700]	[2900–6200]	[3800–8400]
HIV prevalence (15–49) (%)	<0.1 [<0.1–<0.1]	<0.1 [<0.1–0.1]	0.1 [<0.1–0.1]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, under law covering communicable diseases not specifically mentioning HIV
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	Yes, imprisonment (up to 14 years)
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	Prohibit short- and/or long-stay and require HIV testing or disclosure for some permits
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 18 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No

STIGMA	AND DISCRI	IMINATION
	TITO DISCIT	

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV

Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months

Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months


GENDER INEQUALITY AND VIOLENCE

Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months

Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons

EXPENDITURES (in US dollars)


	,					
Funding sources						
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	0	0	0	0	0	0




Change in new HIV infections **59%** since 2010

Experience of sexual and/or


physical violence



Change in AIDSrelated deaths 88% since 2010



Incidence: = 11.0 prevalence ratio



Incidence: 2.22 mortality ratio

KEY POPULATIONS Men who People who Transgender People in Sex workers have sex inject drugs people prisons with men Estimated size of population **HIV** prevalence 0.5% 8.2% 8.8% HIV testing and status awareness Antiretroviral therapy coverage Condom use ... Coverage of HIV prevention programmes Avoidance of health care because of stigma and discrimination

	2 500				
ith HIV	2 000				_
Number of people living with HIV	1 500				
of people	1 000				
Number	500				
	0				
		D I . I	1	December 12, 2 cm. 201, 1000 cm.	December 19, 25 on 2015 100 Million and
		People I	iving with HIV who know their status	People living with HIV on treatment	People living with HIV who are virally suppressed
All ag	ges	People I			
All aç	ges	People I	their status	treatment	virally suppressed
	ges Iren (0–		their status 26% [18–39%]	treatment 25% [18–37%]	virally suppressed 24% [17–35%]
		14)	their status 26% [18–39%] 2106 26% [18–38%]	treatment 25% [18–37%] 2036 23% [16–33%]	virally suppressed 24% [17–35%] 1901 16% [11–24%]

HIV TESTING AND TREATMENT CASCADE

ELIMINATION OF VERTICAL TRANSMISSION			
	2015	2023	
Percentage of pregnant women living with HIV accessing antiretroviral medicines	19% [14–26%]	18% [12–26%]	
Final vertical transmission rate including during breastfeeding	32.0% [29.4–34.2%]	32.5% [29.2–35.2%]	
Early infant diagnosis	20.3% [14.6–27.8%]	7.6% [5.2–11.1%]	

1342

1235

Estimated number of incident tuberculosis cases among people living with HIV (2023)	33 [11–67]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

People coinfected with HIV and hepatitis C	
virus starting hepatitis C treatment	
HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	<0.1%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period	
Harm reduction	
 Use of sterile injecting equipment at last injection 	
 Needles and syringes distributed per person who injects (2019) 	49
 Coverage of agonist maintenance therapy 	
— Naloxone available (2024)	No

1392

YEMEN

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	930	1100	1600
	[610–1400]	[660–1700]	[870–2700]
New HIV infections (0–14)	<200	<200	<200
	[<100- <200]	[<100- <500]	[<100- <500]
New HIV infections (15-24)	<200	<200	<500
	[<200- <500]	[<200- <500]	[<200- <500]
New HIV infections (women, 15+)	<500	<500	640
	[<500–550]	[<500–650]	[<500–1100]
New HIV infections (men, 15+)	<500	510	780
	[<500–660]	[<500–830]	[<500–1400]
HIV incidence as new infections per 1000 uninfected population	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]	<0.1 [<0.1– <0.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	<500	<500	640
	[<500-<500]	[<500–710]	[<500–1100]
AIDS-related deaths (0–14)	<100	<100	<200
	[<100-<200]	[<100- <200]	[<100- <200]
AIDS-related deaths (women, 15+)	<200	<200	<500
	[<100-<200]	[<200-<500]	[<200-<500]
AIDS-related deaths (men, 15+)	<200	<500	<500
	[<100- <200]	[<200-<500]	[<200- <500]
People living with HIV			
People living with HIV (all ages)	7300	9300	15 000
	[5400–10 000]	[6400–13 000]	[9600–24 000]
People living with HIV (0–14)	<500	650	930
	[<500–650]	[<500–910]	[580–1400]
People living with HIV (women, 15+)	3100	3900	6400
	[2300–4300]	[2700–5600]	[4000–10 000]
People living with HIV (men, 15+)	3700	4700	7900
	[2700–5200]	[3300–6800]	[4900–13 000]
HIV prevalence (15–49) (%)	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]	<0.1 [<0.1–0.1]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	Yes, death penalty
Criminalization of possession of small amounts of drugs	Data not available
Criminalization of transgender people	Data not available
Laws or policies restricting the entry, stay and residence of people living with HIV	Deport, prohibit short- and/or long- stay and require HIV testing or disclosure for some permits
Parental consent for adolescents to access HIV testing	Data not available
Spousal consent for married women to access sexual and reproductive health services	Data not available
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Data not available

STIGMA AND DISCRIMINATION

Percentage of women and men aged 15–49 ... years who report discriminatory attitudes towards people living with HIV


Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months

Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months


GENDER INEQUALITY AND VIOLENCE

Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months

Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons



HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TR	RANSMISSIO	N
	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	2% [1–2%]	14% [9–22%]
Final vertical transmission rate including during breastfeeding	43.7% [41.3–46.7%]	40.4% [37.9–43.0%]
Early infant diagnosis	% [–%]	% [–%]


WESTERN AND CENTRAL AFRICA

Annual numbers of new HIV infections in western and central Africa declined by 46% between 2010 and 2023 (Figure 7.1). The high numbers of new infections among people from key populations (1) and adolescent girls and young women are challenges, however, and call for increased investment in primary prevention programmes (Figure 7.2). In 2023, adolescent girls and young women aged 15–24 years accounted for 19% of all new HIV infections.

The expansion of differentiated services for HIV treatment have yielded marked progress, with 81% [62–97%] of people living with HIV knowing their status, 76% [59–92%] receiving antiretroviral therapy, and 70% [61–81%] having a suppressed viral load. The number of adults aged 15 years and over receiving HIV treatment has more than doubled since 2015. Between 2010 and 2023, numbers of AIDS-related deaths decreased by 55%.

Since 2010, numbers of new HIV infections have declined by 46% and AIDS-related deaths by 56%

Figure 7.1 Numbers of new HIV infections and AIDS-related deaths, western and central Africa, 2000–2023



Source: UNAIDS epidemiological estimates, 2024 (https://aidsinfo.unaids.org/).



2023 DATA

- 46% decrease in new HIV infections since 2010
- **55%** decrease in AIDS-related deaths since 2010
- People living with HIV:
 5.1 million
 [4.5 million–5.9 million]
- New HIV infections:
 190 000 [130 000–280 000]
- AIDS-related deaths:
 130 000 [100 000–170 000]

Testing and treatment cascade (all ages):

- % of people living with HIV who know their HIV status: 81 [62–97]
- % of people living with HIV who are on treatment:
 76 [59–92]
- % of people living with HIV who are virally suppressed:
 70 [61–81]

Financing of the HIV response:

Resource availability for HIV:
 US\$ 2.2 billion [16% gap to meet the 2025 target]


Several countries are close to reaching the HIV testing and treatment 95–95–95 targets among their adult populations aged 15 years and over, including Burundi and the Democratic Republic of the Congo. Paediatric HIV is a top priority in the region, but only a little over a third (35% [25–44%]) of children living with HIV were receiving treatment in 2023. The region is home to 20% of pregnant women living with HIV globally, but about half of them (46%) are not on treatment. A combination of strong political commitment, technical expertise and community mobilization, however, is needed to continue progress towards preventing vertical transmission of HIV.

Efforts to bring about legal reforms and combat stigmatization and discrimination are under way in several countries despite increased hostility towards key populations and human rights—as seen, for example, in Ghana's Human Sexual Rights and Family Values Bill, 2023. If passed, the Bill would criminalize LGBTQI+ people and their ability to advocate for their own rights (2). HIV-related discrimination remains commonplace—surveys show that between 33% (Gabon) and 79% (Mauritania) of people harbour discriminatory attitudes towards people living with HIV (3). Young people still face age-of-access limitations for access to HIV testing—eight countries still require parental or guardian consent for HIV testing for young people aged under 18 years. Women face a number of barriers, including for access to sexual and reproductive health services.

There was an increase (10%) in total HIV resources for the region in 2023, driven mainly by increases from international resources (Figure 7.3). Domestic resources declined annually by 3% in 2023, however—a decline of about 10% from the peak in 2018. Several national HIV programmes rely heavily on donor funds. Both HIV prevention programmes and societal enabler programmes require boosts in domestic spending. Even though over a third of new HIV infections occur among people from key populations, their clients and other sex partners (1), only about 1% of total HIV spending goes towards prevention interventions for people from these populations (4, 5). Renewed advocacy for increased investments is needed urgently to promote a human rights-based HIV response, with a focus on scaling up prevention, ending gender inequalities, and stopping HIV-related stigma and discrimination.

34% of new HIV infections were among people from key populations and their sex partners in 2022


Figure 7.2 Distribution of new HIV infections and percentage change among adults, western and central Africa, 2010 and 2022



Source: Korenromp EL, Sabin K, Stover J, Brown T, Johnson LF, Martin-Hughes R, et al. New HIV infections among key populations and their partners in 2010 and 2022, by world region: a multisources estimation. J Acquir Immune Defic Syndr. 2024;95(1S):e34–e45.


Resources for HIV are below the target and mostly from external sources

Figure 7.3 Resource availability for HIV, western and central Africa, 2010–2023



 $Source: UNAIDS\ financial\ estimates,\ July,\ 2024\ (http://hivfinancial.unaids.org/hivfinancialdashboards.html).$

Figure 7.4 HIV prevalence among people from key populations compared with adults (aged 15–49 years), reporting countries in western and central Africa, 2019–2023



Source: UNAIDS Global AIDS Monitoring, 2020–2024; UNAIDS epidemiological estimates, 2024 (https://aidsinfo.unaids.org/).

Note: n = number of countries. Total number of reporting countries = 25.

The adult prevalence uncertainty bounds define the range within which the true value lies (if it can be measured). Narrow bounds indicate that an estimate is precise, while wide bounds indicate greater uncertainty regarding the estimate.

Table 7.1 Reported estimated size of key populations, western and central Africa, 2019–2023

Country	National adult population (aged 15–49 years) for 2023 or relevant year	Sex workers	Sex workers as percentage of adult population (aged 15-49 years)	Gay men and other men who have sex with men	Gay men and other men who have sex with men as percentage of adult population (aged 15-49 years)	People who inject drugs	People who inject drugs as percentage of adult population (aged 15-49 years)	Transgender people	Transgender people as percentage of adult population (aged 15–49 years)	People in prisons and other closed settings	People in prisons and other closed settings as percentage of adult population (aged 15–49 years)
Benin	6 538 000					800	0.01%	2200	0.04%		
Burkina Faso	11 312 000	50 600	0.46%							5000	0.05%
Cameroon	14 198 000										
Central African Republic	2 920 000	3900		3000						1500	
Chad	8 203 000	33 800		8200							
Côte d'Ivoire	15 455 000					2600		700		43 500	0.28%
Democratic Republic of the Congo	57 323 000	525 700	0.95%			168 200	0.30%	56 500	0.10%	36 700	0.07%
Gambia	1 349 000	5500	0.41%							700	0.06%
Ghana	16 642 000										
Guinea	6 925 000	49 000	0.73%			600		700			
Mali	10 610 000	18 100		4100							
Mauritania	2 230 000	8500		7600							
Niger	11 892 000										
Nigeria	114 614 000									78 600	0.07%
Senegal	8 780 000			52 500	0.65%						
Sierra Leone	4 350 000	11 500		3200		7600		1100			
Togo	4 513 000	29 400	0.69%							5800	0.13%
Estimated regional median proportion as percentage of adult population (aged 15–49 years): ^a			0.79%		0.57%		0.18%		0.09%		-

Global AIDS Monitoring, 2020–2024 (https://aidsinfo.unaids.org/).

Source:

Spectrum DemProj module, 2024.

Guide for updating Spectrum HIV estimates, UNAIDS 2024 (https://hivtools.unaids.org/hiv-estimates-training-material-en/).

Notes:

Estimates shown are government-provided estimates reported for 2019–2023. Additional and alternative estimates may be available from different sources, including the Key Populations Atlas (https://kpatlas.unaids.org/), academic publications and institutional documents.

The regions covered by the local population size estimates are as follows:

Central African Republic: Capitale (Bangui), Préfectures (Berberati and Bouar), Sous-préfetures (Boali and Carnot) (sex workers and gay men and other men who have sex with men); Bambari, Bangui, Bossangoa, Bouar (transgender people)

Chad: Abéchém, Ati/Oum-Hadjer, Bongor, Doba, Koumra, Moundou, N'Djaména, Sarh (sex workers); Abéché, Ati, Bongor, Koumra, Moundou, N'Djaména, Oum-Hadjer, Sarh (gay men and other men who have sex with men)

Côte d'Ivoire: Bouaké, San-Pédro, Yamoussoukro (people who inject drugs); Abidjan (transgender people)


Guinea: Conakry

Mali: Bamako, Kayes, Koulikoro, Mopti, Ségou, Sikasso (sex workers); Bamako, Gao, Kayes, Koulikoro, Mopti, Ségou, Sikasso (gay men and other men who have sex with men) Mauritania: 6 biggest cities in the country
Sierra Leone: Bo (South), Bombali (North), Kenema (East), Port Loko (North West), Western Rural, Western Urban (sex workers and transgender people); Bo (South), Bombali

Sierra Leone: Bo (South), Bombali (North), Kenema (East), Port Loko (North West), Western Rural, Western Urban (sex workers and transgender people); Bo (South), Bombali (North), East, Kenema, Kono, Port Loko (Northwest), Western Rural, Western Urban (gay men and other men who have sex with men); Bo (South), Bombali (North), East, Kenema, Port Loko (Northwest), Western Rural, Western Urban (people who inject drugs);


Note on methodology

Figure 7.5 HIV testing and treatment cascade, by age and sex, western and central Africa, 2023



Source: Further analysis of UNAIDS epidemiological estimates, 2024.

Figure 7.6 Distribution of people living with HIV by recent infection, knowledge of status, treatment and viral load suppression, adults (aged 15+ years), western and central Africa, 2019–2023



Source: Further analysis of UNAIDS epidemiological estimates, 2024.

[&]quot;The estimated size of key populations refers to reported values through Global AIDS Monitoring since 2019 only. A comprehensive review of the data was conducted during these reporting rounds and therefore estimates should not be compared with data presented in previous UNAIDS reports. As a result of this process, the estimates reported can be categorized as follows: "National population size estimate" refers to estimates that are empirically derived using one of the following methods: multiplier, capture-recapture, mapping/enumeration, network scale-up method (NSUM) or population-based survey, or respondent-driven sampling–successive sampling (RDS-SS). Estimates had to be national or a combination of multiple sites with a clear approach to extrapolating to a national estimate.

[&]quot;Local population size estimate" refers to estimates that are empirically derived using one of the before mentioned methods but only for a subnational group of sites that are insufficient for national extrapolation.

[&]quot;Insufficient data" refers to estimates derived from expert opinions, Delphi, wisdom of the crowds, programmatic results or registry, regional benchmarks or unknown methods. Estimates may or may not be national."


Table 7.2 Laws and policies scorecard, western and central Africa, 2024

Country	Criminalization of transgender people*	Criminalization of sex work ^b	Criminalization of same-sex sexual acts in private	Criminalization of possession of small amounts of drugs ^c	Laws criminalizing HIV nondisclosure, exposure or transmission ^d	Laws or policies restricting the entry, stay and residence of people living with HIV	Parental or guardian consent for adolescents to access HIV testing
Benin	1		1			7	39
Burkina Faso	2		1			7	1
Burundi	8	10	18	24	30	7	5,40
Cabo Verde		11	18	25	30	7	
Cameroon	2		2		2	7	1,41
Central African Republic	1	12	1			7	42
Chad	2	13	2			7	43
Congo	4		4			7	4
Côte d'Ivoire	1	14	1	26	31	7	44
Democratic Republic of the Congo	4		18	27	32	7	45
Equatorial Guinea	3	15	2	28	3	7	46
Gabon	2		2		2	7	4
Gambia	1	16	19		33	7	4
Ghana	1		1		34	7	47
Guinea	2		20			7	48
Guinea-Bissau	4		4	29	30	7	
Liberia	1		1			7	49
Mali	3	17	3			7	50
Mauritania	2		2			7	3
Niger	3		21			7	3
Nigeria	2	1	1		35	7	1
Sao Tome and Principe	4	4	4		30	7	4
Senegal	1	1	22		36	7	1
Sierra Leone	1	1	1		37	7	1,51
Тодо	2	1	23	1	38	7	1



Not addressed in laws or policy

Data not available





- Criminalization of transgender people refers to laws that criminalize people based on their gender identity or expresssion, such as laws against cross-dressing or impersonating the
- criminalization of sex work refers to criminalization of any aspect of sex work, including buying sexual services, selling sexual services, ancillary activities associated with buying or b selling sexual services, and profiting from organizing or managing sex work.

 Criminalization of possession of small amounts of drugs refers to the criminalization of possession of any quantity of drugs, including possession of a quantity of drugs sufficient С
- only for personal use. A country is considered to criminalize possession of small amounts of drugs even if marijuana has been decriminalized.

 HIV nondisclosure, exposure or transmission may be explicitly criminalized in an HIV-specific law or within a law that covers a broader range of communicable diseases and mentions HIV. They may also be criminalized under a law that covers a broader range of communicable diseases but does not specifically mention HIV. Laws may limit criminalization to cases of actual d and intentional transmission. This refers to cases where a person knows their HIV-positive status, acts with the intention to transmit HIV and does in fact transmit it, in line with the UNDP 2021 Guidance for Prosecutors on HIV-related Criminal Cases. Some countries do not have a law specifically criminalizing HIV nondisclosure, exposure or transmission but the general law has been used to prosecute cases in the past 10 years.

 Constitutional or legislative protections against discrimination refer to whether gender identity or sexual orientation is specified as a protected attribute or whether courts or government
- have legally recognized that gender identity/sexual orientation/involvement in sex work/involvement in drug use or possession are protected under another attribute.

This figure does not capture where key populations may be de facto criminalized through the misuse of other laws, such as vagrancy or public morality laws, or the use of the above laws for different populations, e.g. transgender people may be targeted using laws criminalizing same-sex sexual activity, or gay men and other men who have sex with men may be targeted using HIV criminalization laws.

Source:

- National Commitments and Policy Instrument, 2024 (http://lawsandpolicies.unaids.org/)
- National Commitments and Policy Instrument, 2022 (http://lawsandpolicies.unaids.org/).
- National Commitments and Policy Instrument, 2021 (http://lawsandpolicies.unaids.org/). National Commitments and Policy Instrument, 2021 (http://lawsandpolicies.unaids.org/). National Commitments and Policy Instrument, 2019 (http://lawsandpolicies.unaids.org/). National Commitments and Policy Instrument, 2018 (http://lawsandpolicies.unaids.org/). 4
- 6 7
- National Commitments and Policy Instrument, 2017 (http://lawsandpolicies.unaids.org/).
 Still not welcome: HIV-related travel restrictions. Geneva: UNAIDS and United Nations Development Programme; 2019 (https://www.unaids.org/sites/default/files/media_asset/hivrelated-travel-restrictions-explainer_en.pdf).
 Chiam Z, Duffy S, González Gil M, Goodwin L, Mpemba Patel NT. Trans legal mapping report 2019: recognition before the law. Geneva: ILGA World; 2020.
 Burkina Faso. Penal Code (Loi N° 025-2018/AN), 2019, Article 533-20 (https://www.refworld.org/docid/3ae6b5cc0.html).
- 8
- 9
- $Burundi.\ Penal\ Code\ (Loi\ N^{\circ}1/27\ du\ 29\ d\'{e}cembre\ 2017), Articles\ 548, 539-546\ (https://www.droit-afrique.com/uploads/Burundi-Code-2017-penal.pdf).$ 10
- Cabo Verde. Penal Code (https://www.wipo.int/edocs/lexdocs/laws/pt/cv/cv001pt.pdf).
- 12
- Central African Republic. Penal Code (Loi N°10.001), Article 90 (https://www.wipo.int/edocs/lexdocs/laws/fr/cf/cf003fr.pdf). Chad. Penal Code (Loi N°2017–01 du 8 mai 2017), 2017, Articles 351, 335 and 336 (https://www.droit-afrique.com/uploads/Tchad-Code-penal-2017.pdf). 13
- 14
- 15
- 16
- 17
- Criad. Perial Code (Lot N2 of 17-01 du 6 mai 2017), 2017, Articles 331, 333 and 338 (https://www.tdoi.ea/anduc.com/upibads/16/ad-Code-perial-2017.pdf).
 Côte d'Ivoire. Penal Code, Article 335, 843 (https://www.refworld.org/legal/legislation/natlegbod/1981/fr/40021).
 Equatorial Guinea. Penal Code, Article 452(bis) (https://admin.dullahomarinstitute.org.za/acj/resource-centre/penal-code-of-equatorial-guinea-1963/view).
 Gambia. Criminal Code, Articles 129, 135, 136, 138 (https://www.ilo.org/dyn/natlex/docs/SERIAL/75289/107490/F973061365/GMB75289%20pp%201284_1316.pdf).
 Mali. Penal Code (Loi N° 61-99 AN-RM du 3 août 1961), Article 179 (https://wipolex.wipo.int/en/text/193676)
 Mendos LR, Botha K, Carrano Lelis R, Lopez de la Peña E, Savelev I, Tan D. State-sponsored homophobia 2020: global legislation overview update. Geneva: ILGA; 2020. https:// 18
- ilga.org/downloads/ILGA_World_State_Sponsored_Homophobia_report_global_legislation_overview_update_December_2020.pdf
 Gambia. Criminal Code (Amendment) Act, 2014, Article 144A (https://database.ilga.org/api/downloader/download/1/GM%20-%20LEG%20-%20Criminal%20Code%20
 (Amendment)%20Act%20(2014)%20-%20OR-OFF%20(en).pdf).
 Guinea. Penale Code, Article 274 (https://www.refworld.org/docid/44a3eb9a4.html). 19
- 20
- Niger. Code Penal (Loi N° 2003-025 du 13 juin 2003) (https://database.ilga.org/apii/downloader/download/1/NE%20-%20LEG%20-%20Penal%20Code%20(2003)%20-%20OR(fr).pdf). Senegal. Code Penal, Article 319 (https://www.ilo.org/dyn/natlex/docs/ELECTRONIC/70562/85594/F-2143944421/SEN-70562.pdf). Togo. Penal Code, Articles 392 and 393 (https://www.ilo.org/dyn/natlex/docs/ELECTRONIC/104616/127692/F-194593081/TGO-104616.pdf). 21
- 22
- 24
- Burundi. Code Penal (https://www.droit-afrique.com/uploads/Burundi-Code-2017-penal.pdf). Cabo Verde. Lei No. 78/IV/93, Article 20 (https://www.ccad.cv/site/index.php/publicacao/send/5-bo-drogas/16-lei-da-droga-1). 25
- Côte d'Ivoire. Loi N° 88-686 portant répression du trafic et de l'usage illicite des stupéfiants, Article 8 (https://sherloc.unodc.org/cld/uploads/res/document/civ/loi-88-686 26 html/1988-17-F.pdf).
- 27
- Democratic Republic of the Congo. Arrêté ministériel n°1250/CAB/MIN/SPHP/038/ DCA/CPh/2022 du 24 novembre 2022, Article 2 (https://www.leganet.cd/Legislation/Droit%20 economique/Reglementationproduits/AIM.24.11.2022%20canabis.html#:~:text=L%27 exploitation%20des%20stup%C3%A9fiants%20et,que%20celles%20m%C3%A9dicales%20 fixed for the congound of the congound of the congoundation of th
- 28 Equatorial Guinea. Decree 3/1993 prohibiting production, sale, use trafficking of drugs (https://digitallibrary.un.org/record/234942/files/E_NL.1997_12-EN.pdf?ln=zh_CN). Guinea-Bissau. Decreto-Lei n 2-B de 28 de Outubro de 1993 (https://fecongd.org/pdf/crianca/CodigoPenal.pdf).
- 29
- 30
- HIV Justice Network. Amsterdam: HIV Justice Foundation; 2022 (https://www.hivjustice.net).

 Côte d'Ivoire. Act No. 2014-430 of 14 July 2014 on prevention, protection and repression in the fight against HIV and AIDS (https://www.pnlsci.com/wp-content/uploads/2020/08/ 31 LOI-VIH-PROMULGUEE.pdf).

 Democratic Republic of the Congo. Law No. 08/011 of 14 July 2008 for the protection of the rights of people living with HIV/AIDS and affected persons, Article 41 (https://toolkit.
- 32 hivjusticeworldwide.org/wp-content/uploads/2018/10/Loi-08_011_Modifie%CC%81e.pdf).

 Gambia. Criminal Code, Article 170 (https://www.policinglaw.info/assets/downloads/Gambian_Criminal_Code.pdf).

 Ghana. National HIV and AIDS, STI Policy (https://www.healthpolicyproject.com/pubs/153_Policyfinal.pdf).
- 33
- 34
- 35
- Nigeria. Sexual Offences Bill 2015, s26 (1) (https://www.hivjustice.net/country/ng/). Senegal. Loi N° 2010-03 relative au VIH et au SIDA, Article 36 (https://www.cners.sn/public/docs/1587483828.pdf).
- 37
- 38
- 39
- Seirera Leone. National HIV and AIDS Commission Act, 2011 (https://www.ilo.org/dyn/natlex/docs/MONOGRAPH/94292/110645/F-1423921567/ SLE94292%20Eng.pdf).
 Togo. Loi 2010-018, Article 61 (https://cnlstogo.org/cnls/politiques/).
 Benin. Strategie nationale de demedicalisation du Depitage du VIH, 2017 (https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8442095/#R64).
 Burundi. Addendum aux directives nationales d'utilisation des antiretroviraux pour la prevention et le traitment du VIH, 2018 (https://minisante.gov.bi/wp-content/uploads/pnls/Addendum%20aux%20Directives%20AVDAtionales%20d%20dW20Jellisation%20des%20ARV%20pour%20la%20prevention/20de/ScUTraitment%20dux%20VIH.pdf. 40
- 41 Cameroon. National quideline on the prevention and management of HIV, 2015 (https://www.childrenandaids.org/sites/default/files/2018-05/Cameroon_Nat%20Guidelines%20 HIV_2015.pdf).
- 42
- Central African Republic. Loi N. 22-016 relative au VIH et au SIDA.
 Chad. Loi N019/PR/2007 du 15 Novembre 2007 portant lutte contre VIH/SIDA/IST et protection des Droits des Personnes Vivant avec le VIH/SIDA, Articles 10 and 21 43
- (https://www.ilo.org/wcmsp5/groups/public/---ed_protect/---protrav/---ilo_aids/documents/legaldocument/wcms_126793.pdf).
- Côte d'Ivoire. Document de politique, normes et procedures des services de depistage du VIH, Edition 2016 (https://www.pnlsci.com/wp-content/uploads/2022/02/directives-44 2016-depistage-vih.pdf).
- Democratic Republic of the Congo. Loi No. 18/012 du 09 juillet 2018, Article 37 (https://toolkit.hivjusticeworldwide.org/fr/resource/loi-n18012-du-09-juillet-2018-modifiant-et-completant-la-loi-n-08011-du-14-juillet-2008-portant-protection-des-droits-des-personnes-vivant-avec-le-vihsida-et-des-personnes-affectees/). 45
- 46 Equatorial Guinea. Ley N 3/2005 de fecha 9 de mayo sobre la prevencion y la lucha contra las infecciones de transmision sexual/VIH SIDA y la defensa de los derechos humanos de las personas afectada, Article 25
- Ghana. Consolidated guidelines for HIV care, 2022 (https://www.differentiatedservicedelivery.org/wp-content/uploads/CONSOLIDATED-GUIDELINES-FOR-HIV-CARE-IN-GHANA.pdf). Guinea. Ordonnance n056/2009/PRG/SGG relative la prevention, la prise en charge et le controle du VIH / sida, Article 22a (https://www.ilo.org/dyn/natlex/docs/ 48
- ELECTRONIC/110861/138035/F369965148/GIN-110861.pdf).
- Liberia. Integrated Guidelines for Prevention, Care and Treatment of HIV and AIDS November, 2022 (https://www.differentiatedservicedelivery.org/wp-content/uploads/HIV-49 Treatment-Guidelines_2022_Liberia.pdf).
- 50
- Mali. Normes et Procdures des Services de Dpistage du VIH: Haut Conseil National de Lutte Contre le SIDA, 2017.
 Sierra Leone. Consolidated guidelines on HIV prevention, diagnosis, treatment and care, 2020 (https://www.differentiatedservicedelivery.org/wp-content/uploads/Consolidated_ HIV_Guidelines_FINAL_VALIDATED_October_2020.pdf).

REFERENCES

- Korenromp EL, Sabin K, Stover J, Brown T, Johnson LF, Martin-Hughes R, et al. New HIV infections among key populations and their partners in 2010 and 2022, by world region: a multisources estimation. J Acquir Immune Defic Syndr. 2024;95(15):e34–e45.
- 2 We are facing extinction: escalating anti-LGBTI sentiment, the weaponization of law and their human rights implications in select African countries. London: Amnesty International; 2024 (https://www.amnesty.org/en/documents/afr01/7533/2024/en/).
- Population-based surveys, 2019-2023.
- UNAIDS financial estimates, 2024. Geneva: Joint United Nations Programme on HIV/AIDS; 2024.
- UNAIDS epidemic estimates, 2024. Geneva: Joint United Nations Programme on HIV/AIDS; 2024.

WESTERN AND CENTRAL AFRICA

289

BENIN

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	5000	2900	1400
	[3900–6400]	[2100–4400]	[840–2500]
New HIV infections (0–14)	2000	1100	510
	[1500–2500]	[700–1700]	[<500–980]
New HIV infections (15-24)	1200	690	<500
	[710–1600]	[<500–1100]	[<200–580]
New HIV infections (women, 15+)	1700	1100	570
	[1300–2500]	[690–1800]	[<500–1100]
New HIV infections (men, 15+)	1200	670	<500
	[930–1800]	[<500–1100]	[<200–610]
HIV incidence as new infections per 1000 uninfected population	0.53 [0.42–0.69]	0.26 [0.19–0.4]	<0.1 [<0.1–0.18]
AIDS-related deaths			
AIDS-related deaths (all ages)	2800	2700	1400
	[2200–3600]	[2000–3800]	[1000–2100]
AIDS-related deaths (0–14)	1400	1200	<500
	[1100–1700]	[830–1500]	[<500–760]
AIDS-related deaths (women, 15+)	550	640	<500
	[<500–830]	[<500–1100]	[<500–660]
AIDS-related deaths (men, 15+)	820	880	520
	[560–1100]	[620–1200]	[<500–760]
People living with HIV			
People living with HIV (all ages)	68 000	71 000	68 000
	[58 000–80 000]	[61 000–84 000]	[57 000–82 000]
People living with HIV (0-14)	12 000	11 000	6600
	[9500–14 000]	[8500–13 000]	[4900–9000]
People living with HIV (women, 15+)	34 000	38 000	40 000
	[29 000–40 000]	[32 000–45 000]	[34 000–49 000]
People living with HIV (men, 15+)	22 000	23 000	21 000
	[19 000–27 000]	[19 000–27 000]	[18 000–26 000]
HIV prevalence (15–49) (%)	1.1 [1.0–1.3]	1.0 [0.9–1.2]	0.7 [0.6–0.8]


LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 18 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No

STIGMA AND DISCRIMINATIO	N	
Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	2014	
	67.1	
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		•••
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND VI	OLEN	Œ
Proportion of ever-married or partnered women aged 15–49 years who experienced	2018	2022
physical or sexual violence from a male intimate partner in the past 12 months	13.9	9.8
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in		2022


25.6


hitting or beating his wife for specific reasons

EXPENDITURES (in US dollars)						
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2023	3 293 625	0	5 244 133	11 055 710	79 985	20 232 762



5 000 5 000 eldo 4 000 3 000 2 000 1 000 0 2010 AIDS-related deaths





Change in new HIV infections since 2010

Change in AIDSrelated deaths since 2010

Incidence: prevalence = 2.0ratio

Incidence: mortality ratio*

* The incidence:mortality in 2023 is not published if the country has not achieved antiretroviral therapy coverage of 91% (95% x 95%) or higher (the testing and treatment target for 2025).

KEY POPULATIONS					
	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population	•••		800	2200	
HIV prevalence	7.2%	8.3%	2.1%	21.9%	1.2%
HIV testing and status awareness	64.8%	92.9%	59.8%	72.7%	
Antiretroviral therapy coverage					
Condom use	90.4%	56.6%	71.3%	64.6%	
Coverage of HIV prevention programmes	15.1%	71.3%	26.8%		
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence	62.3%	55.9%	56.1%	69.4%	

860 [520–1300]

HIV COMORBIDITIES

Men (15+)		39 980 77% [65–95%]	% [%]	36 106 70% [59–85%]
Women (15	+)	2903 >98% [84->98%]	2368	2152 90% [76– >98%]
Children (0-	-14)	44% [33–61%]	36% [27–50%]	33% [25–45%]
-		59 194		52 943
All ages		88% [74– >98%]	% [–%]	78% [66–96%]
0	People	living with HIV who know their status	People living with HIV on treatment	People living with HIV who are virally suppressed
20 000				
gg 30 000				
40 000				
Mmper of people living with HW 50 000 40 000 20 000 10 0000 10 000 10 000 10 000 10 000 10 000 10 000 10 000 10 000 10 00				
€ 60 000				
70 000				

People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	
HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	0.1%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods (2022)	31.8%
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period (2023)	1430
Harm reduction	
 Use of sterile injecting equipment at last injection (2022) 	67.2%
 Needles and syringes distributed per person who injects (2022) 	97
 Coverage of agonist maintenance therapy 	
— Naloxone available (2024)	Yes

ELIMINATION OF VERTICAL TRANSMISSION				
	2015	2023		
Percentage of pregnant women living with HIV accessing antiretroviral medicines	71% [58–89%]	100% [80–100%]		
Final vertical transmission rate including during breastfeeding	17.7% [13.8–21.5%]	9.6% [8.6–14.6%]		
Early infant diagnosis	20.7% [17.1–26.2%]	53.2% [42.6–66.9%]		

WESTERN AND CENTRAL AFRICA 291

BURKINA FASO


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	5900	4100	1900
	[4500–7700]	[3200–5400]	[1300–2600]
New HIV infections (0–14)	2500	2100	900
	[1900–3200]	[1600–2600]	[620–1200]
New HIV infections (15-24)	1500	890	<500
	[900–2000]	[590–1200]	[<500–650]
New HIV infections (women, 15+)	1900	1200	590
	[1300–2600]	[780–1800]	[<500–960]
New HIV infections (men, 15+)	1500	860	<500
	[1100–2200]	[550–1300]	[<500–600]
HIV incidence as new infections per 1000 uninfected population	0.37 [0.28–0.48]	0.22 [0.17–0.29]	<0.1 [<0.1–0.11]
AIDS-related deaths			
AIDS-related deaths (all ages)	6200	4800	2600
	[4800–7900]	[3700–6200]	[2000–3500]
AIDS-related deaths (0–14)	2000	1500	730
	[1600–2500]	[1100–1900]	[<500–960]
AIDS-related deaths (women, 15+)	2100	1200	790
	[1500–2800]	[830–1700]	[540–1100]
AIDS-related deaths (men, 15+)	2000	2100	1100
	[1500–2600]	[1700–2700]	[880–1500]
People living with HIV			
People living with HIV (all ages)	120 000	110 000	95 000
	[100 000–140 000]	[97 000–130 000]	[84 000–110 000]
People living with HIV (0–14)	21 000	16 000	9500
	[17 000–24 000]	[13 000–19 000]	[7200–12 000]
People living with HIV (women, 15+)	55 000	56 000	55 000
	[48 000–63 000]	[50 000–65 000]	[49 000–63 000]
People living with HIV (men, 15+)	43 000	38 000	31 000
	[37 000–50 000]	[33 000–44 000]	[27 000–35 000]
HIV prevalence (15–49) (%)	1.2 [1.0–1.3]	0.9 [0.8–1.0]	0.6 [0.5–0.6]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 18 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	•••	
Percentage of people living with HIV who		
report experienced stigma and discrimination in the general community in the last 12 months		
Percentage of people living with HIV who report experiences of HIV-related		2020
discrimination in health-care settings in the last 12 months		9.9
GENDER INEQUALITY AND VIOL	LEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced		2021
physical or sexual violence from a male intimate partner in the past 12 months		9.8
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in		

hitting or beating his wife for specific reasons

EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2023	16 225 571	0	3 716 701	17 413 371	0	37 355 644



10 000 8 000 6 000 2 000 2010

AIDS-related deaths

Change in new
HIV infections = -68%
since 2010

** Programme data—not representative.

24 702


Change in AIDS-related deaths = -57%

Incidence:
prevalence = 1.9
ratio

Incidence: = 0.53

KEY POPULATIONS Men who People who People in Sex workers have sex inject drugs people prisons with men Estimated size of population 50,600 5000 **HIV** prevalence 6.8% 27.1% 1.3% HIV testing and status 57.0% 61.4% **Antiretroviral therapy** 22.5%** 21.8%** 15.0% ... coverage 69.5% Condom use Coverage of HIV prevention 18.2% 36.3% programmes Avoidance of health care because of stigma and 11.3% 1.9% discrimination Experience of sexual and/or 26.7% 8.2% physical violence

HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TRANSMISSION				
	2015	2023		
Percentage of pregnant women living with HIV accessing antiretroviral medicines	39% [33–47%]	71% [61–83%]		
Final vertical transmission rate including during breastfeeding	26.8% [24.3–28.9%]	17.4% [13.7–20.4%]		
Early infant diagnosis	20.7% [17.7–25.1%]	19.3% [16.8–22.9%]		

20 417

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	640 [400–950]
People living with HIV who started TB preventive therapy (2023)	33.2%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	
HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	0.2%

Knowledge of HIV prevention among young people aged 15–24 years

	9	,		
_	Women			

Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years (2021)

— Men	80.6%
Women aged 15–49 years who have their demand for family planning satisfied by	65%
modern methods (2021)	

52%

Men aged 15–49 years who are circumcised	Not applicable
	аррисавіс

Voluntary medical male circumcisions	Not
performed according to national standards	applicable

People who received PrEP at least once	2200
during the reporting period (2023)	2200

Harm reduction

— Women

- Use of sterile injecting equipment at last injection
- Needles and syringes distributed per person who injects
- Coverage of agonist maintenance therapy
- Naloxone available (2024)
 Data not available

WESTERN AND CENTRAL AFRICA 293

18 826

BURUNDI


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	4500	3100	1600
	[3500–5800]	[2200–4200]	[1200–2200]
New HIV infections (0–14)	1100	<500	<500
	[790–1400]	[<500–660]	[<500–620]
New HIV infections (15-24)	1400	960	<500
	[910–1800]	[610–1300]	[<500–680]
New HIV infections (women, 15+)	1900	1600	740
	[1400–2500]	[1100–2100]	[530–1000]
New HIV infections (men, 15+)	1500	1100	<500
	[1100–2000]	[730–1500]	[<500–630]
HIV incidence as new infections per 1000 uninfected population	0.5 [0.38–0.64]	0.29 [0.21–0.39]	0.12 [<0.1–0.17]
AIDS-related deaths			
AIDS-related deaths (all ages)	5400	3200	1200
	[4300–6600]	[2300–4200]	[880–1800]
AIDS-related deaths (0–14)	970	<500	<500
	[770–1200]	[<500–590]	[<200- <500]
AIDS-related deaths (women, 15+)	2400	1200	<500
	[1800–3000]	[810–1600]	[<500–690]
AIDS-related deaths (men, 15+)	2100	1500	<500
	[1600–2600]	[1200–1900]	[<500–710]
People living with HIV			
People living with HIV (all ages)	94 000	85 000	81 000
	[84 000–110 000]	[76 000–97 000]	[73 000–93 000]
People living with HIV (0-14)	12 000	7800	4000
	[9700–14 000]	[6400–9700]	[3100–5300]
People living with HIV (women, 15+)	48 000	47 000	48 000
	[43 000–54 000]	[42 000–53 000]	[43 000–55 000]
People living with HIV (men, 15+)	35 000	31 000	29 000
	[30 000–39 000]	[28 000–36 000]	[26 000–33 000]
HIV prevalence (15–49) (%)	1.7 [1.5–1.9]	1.3 [1.2–1.5]	0.9 [0.8–1.0]


LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	Yes, imprisonment (up to 14 years)
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 16 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No

STIGMA AND DISCRIMINATION	V	
Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV		
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		•••
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND VIO	OLEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in		


hitting or beating his wife for specific reasons


EXPENDITURES (i	in US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report:						





6 000





Change in new
HIV infections = -64%
since 2010

Experience of sexual and/or

physical violence

Women (15+)

Men (15+)

Change in AIDSrelated deaths = -79% since 2010

Incidence:
prevalence = 2.0
ratio

Incidence: = 0.87

KEY POPULATIONS Men who People who People in Transgender Sex workers have sex inject drugs people prisons with men Estimated size of population **HIV** prevalence HIV testing and status **Antiretroviral therapy** coverage Condom use Coverage of HIV prevention programmes Avoidance of health care because of stigma and discrimination

Estimated number of incident tuberculosis cases among people living with HIV (2023)	750 [460–1100]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV COMORBIDITIES

80 000 70 000 Number of people living with HIV 60 000 50 000 40 000 30 000 20 000 10 000 People living with HIV who know People living with HIV on People living with HIV who are their status treatment virally suppressed All ages 92% [83->98%] 91% [82->98%] 81% [73-93%] 75 142 74 096 66 295 Children (0-14) 77% [60->98%] 60% [46-79%] 51% [40-68%] 2405 2072 3100

HIV TESTING AND TREATMENT CASCADE

95% [85->98%]

89% [80->98%]

45 813

26 230

HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	0.2%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period (2023)	1041
Harm reduction	

— Use of sterile injecting equipment at

— Needles and syringes distributed per

Coverage of agonist maintenance

Νo

last injection

therapy

person who injects

Naloxone available (2024)

ELIMINATION OF VERTICAL TRANSMISSION				
	2015	2023		
Percentage of pregnant women living with HIV accessing antiretroviral medicines	99% [85–100%]	67% [57–80%]		
Final vertical transmission rate including during breastfeeding	11.0% [9.0–14.6%]	15.6% [12.4–19.3%]		
Early infant diagnosis	2.2% [1.9–2.7%]	25.3% [21.4–30.2%]		

94% [85->98%]

89% [80->98%]

45 472

26 219

WESTERN AND CENTRAL AFRICA 295

84% [75-96%]

81% [73-92%]

40 427

23 796


CABO VERDE

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	<200	<500	<500
	[<200- <500]	[<200- <500]	[<200- <500]
New HIV infections (0–14)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (15-24)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (women, 15+)	<100	<100	<200
	[<100- <100]	[<100- <200]	[<100- <200]
New HIV infections (men, 15+)	<100	<200	<200
	[<100- <200]	[<100- <200]	[<100- <500]
HIV incidence as new infections per 1000 uninfected population	0.38 [0.31–0.49]	0.44 [0.36–0.59]	0.52 [0.33–0.73]
AIDS-related deaths			
AIDS-related deaths (all ages)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (0–14)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (men, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
People living with HIV			
People living with HIV (all ages)	2200	2700	4000
	[1900–2500]	[2500–3200]	[3400–4800]
People living with HIV (0–14)	<100	<100	<100
	[<100- <200]	[<100- <100]	[<100- <100]
People living with HIV (women, 15+)	920	1200	1900
	[820–1000]	[1100–1400]	[1600–2200]
People living with HIV (men, 15+)	1100	1500	2100
	[1000–1400]	[1300–1800]	[1800–2500]
HIV prevalence (15–49) (%)	0.7 [0.7–0.8]	0.8 [0.7–0.9]	1.0 [0.8–1.2]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	No
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	Data not available
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Data not available
Spousal consent for married women to access sexual and reproductive health services	Data not available
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Data not available

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV		
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		•••
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND VIC	DLEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		

Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons



HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TRANSMISSION				
	2015	2023		
Percentage of pregnant women living with HIV accessing antiretroviral medicines	100% [100–100%]	94% [77–100%]		
Final vertical transmission rate including during breastfeeding	11.0% [9.5–13.0%]	11.4% [7.6–15.1%]		
Early infant diagnosis	71.7% [60.9–92.3%]	% [–%]		

CENTRAL AFRICAN REPUBLIC

KEY POPULATION	IS				
	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population					
HIV prevalence	6.1%	3.4%			4.8%
HIV testing and status awareness	57.1%	61.8%			
Antiretroviral therapy coverage	61.4%	60.0%			
Condom use	79.6%	30%			
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination	84.8%				
Experience of sexual and/or					

physical violence

HIV TESTING AND TREATMENT CASCADE 80 000 100% 70 000 Number of people living with HIV 60 000 75% 50 000 40 000 50% 30 000 20 000 25% 10 000 0% People living with HIV who know People living with HIV on People living with HIV who are their status virally suppressed treatment All ages ...% [...-...%] ...% [...-...%] ...% [...-...%] 63 560 Children (0-14) ...% [...-...%] ...% [...-...%] ...% [...-...%] 3408 Women (15+) ...% [...-...%] ...% [...-...%] ...% [...-...%] 41 982 ...% [...-...%] ...% [...-...%] Men (15+) ...% [...-...%] 18 170

HIV COMORBIDITIES	
Estimated number of incident tuberculosis cases among people living with HIV (2023)	6400 [4100 –9100]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment (2019)	
HIV PREVENTION	

HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods (2019)	29.2%
Men aged 15–49 years who are circumcised	
Voluntary medical male circumcisions performed according to national standards	
People who received PrEP at least once during the reporting period	
Harm reduction	
 Use of sterile injecting equipment at last injection 	
 Needles and syringes distributed per person who injects 	
 Coverage of agonist maintenance therapy 	
— Naloxone available (2024)	No

EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	2 450 537	0	0	0	0	27 107 797

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents 12 years or younger
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes

STIGMA AND DISCRIMINATION

Percentage of women aged 15–49 years who report discriminatory attitudes towards people living with HIV	 2019
	 42.2
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months	
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months	

GENDER INEQUALITY AND VIOLENCE

Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months	
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons	2019
(Refers to women only)	64.7




EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	8300	6700	4500
	[6400–11 000]	[5000–9000]	[2800–6900]
New HIV infections (0–14)	3000	2300	1400
	[2300–3800]	[1600–3000]	[870–2200]
New HIV infections (15-24)	2300	2000	1400
	[1400–3100]	[1200–2700]	[810–2300]
New HIV infections (women, 15+)	3000	2700	1900
	[2300–4100]	[1900–3700]	[1200–3200]
New HIV infections (men, 15+)	2300	1700	1100
	[1700–3200]	[1200–2400]	[650–1900]
HIV incidence as new infections per 1000 uninfected population	0.71 [0.55–0.93]	0.48 [0.36–0.65]	0.25 [0.15–0.39]
AIDS-related deaths			
AIDS-related deaths (all ages)	6500	5600	3500
	[4800–9000]	[4000–7500]	[2500–5200]
AIDS-related deaths (0-14)	2300	1600	1100
	[1800–3000]	[1200–2100]	[700–1500]
AIDS-related deaths (women, 15+)	1900	1800	1300
	[1200–3000]	[1200–2700]	[890–2000]
AIDS-related deaths (men, 15+)	2200	2100	1200
	[1600–3300]	[1600–2900]	[870–1800]
People living with HIV			
People living with HIV (all ages)	110 000	110 000	110 000
	[92 000–140 000]	[96 000–140 000]	[94 000–140 000]
People living with HIV (0-14)	18 000	16 000	12 000
	[14 000–23 000]	[12 000–19 000]	[8800–16 000]
People living with HIV (women, 15+)	55 000	60 000	65 000
	[45 000–67 000]	[51 000–71 000]	[54 000–78 000]
People living with HIV (men, 15+)	39 000	39 000	37 000
	[33 000–49 000]	[32 000–47 000]	[31 000–45 000]
HIV prevalence (15-49) (%)	1.6 [1.4–2.0]	1.4 [1.2–1.7]	1.0 [0.8–1.2]


LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	Yes, imprisonment (up to 14 years)
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	Yes
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	No law requiring parental/guardian consent
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No


STIGMA AND DISCRIMINATION	N	
Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	2015	2019
(2019 refers to women only)	44.4	51.1
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		
Percentage of people living with HIV who report experiences of HIV-related		2021
discrimination in health-care settings in the last 12 months		26.6
GENDER INEQUALITY AND VI	OLEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in		2019
hitting or beating his wife for specific reasons		77.2


EXPENDITURES (in US dollars)						
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	1 241 182	0	0	9 303 883	1 700 000	12 249 870

(Refers to women only)









Change in new
HIV infections = -46%
since 2010

Change in AIDS-related deaths = -45% since 2010


Incidence:
prevalence = 4.0
ratio

Incidence: = 0.93

KEY POPULATIONS Men who People who People in Sex workers have sex inject drugs people prisons with men Estimated size of population **HIV** prevalence 13.8% 3.9% 5.2% HIV testing and status 59.4% 99.2% **Antiretroviral therapy** 83.1% 91.7% 33.3% ... coverage 84% 56.4% Condom use Coverage of HIV prevention programmes Avoidance of health care 97% because of stigma and discrimination Experience of sexual and/or physical violence

HIV COMORBIDITIES	
Estimated number of incident tuberculosis cases among people living with HIV (2023)	3000 [1900 –4300]
People living with HIV who started TB preventive therapy (2023)	10.1%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV TESTING AND TREATMENT CASCADE



that starting hoperates of treatment	
HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods (2019)	17.4%
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period	

— Use of sterile injecting equipment at

— Needles and syringes distributed per

Coverage of agonist maintenance

Data not

available

last injection

therapy

person who injects

Naloxone available (2024)

ELIMINATION OF VERTICAL TRANSMISSION				
	2015	2023		
Percentage of pregnant women living with HIV accessing antiretroviral medicines	50% [42–63%]	70% [56–88%]		
Final vertical transmission rate including during breastfeeding	24.4% [21.6–27.0%]	18.7% [13.8–22.7%]		
Early infant diagnosis	3.7% [3.1–4.6%]	14.1% [11.2–17.6%]		

WESTERN AND CENTRAL AFRICA 301

CONGO

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	7700	9400	10 000
	[6000–9500]	[7000–12 000]	[5500–19 000]
New HIV infections (0–14)	1900	1900	1800
	[1500–2300]	[1400–2300]	[1100–2700]
New HIV infections (15-24)	2000	2600	3200
	[1200–2600]	[1500–3600]	[1400–6100]
New HIV infections (women, 15+)	3700	5000	5900
	[2700–4600]	[3600–6800]	[3000–11 000]
New HIV infections (men, 15+)	2100	2500	2600
	[1600–2700]	[1800–3500]	[1300–5100]
HIV incidence as new infections per 1000 uninfected population	1.8 [1.4–2.2]	1.9 [1.4–2.5]	1.7 [0.91–3.2]
AIDS-related deaths			
AIDS-related deaths (all ages)	5600	6500	6300
	[4700–6800]	[5400–7800]	[4400–8900]
AIDS-related deaths (0–14)	1400	1300	1400
	[1100–1700]	[1000–1600]	[930–2000]
AIDS-related deaths (women, 15+)	2800	3200	3100
	[2300–3400]	[2600–3900]	[2200–4500]
AIDS-related deaths (men, 15+)	1400	2000	1800
	[1100–1700]	[1700–2400]	[1200–2500]
People living with HIV			
People living with HIV (all ages)	95 000	100 000	120 000
	[84 000–110 000]	[89 000–120 000]	[98 000–170 000]
People living with HIV (0-14)	9800	9800	10 000
	[8100–11 000]	[8000–12 000]	[7700–13 000]
People living with HIV (women, 15+)	55 000	61 000	79 000
	[48 000–63 000]	[53 000–71 000]	[61 000–110 000]
People living with HIV (men, 15+)	31 000	32 000	36 000
	[27 000–35 000]	[28 000–38 000]	[28 000–49 000]
HIV prevalence (15–49) (%)	3.4 [2.9–3.9]	3.3 [2.8–3.9]	3.2 [2.4–4.5]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 14 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No

ISTIGMA A	AND DISCR	RIMINATION

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV


Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months

Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months


GENDER INEQUALITY AND VIOLENCE

Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months

Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons



HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TR	RANSMISSIO	N
	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	19% [16–25%]	34% [24–48%]
Final vertical transmission rate including during breastfeeding	31.6% [29.8–33.3%]	27.5% [24.0–31.3%]
Early infant diagnosis	% [–%]	% [–%]

CÔTE D'IVOIRE

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	27 000	19 000	11 000
	[22 000–34 000]	[13 000–25 000]	[6000–18 000]
New HIV infections (0–14)	5700	2300	1300
	[4300–7000]	[1500–3300]	[610–2200]
New HIV infections (15-24)	5300	4300	2600
	[3500–6800]	[2900–5700]	[1500–4200]
New HIV infections (women, 15+)	12 000	10 000	6100
	[9600–17 000]	[7200–14 000]	[3300–11 000]
New HIV infections (men, 15+)	8500	6100	3200
	[6600–11 000]	[4400–8700]	[1800–5700]
HIV incidence as new infections per 1000 uninfected population	1.2 [1–1.5]	0.75 [0.55–1]	0.35 [0.2–0.61]
AIDS-related deaths			
AIDS-related deaths (all ages)	33 000	22 000	9500
	[28 000–40 000]	[18 000–27 000]	[7200–13 000]
AIDS-related deaths (0–14)	5400	2700	840
	[4400–6300]	[1900–3300]	[<500–1300]
AIDS-related deaths (women, 15+)	15 000	9700	4200
	[12 000–18 000]	[7600–13 000]	[3100–6000]
AIDS-related deaths (men, 15+)	13 000	9300	4500
	[11 000–16 000]	[7800–11 000]	[3400–6100]
People living with HIV			
People living with HIV (all ages)	520 000	460 000	420 000
	[470 000–570 000]	[420 000–510 000]	[370 000–480 000]
People living with HIV (0–14)	57 000	37 000	18 000
	[49 000–64 000]	[30 000–43 000]	[13 000–23 000]
People living with HIV (women, 15+)	290 000	270 000	270 000
	[260 000–320 000]	[250 000–300 000]	[240 000–310 000]
People living with HIV (men, 15+)	170 000	150 000	130 000
	[160 000–200 000]	[140 000–170 000]	[110 000–150 000]
HIV prevalence (15–49) (%)	3.6 [3.2–3.9]	2.8 [2.6–3.1]	1.8 [1.6–2.1]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 16 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No


Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	2016	
	53	
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND V	IOLENG	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced		2021
physical or sexual violence from a male intimate partner in the past 12 months	b	14
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in		2021

24.1

STIGMA AND DISCRIMINATION


hitting or beating his wife for specific reasons

EXPENDITURES (in I	JS dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2020	0	0	0	0	0	0



40 000 0 40 000 0 30 000 0 20 000 10 000 2010 2023 AIDS-related deaths

50 000



Change in new
HIV infections = -60%
since 2010


Change in AIDS-related deaths = -71%

Incidence:
prevalence = 2.5
ratio

Incidence: e 0.74

KEY POPULATIONS Men who People who People in Sex workers have sex inject drugs people prisons with men Estimated size of population 43 500 **HIV** prevalence 4.8% 7.7% 3.4% 24.7% 2% HIV testing and status 99.4% 100% **Antiretroviral therapy** 86.1%** coverage Condom use 91.5% 75.3% 24.9% 49.5% Coverage of HIV prevention 39.2% programmes Avoidance of health care 9.3% because of stigma and 13.9% 5.5% 22.6% discrimination Experience of sexual and/or 32.4% 3.2% 30.7% 29% physical violence ** Programme data—not representative.

HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TRANSMISSION		
	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	91% [80–100%]	84% [73–100%]
Final vertical transmission rate including during breastfeeding	11.9% [9.1–14.8%]	10.5% [5.9–15.0%]
Early infant diagnosis	38.0% [33.3–45.7%]	61.3% [53.6–74.4%]

HIV COMORBIDITIES	
Estimated number of incident tuberculosis cases among people living with HIV (2023)	4700 [2800 –7100]
People living with HIV who started TB preventive therapy (2023)	23.7%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	
HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	0.8%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	***
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years (2021)	
— Women	23.6%
— Men	47.5%
Women aged 15–49 years who have their demand for family planning satisfied by modern methods (2021)	47%
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period (2022)	15 773
Harm reduction	
 Use of sterile injecting equipment at last injection 	
 Needles and syringes distributed per person who injects 	
 Coverage of agonist maintenance therapy 	
— Naloxone available (2024)	Yes

WESTERN AND CENTRAL AFRICA 305

DEMOCRATIC REPUBLIC OF THE CONGO


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	37 000	29 000	21 000
	[29 000–47 000]	[20 000–39 000]	[12 000–33 000]
New HIV infections (0–14)	10 000	6500	6300
	[8500–13 000]	[4600–8900]	[4400–9100]
New HIV infections (15-24)	9200	7600	5000
	[5200–12 000]	[4400–10 000]	[2300–8400]
New HIV infections (women, 15+)	16 000	14 000	9500
	[12 000–21 000]	[9300–19 000]	[4700–16 000]
New HIV infections (men, 15+)	11 000	8300	5000
	[8100–15 000]	[5500–12 000]	[2500–8900]
HIV incidence as new infections per 1000 uninfected population	0.47 [0.37–0.6]	0.31 [0.21–0.42]	0.17 [<0.1–0.28]
AIDS-related deaths			
AIDS-related deaths (all ages)	43 000	29 000	11 000
	[34 000–54 000]	[23 000–38 000]	[8400–15 000]
AIDS-related deaths (0–14)	8300	4900	3200
	[6700–11 000]	[3800–6200]	[2000–4600]
AIDS-related deaths (women, 15+)	20 000	13 000	4300
	[16 000–25 000]	[9300–17 000]	[3200–5800]
AIDS-related deaths (men, 15+)	15 000	12 000	3500
	[12 000–19 000]	[9400–16 000]	[2600–4600]
People living with HIV			
People living with HIV (all ages)	530 000	490 000	520 000
	[450 000–640 000]	[410 000–600 000]	[410 000–640 000]
People living with HIV (0–14)	69 000	57 000	50 000
	[56 000–87 000]	[46 000–72 000]	[37 000–64 000]
People living with HIV (women, 15+)	270 000	270 000	300 000
	[230 000–330 000]	[220 000–320 000]	[240 000–360 000]
People living with HIV (men, 15+)	190 000	170 000	170 000
	[160 000–230 000]	[140 000–210 000]	[130 000–210 000]
HIV prevalence (15–49) (%)	1.1 [1.0–1.4]	0.9 [0.7–1.1]	0.7 [0.5–0.8]


LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 18 years
Spousal consent for married women to access sexual and reproductive health services	Data not available
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	2014	
	49.2	
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		•••
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND V	IOLENG	Œ
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in		


hitting or beating his wife for specific reasons

EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2021	45 095 805	14 868 522	86 081 726	64 753 100	0	223 877 209









Change in new -44% **HIV** infections since 2010

Change in AIDS--74% related deaths since 2010

Incidence: = 4.0 prevalence ratio

Incidence: 1.34 mortality ratio


KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population	525 700		168 200	56 500	36 700
HIV prevalence	7.5%	7.1%	3.9%		1.4%
HIV testing and status awareness					
Antiretroviral therapy coverage					
Condom use	47.6%	56.9%	29.5%	51.6%	
Coverage of HIV prevention programmes	37.9%	39.4%	22.5%		
Avoidance of health care because of stigma and discrimination		17.8%	14%	18%	
Experience of sexual and/or physical violence	27.8%	26.1%	27.7%	23.5%	

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	22 000 [14 000 –31 000]
People living with HIV who started TB preventive therapy (2023)	59%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment (2019)	

HIV TESTING AND TREATMENT CASCADE



HIV PREVENTION

Prevalence of adults (15+) living with HIV with unsuppressed viral load	0.1%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	

Condom use at last sex with a non-marital,

non-cohabiting partner among people aged 15-49 years

— Men Women aged 15-49 years who have their

demand for family planning satisfied by modern methods

Not Men aged 15-49 years who are circumcised applicable Voluntary medical male circumcisions Not performed according to national standards applicable

People who received PrEP at least once 23 349 during the reporting period (2023)

ELIMINATION OF VERTICAL TRANSMISSION

	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	59% [47–72%]	40% [32–51%]
Final vertical transmission rate including during breastfeeding	26.5% [22.9–29.8%]	25.5% [22.1–29.8%]
Early infant diagnosis	15.4% [12.3–18.8%]	11.9% [9.5–15.3%]

Harm reduction — Use of sterile injecting equipment at

— Women

last injection (2022)	22.8%
 Needles and syringes distributed per person who injects (2020) 	0
 Coverage of agonist maintenance therapy 	

 Naloxone available (2024) Νo

WESTERN AND CENTRAL AFRICA 307

EQUATORIAL GUINEA


KEY POPULATIONS					
	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population					
HIV prevalence					
HIV testing and status awareness					
Antiretroviral therapy coverage					
Condom use					
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and					

HIV TESTING AND TREATMENT CASCADE

discrimination

physical violence

Experience of sexual and/or



HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	3200 [2000 –4600]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period	
Harm reduction	
 Use of sterile injecting equipment at last injection 	
 Needles and syringes distributed per person who injects 	
 Coverage of agonist maintenance therapy 	
— Naloxone available (2024)	No

EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2020	0	0	0	0	0	0

LAWS AND POLICIES

Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	No law requiring parental/guardian consent
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No

STIGMA AND DISCRIMINATION

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV

. ...

Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months

...

Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months

GENDER INEQUALITY AND VIOLENCE

Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months

•••

Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons

•••

GABON

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	3100	2600	1900
	[2500–4100]	[1800–3600]	[1000–3800]
New HIV infections (0–14)	770	550	<500
	[600–950]	[<500–750]	[<200–600]
New HIV infections (15-24)	900	750	550
	[600–1200]	[<500–1100]	[<500–1200]
New HIV infections (women, 15+)	1600	1500	1200
	[1200–2200]	[920–2200]	[560–2400]
New HIV infections (men, 15+)	680	550	<500
	[500–970]	[<500–840]	[<200–770]
HIV incidence as new infections per 1000 uninfected population	1.8 [1.5–2.4]	1.3 [0.92–1.8]	0.79 [0.41–1.6]
AIDS-related deaths			
AIDS-related deaths (all ages)	2300	1800	1800
	[1600–3300]	[1200–2500]	[1200–2500]
AIDS-related deaths (0–14)	620	<500	<500
	[<500–770]	[<500–610]	[<200- <500]
AIDS-related deaths (women, 15+)	1300	910	1000
	[860–1900]	[560–1300]	[740–1500]
AIDS-related deaths (men, 15+)	<500	<500	<500
	[<500–630]	[<500–630]	[<500–570]
People living with HIV			
People living with HIV (all ages)	47 000	52 000	51 000
	[39 000–56 000]	[45 000–60 000]	[44 000–65 000]
People living with HIV (0–14)	3700	3400	2400
	[2700–4800]	[2700–4200]	[1800–3200]
People living with HIV (women, 15+)	30 000	33 000	35 000
	[25 000–35 000]	[29 000–39 000]	[30 000–44 000]
People living with HIV (men, 15+)	13 000	15 000	14 000
	[11 000–16 000]	[13 000–18 000]	[12 000–17 000]
HIV prevalence (15–49) (%)	4.3 [3.6–5.0]	3.9 [3.3–4.4]	3.0 [2.5–3.7]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	No, but the general law has been used to prosecute cases in the past 10 years
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 14 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	

STIGMA AND DISCRIMINATION

Percentage of people living with HIV who	•••
report experienced stigma and discrimination	
in the general community in the last 12 months	


Percentage of people living with HIV who
report experiences of HIV-related
discrimination in health-care settings in the last
12 months


hitting or beating his wife for specific reasons


GENDER INEQUALITY AND VIOLENCE


Proportion of ever-married or partnered women aged 15–49 years who experienced	2020
physical or sexual violence from a male intimate partner in the past 12 months	23.3
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in	

EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	0	0	0	0	0	0









Change in new
HIV infections = -39%
since 2010

Change in AIDSrelated deaths since 2010 = -25%

Incidence:
prevalence = 3.6
ratio


Incidence: = 0.91

KEY POPULATIONS Men who People who Transgender People in Sex workers have sex inject drugs people prisons with men Estimated size of population 700 **HIV** prevalence HIV testing and status **Antiretroviral therapy** coverage Condom use Coverage of HIV prevention programmes Avoidance of health care because of stigma and discrimination Experience of sexual and/or physical violence

3700 [1500 –6900]
10.6%
0.4%

HIV COMORBIDITIES

HIV TESTING AND TREATMENT CASCADE



People coinfected with HIV and hepatitis C virus starting hepatitis C treatment (2019)	
LUV PREVENTION	
HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years (2019)	
— Women	37.2%
— Men	65.8%
Women aged 15–49 years who have their demand for family planning satisfied by modern methods (2021)	36%
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period	
Harm reduction — Use of sterile injecting equipment at last injection	
Needles and syringes distributed per	

person who injects

Naloxone available (2024)

therapy

— Coverage of agonist maintenance

Data not

available

ELIMINATION OF VERTICAL TRANSMISSION			
	2015	2023	
Percentage of pregnant women living with HIV accessing antiretroviral medicines	54% [44–66%]	67% [49–87%]	
Final vertical transmission rate including during breastfeeding	17.7% [15.4–19.7%]	15.4% [10.9–19.5%]	
Early infant diagnosis	21.7% [17.8–26.5%]	25.0% [18.4–32.7%]	

WESTERN AND CENTRAL AFRICA 311

GAMBIA


	2010	2015	2023
New HIV infections	20.0	2010	1010
New HIV infections (all ages)	2200	2000	1500
	[1700–3000]	[1400–2800]	[850–2500]
New HIV infections (0–14)	<500	<500	<500
	[<500–510]	[<200-<500]	[<200- <500]
New HIV infections (15-24)	<500	<500	<500
	[<500–<500]	[<500- <500]	[<200- <500]
New HIV infections (women, 15+)	1100	980	690
	[830–1400]	[710–1400]	[<500–1200]
New HIV infections (men, 15+)	800	740	540
	[620–1100]	[550–1000]	[<500–1000]
HIV incidence as new infections per 1000 uninfected population	1.2 [0.9–1.5]	0.9 [0.65–1.3]	0.53 [0.31–0.92]
AIDS-related deaths			
AIDS-related deaths (all ages)	1500	1400	1300
	[1100–2000]	[990–2000]	[880–1900]
AIDS-related deaths (0–14)	<500	<500	<200
	[<500- <500]	[<200- <500]	[<200- <500]
AIDS-related deaths (women, 15+)	660	600	550
	[<500–910]	[<500–870]	[<500–860]
AIDS-related deaths (men, 15+)	520	600	600
	[<500–720]	[<500–820]	[<500–830]
People living with HIV			
People living with HIV (all ages)	23 000	26 000	26 000
	[18 000–29 000]	[21 000–32 000]	[21 000–34 000]
People living with HIV (0-14)	2300	2200	1900
	[1800–3100]	[1700–3000]	[1300–2600]
People living with HIV (women, 15+)	12 000	14 000	15 000
	[9500–15 000]	[11 000–18 000]	[13 000–20 000]
People living with HIV (men, 15+)	8500	9400	9200
	[6700–11 000]	[7500–12 000]	[7000–12 000]
HIV prevalence (15–49) (%)	2.0 [1.6–2.5]	1.9 [1.5–2.4]	1.4 [1.1–1.8]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, under law covering communicable diseases not specifically mentioning HIV
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	Yes, imprisonment (14 years - life)
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 14 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No


Percentage of women aged 15–49 years who report discriminatory attitudes towards people living with HIV	2018	2020
	72.3	75.2
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND VI	OLENG	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced		2020
physical or sexual violence from a male intimate partner in the past 12 months		10.4
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in		2020
hitting or beating his wife for specific reasons		47.0


STIGMA AND DISCRIMINATION

EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	0	0	0	0	0	0



2 500 Number of people 2 000 1 500 1 000 500 2010 - AIDS-related deaths





Change in new -35% **HIV** infections since 2010

Change in AIDSrelated deaths since 2010

Incidence: = 5.5 prevalence ratio

Incidence: 0.97 mortality ratio


KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population	5500				10 000
HIV prevalence	14.1%	31%			
HIV testing and status awareness	100%	100%			
Antiretroviral therapy coverage	8.4%**	4.8%**			
Condom use	94.2%	47.3%			
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination			16.8%		
Experience of sexual and/or physical violence	85.8%				
** Programme data—not represer	ntative.				

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	480 [340–650]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV TESTING AND TREATMENT CASCADE



with unsuppressed viral load

— Women

HIV PREVENTION	
revalence of adults (15+) living with HIV	1 20/

Knowledge of HIV prevention among young people aged 15-24 years

beebie a	900 10 = 1 90013	
— V	Vomen	
_ N	Man.	

Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15-49 years (2019)

— Men	57.8%
Women aged 15–49 years who have their	
demand for family planning satisfied by	41.3%

27.7%

313

modern methods (2020)	
Men aged 15–49 years who are circumcised	Not applicable

Voluntary medical male circumcisions	Not
performed according to national standards	applicable

People who received PrEP at least once during the reporting period (2020)		
	People who received PrEP at least once during the reporting period (2020)	15

ELIMINATION OF VERTICAL TRANSMISSION

WESTERN AND CENTRAL AFRICA

	2015	2023		
Percentage of pregnant women living with HIV accessing antiretroviral medicines	67% [53–84%]	71% [55–92%]		
Final vertical transmission rate including during breastfeeding	20.8% [16.1–25.3%]	21.7% [16.5–26.1%]		
Early infant diagnosis	10.0% [7.9–12.4%]	25.1% [19.3–32.6%]		

Harm reduction

 Use of sterile injecting equipment at last injection 	
 Needles and syringes distributed per person who injects 	
 Coverage of agonist maintenance therapy 	
— Naloxone available (2024)	No

GHANA

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	22 000	21 000	18 000
	[17 000–27 000]	[16 000–26 000]	[11 000–25 000]
New HIV infections (0–14)	4300	3700	1700
	[3400–5500]	[2800–4700]	[920–2700]
New HIV infections (15-24)	5600	5200	4900
	[3500–7100]	[3100–6600]	[2600–7100]
New HIV infections (women, 15+)	10 000	11 000	10 000
	[8200–13 000]	[8200–14 000]	[6800–15 000]
New HIV infections (men, 15+)	7200	6500	5600
	[5600–9400]	[4900–8600]	[3700–8500]
HIV incidence as new infections per 1000 uninfected population	0.93 [0.73–1.2]	0.78 [0.59–0.97]	0.56 [0.36–0.79]
AIDS-related deaths			
AIDS-related deaths (all ages)	19 000	16 000	12 000
	[16 000–23 000]	[12 000–19 000]	[8500–17 000]
AIDS-related deaths (0–14)	3700	2800	1400
	[3000–4500]	[2100–3500]	[820–2000]
AIDS-related deaths (women, 15+)	9200	6600	5600
	[7400–11 000]	[5000–8500]	[3600–8000]
AIDS-related deaths (men, 15+)	6200	6400	5500
	[5000–7900]	[5100–8100]	[4100–7000]
People living with HIV			
People living with HIV (all ages)	300 000	310 000	330 000
	[250 000–340 000]	[270 000–360 000]	[280 000–390 000]
People living with HIV (0-14)	34 000	28 000	18 000
	[28 000–39 000]	[23 000–33 000]	[13 000–23 000]
People living with HIV (women, 15+)	160 000	170 000	210 000
	[130 000–180 000]	[150 000–200 000]	[180 000–240 000]
People living with HIV (men, 15+)	110 000	110 000	110 000
	[93 000–130 000]	[96 000–130 000]	[89 000–130 000]
HIV prevalence (15–49) (%)	1.9 [1.7–2.2]	1.8 [1.5–2.0]	1.5 [1.3–1.8]


LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	Yes, imprisonment (up to 14 years)
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 16 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No
	No


Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	2014	2022
(2022 refers to women only)	67.7	59.3
Percentage of people living with HIV who		2020
report experienced stigma and discrimination in the general community in the last 12 months		6.7
Percentage of people living with HIV who report experiences of HIV-related		2020
discrimination in health-care settings in the last 12 months		4.9
GENDER INEQUALITY AND V	OLEN	CE
		2022
Proportion of ever-married or partnered women aged 15–49 years who experienced		
·		13


18.3


hitting or beating his wife for specific reasons

EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	51 650 765	20 589 629	10 802 357	36 267 361	1 396 464	126 415 269









Change in new
HIV infections = -19%
since 2010

Change in AIDS-related deaths = -35% since 2010


Incidence:
prevalence = 5.3
ratio

Incidence: mortality ratio = 1.21

KEY POPULATIONS Men who People who People in Sex workers have sex inject drugs people prisons with men Estimated size of population **HIV** prevalence 26.1% 29.7% 2.1% HIV testing and status 53.8% 58.0% **Antiretroviral therapy** 99.0%** 100%** 92.1% 54.5% coverage 58% 78% Condom use Coverage of HIV prevention programmes Avoidance of health care because of stigma and 3.5% 5.8% discrimination Experience of sexual and/or 9.1% 14.3% physical violence ** Programme data—not representative.

HIV COMORBIDITIES	
Estimated number of incident tuberculosis cases among people living with HIV (2023)	4800 [2100 –8600]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV TESTING AND TREATMENT CASCADE



J (
HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	0.9%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	•••
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years (2022)	
— Women	10.6%
— Men	28.1%
Women aged 15–49 years who have their demand for family planning satisfied by modern methods (2022)	49.5%
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period (2023)	7477
Harm reduction	
 Use of sterile injecting equipment at last injection 	
— Needles and syringes distributed per	

person who injects

Naloxone available (2024)

therapy

— Coverage of agonist maintenance

Νo

ELIMINATION OF VERTICAL TRANSMISSION					
	2015	2023			
Percentage of pregnant women living with HIV accessing antiretroviral medicines	52% [44–64%]	90% [75–100%]			
Final vertical transmission rate including during breastfeeding	25.1% [22.7–27.4%]	12.6% [8.2–16.8%]			
Early infant diagnosis	25.1% [21.1–30.4%]	34.6% [29.0–43.0%]			

WESTERN AND CENTRAL AFRICA 315


GUINEA


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	9100	8600	4600
	[7700–11 000]	[6800–11 000]	[2800–6800]
New HIV infections (0–14)	2000	2300	1100
	[1700–2500]	[2000–2700]	[730–1600]
New HIV infections (15-24)	3300	2900	1600
	[2100–4200]	[1800–3700]	[910–2500]
New HIV infections (women, 15+)	4000	3700	2200
	[3300–5000]	[2800–4800]	[1300–3400]
New HIV infections (men, 15+)	3000	2500	1300
	[2400–3900]	[1900–3300]	[780–2000]
HIV incidence as new infections per 1000 uninfected population	0.9 [0.76–1.1]	0.75 [0.59–0.93]	0.33 [0.2–0.49]
AIDS-related deaths			
AIDS-related deaths (all ages)	4400	4900	3200
	[3400–5800]	[3800–6400]	[2500–4200]
AIDS-related deaths (0–14)	1400	1200	850
	[1200–1700]	[970–1500]	[610–1100]
AIDS-related deaths (women, 15+)	1700	1700	1000
	[1200–2300]	[1200–2300]	[790–1400]
AIDS-related deaths (men, 15+)	1200	2000	1300
	[900–2000]	[1600–2700]	[1000–1800]
People living with HIV			
People living with HIV (all ages)	100 000	120 000	130 000
	[92 000–120 000]	[100 000–130 000]	[110 000–150 000]
People living with HIV (0–14)	11 000	12 000	11 000
	[9200–13 000]	[9900–13 000]	[8800–13 000]
People living with HIV (women, 15+)	55 000	64 000	74 000
	[48 000–62 000]	[57 000–72 000]	[63 000–86 000]
People living with HIV (men, 15+)	39 000	41 000	41 000
	[34 000–45 000]	[37 000–48 000]	[35 000–48 000]
HIV prevalence (15–49) (%)	1.7 [1.6–2.0]	1.7 [1.5–1.9]	1.3 [1.2–1.6]


LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	Yes, imprisonment (up to 14 years)
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 14 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes


Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	2018	2019
(2019 refers to women only)	75.7	79.7
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND V	IOLEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons		

EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	72 500	0	0	1 002 500	0	21 080 800









Change in new -49% **HIV** infections since 2010

Change in AIDSrelated deaths since 2010

Incidence: = 3.7 prevalence ratio

Incidence: mortality ratio

1.07

Not


Νo

KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population	49 000				
HIV prevalence	4.9%	9.2%			
HIV testing and status awareness	100%	100%	100%**		
Antiretroviral therapy coverage	100%**	1.3%			
Condom use	92.7%	82.3%			
Coverage of HIV prevention programmes	85.8%	66.4%			
Avoidance of health care because of stigma and discrimination		12.9%			
Experience of sexual and/or physical violence	15.2%	1%			

** Programme data—not representative.

HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TRANSMISSION

	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	0% [0–0%]	69% [58–84%]
Final vertical transmission rate including during breastfeeding	38.7% [36.5–41.7%]	20.0% [15.7–24.1%]
Early infant diagnosis	3.9% [3.4–4.7%]	0.2% [0.2–0.3%]

Estimated number of incident tuberculosis cases among people living with HIV (2023)	4400 [2800 –6300]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV PREVENTION

HIV COMORBIDITIES

Prevalence of adults (15+) living with HIV with unsuppressed viral load

Knowledge of HIV prevention among young people aged 15-24 years

— Women

— Men

Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15-49 years (2018)

— Women 28.6% — Men 49.6%

Women aged 15-49 years who have their demand for family planning satisfied by modern methods

Men aged 15-49 years who are circumcised applicable

Voluntary medical male circumcisions Not performed according to national standards applicable

People who received PrEP at least once during the reporting period

Harm reduction

- Use of sterile injecting equipment at last injection
- Needles and syringes distributed per person who injects
- Coverage of agonist maintenance therapy
- Naloxone available (2024)

WESTERN AND CENTRAL AFRICA 317

GUINEA-BISSAU

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	2800	1800	1100
	[2400–3600]	[1400–2500]	[700–1700]
New HIV infections (0–14)	720	<500	<500
	[600–860]	[<200- <500]	[<500- <500]
New HIV infections (15-24)	720	520	<500
	[<500–950]	[<500–700]	[<200- <500]
New HIV infections (women, 15+)	1300	1000	540
	[1000–1600]	[740–1400]	[<500–920]
New HIV infections (men, 15+)	850	590	<500
	[680–1100]	[<500–820]	[<200– <500]
HIV incidence as new infections per 1000 uninfected population	1.9 [1.6–2.3]	1 [0.79–1.4]	0.53 [0.33–0.81]
AIDS-related deaths			
AIDS-related deaths (all ages)	2300	1900	1000
	[2000–2800]	[1600–2300]	[800–1400]
AIDS-related deaths (0–14)	550	<500	<500
	[<500–630]	[<200- <500]	[<200- <500]
AIDS-related deaths (women, 15+)	1100	830	<500
	[900–1300]	[660–1100]	[<500–550]
AIDS-related deaths (men, 15+)	680	780	<500
	[560–880]	[660–970]	[<500–620]
People living with HIV			
People living with HIV (all ages)	37 000	37 000	34 000
	[33 000–42 000]	[33 000–42 000]	[30 000–41 000]
People living with HIV (0–14)	4200	3400	2200
	[3600–4700]	[2900–3900]	[1700–2800]
People living with HIV (women, 15+)	20 000	21 000	22 000
	[18 000–23 000]	[19 000–24 000]	[19 000–26 000]
People living with HIV (men, 15+)	13 000	13 000	11 000
	[12 000–15 000]	[11 000–14 000]	[9200–13 000]
HIV prevalence (15-49) (%)	4.0 [3.6–4.4]	3.3 [3.0–3.8]	2.3 [2.0–2.7]


LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No specific legislation
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Data not available
Spousal consent for married women to access sexual and reproductive health services	Data not available
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No

STIGMA AND DISCRIMINATIO	N	
Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	2014	2019
(2019 refers to women only)	63	75.9
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		•••
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND VI	OLEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in		2019
hitting or beating his wife for specific reasons		37.0

37.0

318 UNAIDS DATA 2024

(Refers to women only)



HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TRANSMISSION		
	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	87% [74–100%]	59% [49–72%]
Final vertical transmission rate including during breastfeeding	13.3% [10.1–16.4%]	22.4% [18.9–25.3%]
Early infant diagnosis	42.9% [36.6–50.1%]	% [–%]

LIBERIA


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	2600	2000	810
	[2000–3400]	[1500–2900]	[<500–1500]
New HIV infections (0–14)	850	500	<500
	[660–1100]	[<500–700]	[<200- <500]
New HIV infections (15-24)	710	630	<500
	[<500–1000]	[<500–920]	[<200–530]
New HIV infections (women, 15+)	1000	950	<500
	[780–1400]	[670–1400]	[<200–730]
New HIV infections (men, 15+)	710	570	<500
	[510–1000]	[<500–850]	[<100- <500]
HIV incidence as new infections per 1000 uninfected population	0.65 [0.51–0.86]	0.44 [0.33–0.63]	0.15 [<0.1–0.29]
AIDS-related deaths			
AIDS-related deaths (all ages)	3100	2600	800
	[2700–3700]	[2200–3300]	[610–1200]
AIDS-related deaths (0–14)	730	510	<500
	[610–870]	[<500–630]	[<200- <500]
AIDS-related deaths (women, 15+)	1400	1100	<500
	[1200–1700]	[940–1400]	[<500- <500]
AIDS-related deaths (men, 15+)	1000	990	<500
	[830–1300]	[840–1200]	[<500- <500]
People living with HIV			
People living with HIV (all ages)	41 000	38 000	34 000
	[36 000–48 000]	[33 000–45 000]	[28 000–42 000]
People living with HIV (0–14)	6400	5100	2700
	[5500–7600]	[4200–6000]	[2000–3700]
People living with HIV (women, 15+)	21 000	20 000	20 000
	[18 000–24 000]	[18 000–24 000]	[17 000–25 000]
People living with HIV (men, 15+)	14 000	13 000	11 000
	[12 000–17 000]	[11 000–16 000]	[9100–14 000]
HIV prevalence (15–49) (%)	1.7 [1.5–1.9]	1.3 [1.2–1.6]	0.9 [0.8–1.2]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, under a law that covers a broader range of communicable diseases and mentions HIV
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	Yes, imprisonment (up to 14 years)
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 16 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No

STIGMA AND DISCRIMINATION	N	
Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	2013	2020
(2020 refers to women only)	52.7	67.5
Percentage of people living with HIV who		2022
report experienced stigma and discrimination in the general community in the last 12 months		11.3
Percentage of people living with HIV who report experiences of HIV-related		2022
discrimination in health-care settings in the last 12 months		7.3
GENDER INEQUALITY AND V	IOLEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced		2020
physical or sexual violence from a male intimate partner in the past 12 months		34.8

2020 33.2

Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons



HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL T	RANSMISSIO	N
	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	53% [43–66%]	96% [76–100%]
Final vertical transmission rate including during breastfeeding	22.6% [19.8–25.3%]	11.5% [9.6–16.6%]
Early infant diagnosis	% [–%]	20.9% [16.5–26.7%]




EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	8600	7800	5500
	[6300–11 000]	[5800–10 000]	[3500–8300]
New HIV infections (0–14)	2100	2000	1700
	[1600–2700]	[1500–2600]	[1200–2400]
New HIV infections (15-24)	3000	2700	1800
	[2200–3800]	[1900–3700]	[1100–2800]
New HIV infections (women, 15+)	3700	3400	2200
	[2700–4800]	[2400–4500]	[1400–3400]
New HIV infections (men, 15+)	2700	2500	1600
	[2000–3500]	[1800–3400]	[1000–2600]
HIV incidence as new infections per 1000 uninfected population	0.56 [0.41–0.7]	0.44 [0.32–0.59]	0.24 [0.15–0.36]
AIDS-related deaths			
AIDS-related deaths (all ages)	5800	6000	4400
	[4400–7200]	[4700–7400]	[3000–6100]
AIDS-related deaths (0-14)	1600	1400	1200
	[1300–1900]	[1100–1800]	[830–1600]
AIDS-related deaths (women, 15+)	2300	2200	1700
	[1800–3100]	[1600–2900]	[1200–2500]
AIDS-related deaths (men, 15+)	1800	2300	1500
	[1400–2300]	[1900–2800]	[980–2100]
People living with HIV			
People living with HIV (all ages)	120 000	120 000	120 000
	[100 000–130 000]	[100 000–140 000]	[99 000–150 000]
People living with HIV (0–14)	14 000	13 000	12 000
	[11 000–16 000]	[10 000–15 000]	[9000–15 000]
People living with HIV (women, 15+)	61 000	65 000	68 000
	[53 000–71 000]	[56 000–76 000]	[57 000–86 000]
People living with HIV (men, 15+)	42 000	41 000	41 000
	[36 000–48 000]	[35 000–49 000]	[33 000–51 000]
HIV prevalence (15–49) (%)	1.3 [1.1–1.5]	1.2 [1.0–1.4]	0.8 [0.7–1.1]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No specific legislation
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 18 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes


Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	2015	
	55.9	
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		•••
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND V	IOLENG	Œ
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in		•••


hitting or beating his wife for specific reasons

EXPENDITURES (in US dollars)									
Funding sources									
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total			
Last available report: 2022	0	0	0	0	0	0			



8 000 00 6 000 10 4 000 2010 2023 AIDS-related deaths





Change in new
HIV infections = -36%
since 2010

Change in AIDSrelated deaths = -24% since 2010 Incidence:
prevalence = 4.6
ratio

Incidence:
mortality ratio

1.02


KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population					
HIV prevalence	8.7%	12.6%		11.7%	1.6%
HIV testing and status awareness	100%	95.1%		100%	
Antiretroviral therapy coverage					
Condom use	98%	75.9%	41.8%	60.6%	
Coverage of HIV prevention programmes				54.4%	
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	750 [470–1100]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV TESTING AND TREATMENT CASCADE



HIV PREVENTION

Prevalence of adults (15+) living with HIV	
with unsuppressed viral load	

Knowledge of HIV prevention among young people aged 15–24 years

— Women ...
— Men ...

Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years (2018)

— Women 15.3%— Men 39.1%

Women aged 15–49 years who have their demand for family planning satisfied by modern methods

Men aged 15–49 years who are circumcised Applicable

Voluntary medical male circumcisions Not performed according to national standards applicable

People who received PrEP at least once during the reporting period (2023)

Harm reduction

- Use of sterile injecting equipment at last injection
- Needles and syringes distributed per person who injects
- Coverage of agonist maintenance ...
- Naloxone available (2024) No

ELIMINATION OF VERTICAL TRANSMISSION

	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	40% [34–49%]	33% [26–42%]
Final vertical transmission rate including during breastfeeding	30.0% [27.2–32.6%]	29.8% [26.3–33.3%]
Early infant diagnosis	3.2% [2.7–3.9%]	40.2% [31.7–50.6%]

WESTERN AND CENTRAL AFRICA

MAURITANIA


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	<500	<500	<500
	[<200–510]	[<100-<500]	[<200- <500]
New HIV infections (0–14)	<200	<100	<100
	[<100- <200]	[<100- <100]	[<100- <100]
New HIV infections (15-24)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (women, 15+)	<100	<100	<200
	[<100- <200]	[<100- <200]	[<100- <200]
New HIV infections (men, 15+)	<200	<100	<200
	[<100- <500]	[<100- <200]	[<100- <200]
HIV incidence as new infections per 1000 uninfected population	0.1 [<0.1–0.17]	<0.1 [<0.1–0.11]	<0.1 [<0.1–<0.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	550	<500	<500
	[<500–670]	[<500–600]	[<200- <500]
AIDS-related deaths (0–14)	<100	<100	<100
	[<100- <200]	[<100- <100]	[<100- <100]
AIDS-related deaths (women, 15+)	<200	<200	<100
	[<200–<200]	[<200- <200]	[<100- <200]
AIDS-related deaths (men, 15+)	<500	<500	<200
	[<500- <500]	[<500-<500]	[<100- <200]
People living with HIV			
People living with HIV (all ages)	8800	7300	6400
	[7500–10 000]	[6200–8700]	[5400–8100]
People living with HIV (0–14)	800	590	<500
	[690–930]	[500–700]	[<500–580]
People living with HIV (women, 15+)	3400	3000	2900
	[2900–3900]	[2600–3600]	[2500–3700]
People living with HIV (men, 15+)	4600	3700	3000
	[3800–5500]	[3000–4500]	[2500–3800]
HIV prevalence (15-49) (%)	0.5 [0.4–0.5]	0.3 [0.2–0.4]	0.2 [0.1–0.2]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	Yes, death penalty
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 18 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No


Percentage of women and men aged 15–49		
years who report discriminatory attitudes towards people living with HIV	•••	
Percentage of people living with HIV who		
report experienced stigma and discrimination		
n the general community in the last 12 months		
Percentage of people living with HIV who		
report experiences of HIV-related		•••
discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND VIOL	ENCE	
Proportion of ever-married or partnered women aged 15–49 years who experienced	2	021
physical or sexual violence from a male intimate		6.4

years who agree that a husband is justified in hitting or beating his wife for specific reasons


EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	0	0	0	0	0	0




Change in new HIV infections = -11%



Change in AIDSrelated deaths = -61% since 2010



Incidence:
prevalence = 4.3
ratio




Incidence: = 1.05

KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population					
HIV prevalence	9%	23.4%			
HIV testing and status awareness					
Antiretroviral therapy coverage					
Condom use					
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TRANSMISSION

	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	75% [58–92%]	46% [33–57%]
Final vertical transmission rate including during breastfeeding	18.1% [12.8–23.9%]	28.0% [24.2–31.6%]
Early infant diagnosis	% [–%]	% [–%]

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	94 [51–150]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV PREVENTION

Prevalence of adults (15+) living with HIV with unsuppressed viral load

Knowledge of HIV prevention among young people aged 15–24 years

— Women

Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years

— Women

— Men

— Men

Women aged 15–49 years who have their demand for family planning satisfied by modern methods (2021)

Men aged 15–49 years who are circumcised Not applicable

Voluntary medical male circumcisions performed according to national standards

Not applicable

28.2%

People who received PrEP at least once during the reporting period

...

Harm reduction

- Use of sterile injecting equipment at last injection
- Needles and syringes distributed per person who injects
- Coverage of agonist maintenance therapy
- Naloxone available (2024)

Data not available

NIGER

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	880	1300	1400
	[660–1300]	[730–1600]	[1100–1700]
New HIV infections (0–14)	<500	500	<500
	[<500–510]	[<500–610]	[<500–620]
New HIV infections (15-24)	<200	<200	<200
	[<100- <500]	[<100- <500]	[<200-<500]
New HIV infections (women, 15+)	<500	<500	<500
	[<500–810]	[<200–580]	[<500–510]
New HIV infections (men, 15+)	<200	<500	<500
	[<200- <500]	[<200- <500]	[<500–630]
HIV incidence as new infections per 1000 uninfected population	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	2500	1900	950
	[2000–3000]	[1500–2300]	[750–1200]
AIDS-related deaths (0–14)	610	<500	<500
	[540–720]	[<500-<500]	[<500-<500]
AIDS-related deaths (women, 15+)	680	<500	<500
	[520–910]	[<500–680]	[<200- <500]
AIDS-related deaths (men, 15+)	1200	1000	<500
	[970–1500]	[850–1200]	[<500- <500]
People living with HIV			
People living with HIV (all ages)	38 000	32 000	31 000
	[34 000–42 000]	[30 000–35 000]	[28 000–35 000]
People living with HIV (0-14)	6500	4400	3100
	[5800–7500]	[3900–5100]	[2700–3700]
People living with HIV (women, 15+)	15 000	15 000	16 000
	[14 000–17 000]	[14 000–16 000]	[15 000–18 000]
People living with HIV (men, 15+)	16 000	13 000	12 000
	[15 000–18 000]	[12 000–14 000]	[11 000–13 000]
HIV prevalence (15–49) (%)	0.4 [0.3–0.4]	0.2 [0.2–0.3]	0.2 [0.1–0.2]


LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 16 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV		
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND V	IOLEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced		

STIGMA AND DISCRIMINATION


physical or sexual violence from a male intimate partner in the past 12 months	
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons	

EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2023	49 336	0	0	0	0	9 876 782




Change in new **HIV** infections **57%** since 2010


physical violence



Change in AIDS--62% related deaths since 2010



Incidence: = 4.4 prevalence ratio



Incidence: 1.11 mortality ratio

KEY POPULATIONS Men who People who Sex workers have sex inject drugs people prisons with men Estimated size of population **HIV** prevalence 9.5% 6.4% 1% HIV testing and status 83.7% 57.5% **Antiretroviral therapy** 1.7% 5.3% coverage 92.7% 89.6% Condom use Coverage of HIV prevention 58.3% 53.4% programmes Avoidance of health care because of stigma and discrimination Experience of sexual and/or

HIV TESTING AND TREATMENT CASCADE 30 000 25 000 Number of people living with HIV 20 000 15 000 10 000 5 000 0 People living with HIV who know People living with HIV on People living with HIV who are their status treatment virally suppressed All ages 78% [70-87%] 70% [64-78%] 51% [46-57%] 24 510 22 109 16 023 Children (0-14) 48% [42-57%] 41% [36-49%] 30% [26-36%] 1509 1297 941 88% [80->98%] 84% [76-94%] 61% [55-68%] Women (15+) 9903 14 334 13 665 Men (15+) 72% [65-80%] 60% [54-66%] 43% [39-48%] 7147 5180 8667

ELIMINATION OF VERTICAL TR	N	
	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	46% [41–51%]	45% [41–51%]
Final vertical transmission rate including during breastfeeding	23.6% [21.1–25.9%]	23.3% [21.5–26.5%]
Early infant diagnosis	13.5% [12.1–14.9%]	11.3% [10.1–12.7%]

HIV COMORBIDITIES	
Estimated number of incident tuberculosis cases among people living with HIV (2023)	500 [300–760
People living with HIV who started TB preventive therapy (2023)	62.5%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C	
virus starting hepatitis C treatment	
HIV PREVENTION	
virus starting hepatitis C treatment	<0.1%
HIV PREVENTION Prevalence of adults (15+) living with HIV	
HIV PREVENTION Prevalence of adults (15+) living with HIV with unsuppressed viral load Knowledge of HIV prevention among young	
HIV PREVENTION Prevalence of adults (15+) living with HIV with unsuppressed viral load Knowledge of HIV prevention among young people aged 15–24 years	<0.1%
HIV PREVENTION Prevalence of adults (15+) living with HIV with unsuppressed viral load Knowledge of HIV prevention among young people aged 15–24 years — Women	<0.1%
HIV PREVENTION Prevalence of adults (15+) living with HIV with unsuppressed viral load Knowledge of HIV prevention among young people aged 15–24 years — Women — Men Condom use at last sex with a non-marital, non-cohabiting partner among people aged	<0.1%

demand for family planning satisfied by

Voluntary medical male circumcisions

Men aged 15-49 years who are circumcised

performed according to national standards

— Use of sterile injecting equipment at

People who received PrEP at least once

during the reporting period

Not

applicable

Not

applicable

Data not

available

modern methods

Harm reduction

last injection — Needles and syringes distributed per person who injects Coverage of agonist maintenance therapy Naloxone available (2024)

WESTERN AND CENTRAL AFRICA 327


NIGERIA


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	140 000	110 000	75 000
	[130 000–170 000]	[97 000–140 000]	[59 000–96 000]
New HIV infections (0–14)	33 000	25 000	22 000
	[28 000–37 000]	[21 000–29 000]	[18 000–26 000]
New HIV infections (15-24)	34 000	26 000	18 000
	[22 000–41 000]	[17 000–31 000]	[11 000–23 000]
New HIV infections (women, 15+)	64 000	53 000	34 000
	[56 000–78 000]	[43 000–67 000]	[24 000–48 000]
New HIV infections (men, 15+)	46 000	33 000	19 000
	[39 000–60 000]	[27 000–45 000]	[13 000–27 000]
HIV incidence as new infections per 1000 uninfected population	0.89 [0.81–1.1]	0.6 [0.53–0.75]	0.34 [0.27–0.44]
AIDS-related deaths			
AIDS-related deaths (all ages)	95 000	72 000	45 000
	[82 000–110 000]	[62 000–89 000]	[39 000–54 000]
AIDS-related deaths (0–14)	25 000	17 000	15 000
	[21 000–28 000]	[14 000–20 000]	[12 000–18 000]
AIDS-related deaths (women, 15+)	38 000	23 000	16 000
	[32 000–47 000]	[17 000–30 000]	[12 000–20 000]
AIDS-related deaths (men, 15+)	32 000	32 000	14 000
	[26 000–42 000]	[27 000–41 000]	[12 000–18 000]
People living with HIV			
People living with HIV (all ages)	1.8 m	1.9 m	2.0 m
	[1.7 m–2.0 m]	[1.8 m–2.1 m]	[1.9 m–2.3 m]
People living with HIV (0–14)	190 000	170 000	160 000
	[170 000–210 000]	[150 000–200 000]	[140 000–180 000]
People living with HIV (women, 15+)	960 000	1.1 m	1.2 m
	[890 000–1.1 m]	[1.0 m–1.2 m]	[1.1 m–1.4 m]
People living with HIV (men, 15+)	690 000	690 000	680 000
	[630 000–770 000]	[630 000–770 000]	[620 000–760 000]
HIV prevalence (15–49) (%)	1.9 [1.8–2.0]	1.7 [1.7–1.8]	1.3 [1.3–1.4]


LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, under a law that covers a broader range of communicable diseases and mentions HIV
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	Yes, imprisonment (up to 14 years)
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 18 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No


STIGMA AND DISCRIMINATIO	N	
Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	2016	
	52.8	
Percentage of people living with HIV who report experienced stigma and discrimination		2021
in the general community in the last 12 months		19.4
Percentage of people living with HIV who report experiences of HIV-related		2021
discrimination in health-care settings in the last 12 months		4.1
GENDER INEQUALITY AND V	OLEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in		2021
hitting or beating his wife for specific reasons		27.6

EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2021	17 106 070	146 481	330 641 645	81 445 796	3 847 070	437 756 612









Change in new -48% **HIV** infections since 2010

KEY POPULATIONS

Change in AIDSrelated deaths -52% since 2010

People who Transgender

Incidence: = 3.7 prevalence ratio

People in


Incidence: 1.07 mortality ratio

Men who Sex workers have sex with men Estimated size of population

inject drugs people prisons 78 600 **HIV** prevalence 16.7% 25% 10.9% 28.8% 2.8% HIV testing and status 69.0% 58.5% 37.2% 59.0% awareness **Antiretroviral therapy** 23.7% 26.3% 25.0%** 19.5% ... coverage Condom use 85.5% 69.8% 46.5% 65.9% Coverage of HIV prevention 79.4% programmes Avoidance of health care because of stigma and discrimination Experience of sexual and/or physical violence

** Programme data—not representative.

HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TRANSMISSION				
	2015	2023		
Percentage of pregnant women living with HIV accessing antiretroviral medicines	48% [42–57%]	33% [30–40%]		
Final vertical transmission rate including during breastfeeding	22.9% [21.6–24.4%]	23.4% [21.3–26.3%]		
Early infant diagnosis	14.6% [12.9–17.2%]	17.8% [15.9–21.5%]		

HIV COMORBIDITIES	
Estimated number of incident tuberculosis cases among people living with HIV (2023)	25 000 [16 000 -35 000]
People living with HIV who started TB preventive therapy (2023)	73.8%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	
HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	0.2%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years (2018)	
— Women	35.7%
— Men	64.6%
Women aged 15–49 years who have their demand for family planning satisfied by modern methods (2021)	39.9%
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period (2023)	181 201
Harm reduction	
 Use of sterile injecting equipment at last injection (2020) 	35.9%
 Needles and syringes distributed per person who injects (2020) 	0
 Coverage of agonist maintenance therapy 	
— Naloxone available (2024)	No

SENEGAL

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	2200	1400	2800
	[1800–2800]	[1100–1900]	[2300–3800]
New HIV infections (0–14)	590	<500	<500
	[<500–760]	[<500-<500]	[<200- <500]
New HIV infections (15-24)	<500	<500	<500
	[<500-<500]	[<200- <500]	[<500–620]
New HIV infections (women, 15+)	770	530	1200
	[610–970]	[<500–730]	[920–1600]
New HIV infections (men, 15+)	870	600	1400
	[690–1100]	[<500–820]	[1100–1900]
HIV incidence as new infections per 1000 uninfected population	0.18 [0.15–0.22]	0.1 [<0.1–0.13]	0.16 [0.13–0.21]
AIDS-related deaths			
AIDS-related deaths (all ages)	1700	1700	840
	[1300–2200]	[1300–2300]	[650–1100]
AIDS-related deaths (0–14)	<500	<500	<200
	[<500–580]	[<500-<500]	[<100- <200]
AIDS-related deaths (women, 15+)	<500	<500	<500
	[<200- <500]	[<500–740]	[<200- <500]
AIDS-related deaths (men, 15+)	990	910	<500
	[740–1300]	[730–1100]	[<500–620]
People living with HIV			
People living with HIV (all ages)	43 000	40 000	44 000
	[37 000–50 000]	[36 000–46 000]	[39 000–52 000]
People living with HIV (0–14)	4400	3500	2200
	[3700–5200]	[2900–4300]	[1900–2800]
People living with HIV (women, 15+)	20 000	21 000	24 000
	[17 000–23 000]	[19 000–24 000]	[21 000–28 000]
People living with HIV (men, 15+)	18 000	16 000	17 000
	[16 000–21 000]	[14 000–18 000]	[16 000–21 000]
HIV prevalence (15-49) (%)	0.6 [0.5–0.7]	0.4 [0.4–0.5]	0.3 [0.3–0.4]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	Yes, imprisonment (up to 14 years)
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 16 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No

years who report discriminatory attitudes towards people living with HIV	•••	
	•••	
Percentage of people living with HIV who		2021
report experienced stigma and discrimination in the general community in the last 12 months		45.8
Percentage of people living with HIV who report experiences of HIV-related		2021
discrimination in health-care settings in the last 12 months		5.3

STIGMA AND DISCRIMINATION


Percentage of women and men aged 15-49

GENDER INEQUALITY AND VIOLENCE			
Proportion of ever-married or partnered women aged 15–49 years who experienced	2017	2019	
physical or sexual violence from a male intimate partner in the past 12 months	12.2	6.1	
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in		2019	

35.0


hitting or beating his wife for specific reasons

EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2023	1 762 970	0	0	0	0	5 437 799



Change in new
HIV infections = 24%
since 2010


physical violence



Change in AIDS-related deaths = -50% since 2010



Incidence:
prevalence = 6.3
ratio



Incidence: = 2.46

KEY POPULATIONS Men who People who Transgender People in Sex workers have sex inject drugs people prisons with men Estimated size of population 52 500 300 **HIV** prevalence 4.8% 3.7% 2% HIV testing and status 98.0% awareness **Antiretroviral therapy** 28.3% 37.8% coverage Condom use 91.6% 54.1% Coverage of HIV prevention 65.5% programmes Avoidance of health care because of stigma and 19.1% discrimination Experience of sexual and/or

HIV TESTING AND TREATMENT CASCADE 40 000 35 000 Number of people living with HIV 30 000 25 000 20 000 15 000 10 000 5 000 People living with HIV who know People living with HIV who are People living with HIV on their status treatment virally suppressed All ages 84% [76->98%] 80% [72-95%] 74% [66-87%] 36 922 35 157 32 196 Children (0-14) 77% [65->98%] 67% [56-85%] 53% [45-68%] 1710 1481 1179 Women (15+) 97% [87->98%] 97% [86->98%] 90% [80->98%] 23 354 23 391 21 556 1,908 031 2983 /4E . \ E00/ [E2 /00/] E 40/ [40 / 40/]

Men (15+)	68% [60–80%] 11 821	59% [53–69%] 10 322	54% [² 9461	18–64%]	
ELIMINATION OF VERTICAL TRANSMISSION					
		:	2015	2023	
	oregnant women living witetroviral medicines		77% 7–86%]	94% [78–100%]	
Final vertical tra breastfeeding	ansmission rate including (-	8.2% 3–21.3%]	15.2% [13.7–18.7%]	
Early infant diag	gnosis	_	0.2% 5–22.5%]	64.3% [53.3–74.2%]	

Estimated number of incident tuberculosis	780
cases among people living with HIV (2023)	[530–1100]
People living with HIV who started TB preventive therapy (2023)	22.7%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	
HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	<0.1%

People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	
HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	<0.1%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	•••
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years (2019)	
— Women	39.1%
— Men	71.7%
Women aged 15–49 years who have their demand for family planning satisfied by modern methods (2023)	56.7%
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period (2023)	4178
Harm reduction	
 Use of sterile injecting equipment at last injection 	
 Needles and syringes distributed per person who injects (2020) 	16
 Coverage of agonist maintenance therapy (2021) 	9.3%

WESTERN AND CENTRAL AFRICA 331

SIERRA LEONE


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	5500	4900	3300
	[4700–6600]	[3800–6100]	[1900–5500]
New HIV infections (0–14)	1400	1200	740
	[1100–1800]	[860–1500]	[520–1300]
New HIV infections (15-24)	2000	1900	1300
	[1200–2600]	[1100–2500]	[700–2200]
New HIV infections (women, 15+)	2300	2200	1600
	[1900–2800]	[1700–2800]	[890–2700]
New HIV infections (men, 15+)	1800	1500	980
	[1500–2300]	[1100–2000]	[520–1700]
HIV incidence as new infections per 1000 uninfected population	0.88 [0.74–1.1]	0.68 [0.53–0.85]	0.39 [0.22–0.65]
AIDS-related deaths			
AIDS-related deaths (all ages)	3600	3400	1800
	[2900–4400]	[2800–4200]	[1400–2400]
AIDS-related deaths (0–14)	1100	920	590
	[910–1300]	[740–1100]	[<500–900]
AIDS-related deaths (women, 15+)	1300	1100	590
	[1000–1700]	[820–1400]	[<500–790]
AIDS-related deaths (men, 15+)	1100	1400	660
	[900–1500]	[1200–1800]	[<500–910]
People living with HIV			
People living with HIV (all ages)	59 000	66 000	77 000
	[52 000–68 000]	[58 000–75 000]	[64 000–92 000]
People living with HIV (0-14)	8500	7800	6200
	[6900–10 000]	[6400–9100]	[4600–8000]
People living with HIV (women, 15+)	29 000	34 000	45 000
	[25 000–33 000]	[30 000–39 000]	[37 000–55 000]
People living with HIV (men, 15+)	22 000	23 000	26 000
	[19 000–25 000]	[20 000–27 000]	[21 000–31 000]
HIV prevalence (15–49) (%)	1.5 [1.4–1.7]	1.5 [1.3–1.6]	1.4 [1.1–1.7]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	No
Criminalization of same-sex sexual acts in private	Yes, imprisonment (up to 14 years)
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 18 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes
Mandatory HIV testing for marriage, work or	Yes


Percentage of women aged 15–49 years who report discriminatory attitudes towards people living with HIV	2017	2019
	72.1	77.2
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND VI	OLEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced		2019
physical or sexual violence from a male intimate partner in the past 12 months		39.9
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons		2019
inting of seating ins whe for specific reasons		43.4

STIGMA AND DISCRIMINATION


EXPENDITURES (in US dollars)						
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	70 300	0	37 485	6 629 326	0	6 737 120




Change in new -39% **HIV** infections since 2010



Change in AIDS--48% related deaths since 2010



Incidence: = 4.3 prevalence ratio




Incidence: mortality ratio

KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population	•••				104 000
HIV prevalence	11.8%	3.4%	4.2%	4.2%	3.7%
HIV testing and status awareness	95.9%	99.4%	98.4%	75.0%	
Antiretroviral therapy coverage	63.0%				
Condom use	45.9%	53.4%	4.1%	73.9%	
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence	30%	1.9%	30.4%	14.6%	

HIV TESTING AND TREATMENT CASCADE



	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	60% [51–73%]	87% [71–100%]
Final vertical transmission rate including during breastfeeding	21.5% [19.0–23.8%]	12.0% [9.9–16.5%]
Early infant diagnosis	2.8% [2.4–3.5%]	8.7% [7.1–11.0%]

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	3200 [2000 –4700]
People living with HIV who started TB preventive therapy (2023)	62.2%
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV PREVENTION

Prevalence of adults (15+) living with HIV with unsuppressed viral load

Knowledge of HIV prevention among young people aged 15-24 years

— Women

— Men

Condom use at last sex with a non-marital,

non-cohabiting partner among people aged 15-49 years (2019)

— Women 6.6% — Men 22.9%

Women aged 15-49 years who have their demand for family planning satisfied by

modern methods (2019) Not Men aged 15-49 years who are circumcised applicable

53.1%

Νo

Voluntary medical male circumcisions Not performed according to national standards applicable

People who received PrEP at least once 10 450 during the reporting period (2023)

Harm reduction

- Use of sterile injecting equipment at last injection
- Needles and syringes distributed per person who injects
- Coverage of agonist maintenance therapy
- Naloxone available (2024)

WESTERN AND CENTRAL AFRICA 333


TOGO


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	6600	4700	2300
	[5300–8800]	[3500–6800]	[1300–4100]
New HIV infections (0–14)	1900	970	600
	[1500–2500]	[660–1400]	[<500–990]
New HIV infections (15-24)	1700	1300	620
	[1100–2300]	[840–1900]	[<500–1100]
New HIV infections (women, 15+)	2700	2300	1100
	[2000–3700]	[1600–3300]	[570–2100]
New HIV infections (men, 15+)	2000	1500	620
	[1500–2800]	[1100–2200]	[<500–1200]
HIV incidence as new infections per 1000 uninfected population	1 [0.82–1.4]	0.64 [0.48–0.93]	0.26 [0.14–0.46]
AIDS-related deaths			
AIDS-related deaths (all ages)	6600	4800	2200
	[5000–9000]	[3500–6700]	[1600–3400]
AIDS-related deaths (0–14)	1600	820	<500
	[1200–2000]	[600–1200]	[<500–790]
AIDS-related deaths (women, 15+)	2900	1600	830
	[2100–4000]	[1100–2500]	[580–1200]
AIDS-related deaths (men, 15+)	2200	2400	960
	[1600–3100]	[1800–3100]	[710–1400]
People living with HIV			
People living with HIV (all ages)	120 000	110 000	100 000
	[96 000–140 000]	[96 000–130 000]	[88 000–130 000]
People living with HIV (0-14)	15 000	10 000	6200
	[12 000–18 000]	[8100–13 000]	[4600–8500]
People living with HIV (women, 15+)	59 000	61 000	64 000
	[49 000–71 000]	[53 000–72 000]	[54 000–78 000]
People living with HIV (men, 15+)	42 000	39 000	34 000
	[35 000–51 000]	[34 000–47 000]	[29 000–41 000]
HIV prevalence (15–49) (%)	2.8 [2.4–3.3]	2.3 [2.0–2.8]	1.6 [1.4–2.0]


LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	Yes, imprisonment (up to 14 years)
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 14 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No
	No


STIGMA AND DISCRIMINATION	N	
Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	2014	
	45.8	
Percentage of people living with HIV who report experienced stigma and discrimination		2021
in the general community in the last 12 months		22.2
Percentage of people living with HIV who report experiences of HIV-related		2021
discrimination in health-care settings in the last 12 months		10.5
GENDER INEQUALITY AND V	IOLEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months	,	
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons		

EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	0	0	0	0	0	0









Change in new -65% **HIV** infections since 2010

Change in AIDS--66% related deaths since 2010

Incidence: = 2.2 prevalence ratio

Incidence: mortality ratio

0.74

KEY POPULATIONS


	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population	29 400				5800
HIV prevalence	7%	7.7%	3.4%		3.5%
HIV testing and status awareness	99.0%	100%**	97.7%**		
Antiretroviral therapy coverage	62.2%	58.7%	52.4%		35.6%**
Condom use	71.7%	65%	79.7%		
Coverage of HIV prevention programmes	21.1%	57.5%	24.2%		
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

ĸχ	Programme	data—not	representative.

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	370 [280–470]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV TESTING AND TREATMENT CASCADE



HIV PREVENTION

— Men

— Men

Prevalence of adults (15+) living with HIV with unsuppressed viral load	0.4%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	

Condom use at last sex with a non-marital, 15

n-conabiting	partner	among	people	aged
–49 years				
— Women				

Women aged 15-49 years who have their demand for family planning satisfied by modern methods

Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions	Not

performed according to national standards	applicable
People who received PrEP at least once during the reporting period (2023)	2292

Harm reduction

 Use of sterile injecting equipment at last injection (2022) 	0%
 Needles and syringes distributed per person who injects (2021) 	0
 Coverage of agonist maintenance therapy (2021) 	3.6%

Naloxone available (2024) Yes

ELIMINATION OF VERTICAL TRANSMISSION

	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	85% [70–100%]	85% [69–100%]
Final vertical transmission rate including during breastfeeding	17.8% [14.5–21.8%]	14.2% [10.2–19.3%]
Early infant diagnosis	20.1% [16.5–24.4%]	72.9% [59.1–90.9%]


WESTERN AND CENTRAL AFRICA 335

WESTERN AND CENTRAL EUROPE AND NORTH AMERICA

There has been a 24% drop in the annual number of new HIV infections in western and central Europe and North America since 2010 (Figure 8.1), and the number of AIDS-related deaths has declined by 34% (Figure 8.1). Numbers of new HIV infections among sex workers and their clients, however, have not declined at the same rate (Figure 8.2) (1). Despite data showing ongoing progress in HIV prevention, persistent social and economic factors, including stigma and discrimination, continue to cause health disparities, compromising the health and well-being of people from marginalized communities.

Numbers of new HIV infections and AIDS-related deaths continue to decline

Figure 8.1 Number of new HIV infections and AIDS-related deaths, western and central Europe and North America, 2000–2023



Source: UNAIDS epidemiological estimates, 2024 (https://aidsinfo.unaids.org/).



2023 DATA

- 24% decrease in new HIV infections since 2010
- 34% decrease in AIDS-related deaths since 2010
- People living with HIV:
 2.3 million
 [2.0 million–2.7 million]
- New HIV infections:56 000 [45 000–67 000]
- AIDS-related deaths:13 000 [9400–17 000]

Testing and treatment cascade (all ages):

- % of people living with HIV who know their HIV status as of 2022 (data for 2023 remains pending):
 89 [66->98]
- % of people living with HIV who are on treatment in 2023:
 77 [57–91]
- % of people living with HIV who have a suppressed viral load as of 2022 (data for 2023 remains pending): 70 [60-80]


Reports from the United States of America show unequal progress across populations. Among all populations there was a 12% decrease in numbers of new HIV infections compared with 2018, and there was an encouraging 30% decrease among young people aged 13–24 years (2). Numbers of new HIV infections decreased by only 10% among Black women, however, who accounted for 50% of new HIV infections among cisgender women, and by 41% among transgender women. Overall, new HIV infections attributed to male-to-male sexual intercourse accounted for 67% of new infections. An estimated 87% [74–>98%] of adults aged 15 years and over living with HIV were aware of their HIV status in 2022.

In western and central Europe, coverage of HIV testing and treatment services remained high. In 2022, approximately 91% [77–>98%] of people living with HIV knew their HIV status, 93% [79–>98%] of these received antiretroviral therapy, and 96% [81–>98%] of people on treatment had a suppressed viral load. Treatment coverage and outcomes are poorer in central Europe, however. Estimates of epidemic trends and progress on the testing and treatment cascade are increasingly complex for countries in Europe, due to movements of people within, as well as in and out of, the region. Harmonizing and integrating client and programme monitoring and surveillance data systems across countries in the region are critical. Programmatically, efforts to re-engage people in care if they drop out, sometimes starting from a re-diagnosis, are increasingly important to reach and maintain high treatment coverage (3).

HIV-related stigma and discrimination remain major barriers to accessing HIV services for people living with HIV across western and central Europe and North America. In the United States, African American and Hispanic communities are disproportionately affected by HIV compared with other racial or ethnic groups. According to the Centers for Disease Control and Prevention, in 2021 Black and African American people aged 13 years and over represented approximately 12% of the United States population but accounted for 40% of people living with HIV. Hispanic and Latino people aged 13 years and over represented 18% of the population but accounted for 25% of people living with HIV. Disparities also exist among women. Black women are disproportionately affected by HIV compared with women of other races or ethnicities. Although annual numbers of HIV infections remained stable overall among Black women between 2017 and 2021,

The majority of new HIV infections in 2022 occur among people from key populations

Figure 8.2 Distribution of new HIV infections and percentage change among adults, western and central Europe and North America, 2010 and 2022



Source: Korenromp EL, Sabin K, Stover J, Brown T, Johnson LF, Martin-Hughes R, et al. New HIV infections among key populations and their partners in 2010 and 2022, by world region: a multisources estimation. J Acquir Immune Defic Syndr. 2024;95(15):e34–e45.

the rate of new HIV infections among Black women is 10 times that among white women and four times that among Latina women (4).

In western and central Europe, discriminatory laws that target key populations at risk of HIV—such as the criminalization of sex work, same-sex relations or possession of small amounts of drugs for personal use—continue to limit access to services. Of 41 countries in the region, 36 countries have laws criminalizing some aspect of sex work; no countries have laws criminalizing same-sex sexual acts; at least 26 countries have laws criminalizing possession of small amounts of drugs; one country has HIV-related travel restrictions (requiring HIV testing or disclosure for some permits); and 34 countries have laws criminalizing HIV nondisclosure, exposure or transmission, either explicitly or through general disease laws, or have prosecutions based on general criminal laws in the past 10 years.

HIV-related stigma and discrimination remain major barriers to accessing HIV services for people living with HIV, including in this region. An exploratory small survey conducted in 2021 among people living with HIV to measure HIV-related stigma across Europe and central Asia found that one in five respondents (21%) were afraid to go to health-care services for fear of having their HIV status disclosed, and one in seven (16%) avoided health-care services altogether for fear of being treated differently. Respondents reported experiencing stigmatizing practices such as being verbally harassed (20%) or being threatened, verbally abused or physically harmed by someone other than friends or family (15%) (5).

HIV prevention services to reach the most vulnerable migrants in western Europe are needed. A study shows that 62% of HIV-positive migrant gay men and other men who have sex with men had acquired HIV after arrival in France, 13% within the firstyear (6). This study highlights that contextual factors (e.g. legal status of same-sex relations in the country of birth) and individual factors (e.g. level of social disadvantage and sexual behaviour) may contribute to early HIV acquisition after migration. Studies have reported similar findings in other European countries, including Sweden (7) and the United Kingdom of Great Britain and Northern Ireland (8). Substantial gaps in data exist on HIV burden and access to the HIV continuum of care among migrants living in this region, particularly for people in precarious circumstances such as migrants with irregular status (9).

Figure 8.3 HIV prevalence among people from key populations compared with adults (aged 15–49 years), reporting countries in western and central Europe and North America, 2019–2023



Source: UNAIDS Global AIDS Monitoring, 2020–2024; UNAIDS epidemiological estimates, 2024 (https://aidsinfo.unaids.org/).

Note: n = number of countries. Total number of reporting countries = 40

The adult prevalence uncertainty bounds define the range within which the true value lies (if it can be measured). Narrow bounds indicate that an estimate is precise, while wide bounds indicate greater uncertainty regarding the estimate.

Table 8.1 Reported estimated size of key populations, western and central Europe and North America, 2019–2023

Country	National adult population (aged 15–49 years) for 2023 or relevant year	Sex workers	Sex workers as percentage of adult population (aged 15–49 years)	Gay men and other men who have sex with men	Gay men and other men who have sex with men as percentage of adult population (aged 15–49 years)	People who inject drugs	People who inject drugs as percentage of adult population (aged 15–49 years)	Transgender people	Transgender people as percentage of adult population (aged 15–49 years)	People in prisons and other closed settings	People in prisons and other closed settings as percentage of adult population (aged 15-49 years)
Austria	3 849 000			100 000	2.58%					9100	0.24%
Belgium	5 082 000									10 400	0.20%
Canada	17 635 000			432 300	2.50%	90 300	0.52%	100 800	0.58%	13 400	0.08%
Czechia	4 636 000					44 900	0.96%			19 500	0.42%
Denmark	2 574 000			60 000	2.34%						
Estonia	574 000									2300	0.40%
Finland	2 375 000									2800	0.12%
France	26 855 000									72 800	0.27%
Germany	33 792 000									56 600	0.17%
Ireland	2 393 000									3800	0.16%
Liechtenstein	17 000										
Monaco	31 000									100	0.16%
Portugal	4 274 000										
Serbia	3 963 000									10 600	0.26%
Spain	20 561 000									55 800	0.27%
Turkey	44 839 000									348 300	0.77%
Estimated global as percentage of (aged 15-49 year			0.43%		2.46%		0.62%		0.29%		-

National population size estimate Local population size estimate Insufficient data No data

Global AIDS Monitoring, 2020–2024 (https://aidsinfo.unaids.org/). Spectrum DemProj module, 2024.

"Guide for updating Spectrum HIV estimates, UNAIDS 2024 (https://initroals.unaids.org/hiv-estimates-training-material-en/).

Estimates shown are government-provided estimates reported for 2019–2023. Additional and alternative estimates may be available from different sources, including the Key Populations Atlas (https://kpatlas.unaids.org/), academic publications and institutional documents.


Source:

The estimated size of key populations refers to reported values through Global AIDS Monitoring since 2019 only. A comprehensive review of the data was conducted during these reporting rounds and therefore estimates should not be compared with data presented in previous UNAIDS reports. As a result of this process, the estimates reported can be categorized as follows: "National population size estimate" refers to estimates that are empirically derived using one of the following methods: multiplier, capture-recapture, mapping/enumeration, network scale-up method (NSUM) or population-based survey, or respondent-driven sampling-successive sampling (RDS-SS). Estimates had to be national or a combination of multiple sites with a clear approach to extrapolating to a national estimate.

"Local population size estimate" refers to estimates that are empirically derived using one of the before mentioned methods but only for a subnational group of sites that are insufficient for

"Insufficient data" refers to estimates derived from expert opinions, Delphi, wisdom of the crowds, programmatic results or registry, regional benchmarks or unknown methods. Estimates may or may not be national.


Figure 8.4 HIV testing and treatment cascade, by sex, western and central Europe and North America, 2023



Source: Further analysis of UNAIDS epidemiological estimates, 2024

Note: Knowledge of HIV status and suppressed viral load data for 2023 is not yet available.

Figure 8.5 Distribution of people by recent infection, knowledge of status, treatment and viral load suppression, adults (aged 15+ years), western and central Europe and North America, 2019–2023



Source: Further analysis of UNAIDS epidemiological estimates, 2024.

Table 8.2 Laws and policies scorecard, western and central Europe and North America, 2024

Country	Criminalization of transgender people*	Criminalization of sex work ^b	Criminalization of same-sex sexual acts in private	Criminalization of possession of small amounts of drugs ^c	Laws criminalizing HIV nondischosure, exposure or transmission ^d	Laws or policies restricting the entry, stay and residence of people living with HIV
Andorra			23		55	6
Austria		7	23	24	55	6
Belgium		8	23	25	55	6
Bulgaria			23	26	55	6
Canada	1	1	1	27	1	6
Croatia		9	23	28	55	6
Cyprus		10	23	29	55	6
Czechia	3	11	3	3	55	6
Denmark		12	23	30	55	6
Estonia		7	23	31	55	6
Finland		7	23	32	55	6
France	3	7 3	23	33 3	55 3	6
Germany	3	7	23	34	55	6
Greece		13	23	35	55	6
Hungary	5	14	23	36	55	6
Iceland	5	5	23	5	5	6
Ireland	3	4	4	3	55	6
Israel	J		23	37	55	6
Italy Latvia	5		23	38	55	6
Liechtenstein	1		1		1	6
Lithuania	5	15	23	39	55	6
Luxembourg	5	16	23	40	5	6
Malta	5	17	23	41	5	6
Monaco	1	3	2	1	2	6
Netherlands			23	42	55	6
Norway			23	43	55	6
Poland			23	44		6
Portugal			23	45		6
Romania			23	46		6
San Marino			23	47	55	6
Serbia	1	1	1	1	1	6
Slovakia			23	48		6
Slovenia		18	23	49	55	6
Spain	5	19	23	50	5	6
Sweden			23	51	55	6
Switzerland		20	23	52	55	6
Türkiye	2	3	2	2	55	6
United Kingdom of Great Britain and Northern Ireland		21	23	53	55	6
United States of America		22	23	54		6

Criminalization of transgender people Criminalization of sex work Criminalization of same-sex sexual acts in private Any criminalization or punitive regulation of sex work Death penalty No Sex work is not subject to punitive regulations Imprisonment (14 years–life, up to 14 years) or is not criminalized or no penalty specified Data not available Data not available No Laws criminalizing HIV nondisclosure, Criminalization of possession of small Laws or policies restricting the entry, stay exposure or transmission and residence of people living with HIV amounts of drugs Yes, HIV is explicitly criminalized Deport, prohibit short and/or long stay, and require Yes HIV testing or disclosure for some permit Yes, HIV is criminalized within a broader disease law or No prosecutions exist based on general criminal laws Prohibit short and/or long stay and require HIV Data not available testing or disclosure for some permits Require HIV testing or disclosure for some permits Data not available No restrictions

- Criminalization of transgender people refers to laws that criminalize people based on their gender identity or expresssion, such as laws against cross-dressing or impersonating the opposite sex.

 Criminalization of sex work refers to criminalization of any aspect of sex work, including buying sexual services, selling sexual services, ancillary activities associated with buying or
- selling sexual services, and profiting from organizing or managing sex work.

 Criminalization of possession of small amounts of drugs refers to the criminalization of possession of any quantity of drugs, including possession of a quantity of drugs sufficient
- only for personal use. A country is considered to criminalize possession of small amounts of drugs even if marijuana has been decriminalized.

 HIV nondisclosure, exposure or transmission may be explicitly criminalized in an HIV-specific law or within a law that covers a broader range of communicable diseases and mentions HIV. They may also be criminalized under a law that covers a broader range of communicable diseases but does not specifically mention HIV. Laws may limit criminalization to cases of actual d and intentional transmission. This refers to cases where a person knows their HIV-positive status, acts with the intention to transmit HIV and does in fact transmit it, in line with the UNDP 2021 Guidance for Prosecutors on HIV-related Criminal Cases. Some countries do not have a law specifically criminalizing HIV nondisclosure, exposure or transmission but the general law has been used to prosecute cases in the past 10 years.

 Constitutional or legislative protections against discrimination refer to whether gender identity or sexual orientation is specified as a protected attribute or whether courts or government
- have legally recognized that gender identity/sexual orientation/involvement in sex work/involvement in drug use or possession are protected under another attribute.

 This figure does not capture where key populations may be de facto criminalized through the misuse of other laws, such as vagrancy or public morality laws, or the use of the above laws for

different populations, e.g. transgender people may be targeted using laws criminalizing same-sex sexual activity, or gay men and other men who have sex with men may be targeted using HIV criminalization laws

C 01	irco.

- National Commitments and Policy Instrument, 2024 (http://lawsandpolicies.unaids.org/).
- National Commitments and Policy Instrument, 2022 (http://lawsandpolicies.unaids.org/). National Commitments and Policy Instrument, 2021 (http://lawsandpolicies.unaids.org/).
- 4
- 5
- National Commitments and Policy Instrument, 2019 (http://lawsandpolicies.unaids.org/).
 National Commitments and Policy Instrument, 2017 (http://lawsandpolicies.unaids.org/).
 National Commitments and Policy Instrument, 2017 (http://lawsandpolicies.unaids.org/).
 Still not welcome: HIV-related travel restrictions. Geneva: Joint United Nations Programme on HIV/AIDS and United Nations Development Programme; 2019 (https://www.unaids. 6 org/sites/default/files/media_asset/hiv-related-travel-restrictions-explainer_en.pdf).

 Danna D. Report on prostitution laws in the European Union. Milan: Unviersity of Milan; 2014 (https://documentation.lastradainternational.org/lsidocs/3048-EU-prostitution-laws.pdf).
- 7
- Belgium. Penal Code, Chapter 2, Article 77. Amendments to the Criminal Code relating to sexual offences, 30 March 2022 (https://www.ejustice.just.fgov.be/cgi/article_body.pl?language=fr&caller=summary&pub_date=22-03-30&numac=2022031330).

 Croatia. Criminal Code 2011, Article 157 (https://www.legislationline.org/download/id/7896/file/Croatia_Criminal_Code_2011_en.pdf).

 Cyprus. Criminal Code, Chapter 154 of the Laws, Articles 164–165 (http://www.cylaw.org/nomoi/arith/CAP154.pdf).

 Czechia. Criminal Code (https://antislaverylaw.ac.uk/wp-content/uploads/2019/08/Czech-Republic-Criminal-Code.pdf). 8
- 9
- 10
- 12
- 13
- Denmark. Criminal Code, Articles 228, 233 (https://www.legislationline.org/download/id/6372/file/Denmark_Criminal_Code_am2005_en.pdf).

 Hungary. Criminal Code, Sections 200–202, 205 (https://www.legislationline.org/download/id/5419/file/Hungary_Criminal_Code_of_2012_en.pdf).

 Iceland. General Penal Code, Article 206 (https://www.legislationline.org/download/id/6159/file/General%20Penal%20Code%20of%20lceland%201940,%20amended%202015.pdf).

 Lithuania. Criminal Code, Article 307 (https://www.legislationline.org/download/id/8272/file/Lithuania_CC_2000_am2017_en.pdf). 14
- 15 Luxembourg. Penal Code, Article 379bis (https://www.legislationline.org/download/id/8273/file/Luxembourg_Criminal_Code_am2018_fr.pdf). Malta. Criminal Code (https://www.legislationline.org/download/id/9619/file/Malta_CC.pdf).
- 16 17
- 18
- 19
- Slovenia. Law on the Protection of Law and Order (http://www.pisrs.si/Pis.web/pregledPredpisa?id=ZAKO3891).

 Spain. Penal Code, Article 187 (https://www.boe.es/buscar/act.php?id=BOE-A-1995-25444).

 Switzerland. Rapport du Conseil fédéral sur la prostitution et la traite d'êtres humains 2015 (https://www.ejpd.admin.ch/ejpd/fr/home/aktuell/news/2015/2015-06-05.html). 20
- United Kingdom of Great Britain and Northern Ireland. Sexual Offences Act, Articles 51A, 55 (https://www.legislation.gov.uk/ukpga/2003/42/contents).
 United States of America. US Federal and State Prostitution Laws and Related Punishments (https://prostitution.procon.org/us-federal-and-state-prostitution-laws-and-21 22
- related-punishments/).
 Mendos LR, Botha K, Carrano Lelis R, Lopez de la Peña E, Savelev I, Tan D. State-sponsored homophobia 2020: global legislation overview update. Geneva: ILGA; 2020. https:// 23
- $ilga.org/downloads/ILGA_World_State_\dot{S} ponsored_Homophobia_report_global_legislation_overview_update_December_2020.pdf$
- 24
- Austria. Narcotic Substances Act (https://bundeskriminalamt.at/302/files/drug-related_crime_2016.pdf).

 Belgium. Loi concernant le trafic des substances vnneuses, soporifiques, stupfiantes, psychotropes, dsinfectantes ou antiseptiques et des substances pouvant servir la fabrication 25 illicite de substances stupfiantes et psychotropes du 24 fevrier 2021, modifi par L 2003-05-03/46 (https://justice.belgium.be/fr/themes_et_dossiers/securite_et_criminalite/drogues/ base_legale)
- Bulgaria. Law for control over the narcotic substances and precursors (https://faolex.fao.org/docs/pdf/bul190102.pdf) and (https://sherloc.unodc.org/cld/uploads/res/document/bgr/law-for-the-control-of-precursors-2006_html/Bulgaria-Law_for_Control_over_Narcotic_Substances_and_Precursors-R-2006-153-ENL2009-5.pdf). 26
- 27 Canada. Cannabis Legislation and Regulation (https://www.justice.gc.ca/eng/cj-jp/cannabis/); and Controlled Drugs and Substances Act, Section 4 (https://laws-lois.justice.gc.ca/ eng/acts/c-38.8/fulltext.html).
- Croatia. Amendments to the Criminal Code, 1997 (http://dpnsee.org/wp-content/uploads/2019/04/Kazneni-zakon-neslu%C5%BEbeni-pro%C4%8Di%C5%A1%C4%87eni-tekst.pdf).

 Cyprus. Narcotic Drugs and Psychotropic Substances Law of 1977 (https://www.emcdda.europa.eu/attachements.cfm/att_34511_EN_NR2004Cyprus.pdf).

 Denmark country drug report 2017. Lisbon: European Union Drugs Agency; 2017 (https://www.emcdda.europa.eu/system/files/publications/4515/TD0416913ENN.pdf). 28 29
- 31
- Estonia. Act on Narcotic Drugs and Psychotropic Substances and Precursors thereof (https://www.riigiteataja.ee/en/eli/530102013024/consolide). Finland. Penal Code, Chapter 50 (https://www.finlex.fi/en/laki/kaannokset/1889/en18890039_19951010.pdf). 32 33
 - Frinance. Code de la sant publique L.3421-1 (https://www.liniex.in/en/laki/kaannokset/1689/en1689/0037_19951010.pdf).

 Greece country drug report 2019. Lisbon: European Union Drugs Agency; 2019 (https://www.emcdda.europa.eu/system/files/publications/11333/greece-cdr-2019_3.pdf).

 Hungary. Criminal Code, Section 178 (https://ihl-databases.icrc.org/en/national-practice/criminal-code-republic-hungary-amended-act-c-2012-criminal-code-act-c-2012).

 Iceland. Narcotics Act (https://www.government.is/library/Files/Narcotics%20Act_65_1974.pdf).

 Italy. Decreto del Presidente della Repubblica 9 ottobre 1990, No. 309 (https://www.gazzettaufficiale.it/eli/id/1990/10/31/090G0363/sg).
- 34
- 35
- 36
- 38
- Latvia. Criminal Law, Article 253 (https://likumi.lv/ta/en/en/id/88966).
 Lithuania. Penal Code, Article 259 (https://cjad.nottingham.ac.uk/documents/implementations/pdf/Lithuania_-_Penal_Code_as_amended_2010.pdf). 39
- Luxembourg. Loi du 19 fevrier 1973 concernant la vente de substances medicamenteuses et la lutte contre la toxicomanie (https://legilux.public.lu/eli/etat/leg/loi/1973/02/19/n1/consolide/20180915). 40
- 41 $Malta.\ Drug\ Dependence\ (Treatment\ not\ Imprisonment)\ Act\ (https://justice.gov.mt/en/ministry/Documents/DrugDependenceAct_76-2014-E.pdf).$
- 42 Netherlands. The Opium Act (https://www.government.nl/topics/drugs)
- 43 Penalties for drug law offences in Europe at a glance. Lisbon: European Union Drugs Agency (https://www.emcdda.europa.eu/publications/topic-overviews/content/drug-law-

- penalties-at-a-glance_en).
 Poland. Act of 1 April 201 amending the Act on Counteracting Drug Addiction and certain other Acts (https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=&cad=rja&uact=8&ved=2ahUKEwilpbGat4P-AhUkh_0HHQdvA0IQFnoECBsQAQ&url=https%3A%2F%2Fwww.kbpn.gov.pl%2Fportal%3Fid%3D15%26res_ 44 webscd=scad=jaxdact=saved=2ain0xewipbGater-Anoni_DrindovAoidFrioecbscAddxin=intps/s3A/s2F/s2Fwww.kppir.gov.pi/s2Fpottal/s3Fid/s35Fid/s3
- 46 47
- 48
- Slovenia. Production and Trade in Illicit Drugs Act (https://www.talkingdrugs.org/drug-decriminalisation).

 Spain. Ley Organica 4/2015, de 30 de marzo, de proteccin de la seguridad ciudadana (https://www.boe.es/eli/es/lo/2015/03/30/4/con).
- 49 50 51 Sweden. Act on Penal Law on Narcotics (1968:64), Section 1(6) (https://www.government.se/contentassets/3c9ccdab2eb943caadf1e8cc1bfe40ec/excerpts-from-the-act-on-penal-law-on-narcotics-1968_64.pdf).
- Taw-on-narcotics-1700_04.pdf). Switzerland. Federal Act on Narcotics and Psychotropic Substances (https://www.fedlex.admin.ch/eli/cc/1952/241_241_245/en). United Kingdom of Great Britain and Northern Ireland. Misuse of Drugs Act 2017 (https://www.legislation.gov.uk/ukpga/1971/38/contents). United States of America. Controlled Substances Act of 1970 (https://www.dea.gov/drug-information/drug-policy). HIV Justice Network. Amsterdam: HIV Justice Foundation; 2022 (https://www.hivjustice.net). 52 53
- 54 55

REFERENCES

- Korenromp EL, Sabin K, Stover J, Brown T, Johnson LF, Martin-Hughes R, et al. New HIV infections among key populations and their partners in 2010 and 2022, by world region: a multisources estimation. J Acquir Immune Defic Syndr. 2024;95(15):e34–e45. 1
- Centers for Disease Control and Prevention. Estimated HIV incidence and prevalence in the United States, 2018–2022. HIV Surv Suppl Rep. 2024;29(1).

 Progress towards reaching the Sustainable Development Goals related to HIV in the European Union and European Economic Area Monitoring implementation of the Dublin Declaration 2 on partnership to fight HIV/AIDS in Europe and Central Asia—2023 progress report. Stockholm: European Centre for Disease Prevention and Control; 2024 (https://www.ecdc.europa.eu/sites/default/files/documents/hiv-evidence-brief-progress-towards-sustainable%20development-goals-2023_03.pdf).
- Centers for Disease Control and Prevention. Estimated HIV incidence and prevalence in the United States, 2017-2021: national profile. HIV Surv Suppl Rep. 2023;28(3).
- HIV/AIDS surveillance in Europe 2023: 2022 data. Stockholm: European Centre for Disease Prevention and Control and World Health Organization Regional Office for Europe; 2023 (https://www.ecdc.europa.eu/sites/default/files/documents/HIV-AIDS_surveillance_in_Europe_2023_%28_2022_data_%29_0.pdf). 5
- Palich R, Arias-Rodríguez A, Duracinsky M, Le Talec J-Y, Rousset TO, Lascoux-Combe C, et al. High proportion of post-migration HIV acquisition in migrant men who have sex with men receiving HIV care in the Paris region, and associations with social disadvantage and sexual behaviours: results of the ANRS-MIE GANYMEDE study, France, 2021 to 2022. Euro Surveill. 6
- 2024;29(11):2300445.

 Brännström J, Sönnerborg A, Svedhem V, Neogi U, Marrone G. A high rate of HIV-1 acquisition post immigration among migrants in Sweden determined by a CD4 T-cell decline 7 trajectory model. HIV Med. 2017;18(9):677–684.
 Stirrup O, Tostevin A, Ragonnet-Cronin M, Volz E, Burns F, Delpech V, et al. Diagnosis delays in the UK according to pre or postmigration acquisition of HIV. AIDS. 2022;36(3):41522.
- Nöstlinger C, Cosaert T, Van Landeghem E, Vanhamel J, Jones G, Zenner D, et al. HIV among migrants in precarious circumstances in the EU and European Economic Area. Lancet HIV. 2022:9(6):e428-e437.

BULGARIA

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	<200	<500	<500
	[<200–<500]	[<200- <500]	[<200- <500]
New HIV infections (0–14)			
	[]	[–]	[–]
New HIV infections (15-24)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (men, 15+)	<200	<200	<200
	[<200- <200]	[<200– <500]	[<200- <500]
HIV incidence as new infections per 1000 uninfected population	<0.1 [<0.1–<0.1]	<0.1 [<0.1– <0.1]	<0.1 [<0.1–<0.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (0–14)			
	[]	[–]	[–]
AIDS-related deaths (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (men, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
People living with HIV			
People living with HIV (all ages)	2000	2600	3800
	[1700–2200]	[2200–2900]	[3200–4400]
People living with HIV (0–14)			
	[]	[–]	[–]
People living with HIV (women, 15+)	<500	510	670
	[<500-<500]	[<500–570]	[590–750]
People living with HIV (men, 15+)	1600	2000	3100
	[1300–1800]	[1700–2300]	[2500–3700]
HIV prevalence (15–49) (%)	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]	0.1 [<0.1–0.1]

under law covering nunicable diseases not fically mentioning HIV
not available
estrictions
not available
not available
not available

years who report discriminatory attitudes towards people living with HIV	
Percentage of people living with HIV who report experienced stigma and discrimination	

STIGMA AND DISCRIMINATION

Percentage of women and men aged 15-49

in the general community in the last 12 months

Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months

GENDER INEQUALITY AND VIOLENCE


Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months

Percentage of women and men aged 15 to 49
years who agree that a husband is justified in
hitting or beating his wife for specific reasons


EXPENDITUR	EC // LIC J. II.	V

Last available report:


EXFERENCES (IN US dollars)					
	Fund	ding sources			
Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total




Change in new
HIV infections = 14%
since 2010



Change in AIDSrelated deaths = -48% since 2010




Incidence: prevalence = 5.6 ratio



Incidence: = 3.41

KEY POPULATION	S				
	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population					
HIV prevalence		6.2%	2.5%		
HIV testing and status awareness					
Antiretroviral therapy coverage		70.3%			
Condom use					
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TRANSMISSION		
	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	% [–%]	% [–%]
Final vertical transmission rate including during breastfeeding	% [–%]	% [–%]
Early infant diagnosis	% [–%]	% [–%]

HIV COMORBIDITIES	
Estimated number of incident tuberculosis cases among people living with HIV (2023)	5 [1–12]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	
HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	<0.1%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period	
Harm reduction	
 Use of sterile injecting equipment at 	
last injection	
, , ,	

Naloxone available (2024)

Data not

available

CANADA

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	2100	1900	
	[1600–2500]	[1400–2200]	[–]
New HIV infections (0–14)			
	[–]	[–]	[=]
New HIV infections (15-24)	<500	<200	
	[<200- <500]	[<200- <500]	[]
New HIV infections (women, 15+)	500	<500	
	[<500–620]	[<500–560]	[]
New HIV infections (men, 15+)	1600	1400	
	[1100–2000]	[960–1700]	[–]
HIV incidence as new infections per 1000 uninfected population	<0.1 [<0.1– <0.1]	<0.1 [<0.1– <0.1]	[]
AIDS-related deaths			
AIDS-related deaths (all ages)	760	<500	
	[570–960]	[<500-<500]	[–]
AIDS-related deaths (0–14)			
	[–]	[–]	[–]
AIDS-related deaths (women, 15+)	<200	<100	
	[<200- <500]	[<100- <100]	[–]
AIDS-related deaths (men, 15+)	580	<500	
	[<500–730]	[<200-<500]	[–]
People living with HIV			
People living with HIV (all ages)	49 000	55 000	
	[41 000–55 000]	[46 000–63 000]	[–]
People living with HIV (0–14)			
	[–]	[–]	[–]
People living with HIV (women, 15+)	11 000	13 000	
	[9700–13 000]	[11 000–15 000]	[–]
People living with HIV (men, 15+)	37 000	42 000	
	[30 000–43 000]	[34 000–49 000]	[]
HIV prevalence (15–49) (%)	0.2 [0.2–0.2]	0.2 [0.1–0.2]	[]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	No, but the general law has been used to prosecute cases in the past 10 years
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	No law requiring parental/guardian consent
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes

STIGMA AND DISCRIMINATION

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV


Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months

Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months

GENDER INEQUALITY AND VIOLENCE

Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months

Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons



^{*} The incidence:mortality in 2023 is not published if the country has not achieved antiretroviral therapy coverage of 91% (95% x 95%) or higher (the testing and treatment target for 2025).

KEY POPULATIONS					
	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population	•••	432 300	90 300	100 800	13 400
HIV prevalence			10.3%		0.9%
HIV testing and status awareness			58.2%		
Antiretroviral therapy coverage					97.0%**
Condom use					
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination			45.5%		
Experience of sexual and/or physical violence					

^{**} Programme data—not representative.

HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period (2023)	35 000
Harm reduction	
 Use of sterile injecting equipment at last injection (2019) 	92.3%
 Needles and syringes distributed per person who injects 	
 Coverage of agonist maintenance therapy 	
11.11.40004	.,

— Naloxone available (2024)

Yes

CROATIA

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	<100	<100	<100
	[<100–<100]	[<100- <100]	[<100-<100]
New HIV infections (0–14)			
	[]	[–]	[–]
New HIV infections (15-24)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100-<100]
New HIV infections (women, 15+)			
	[]	[]	[]
New HIV infections (men, 15+)			
	[]	[–]	[–]
HIV incidence as new infections per 1000 uninfected population	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]	<0.1 [<0.01-<0.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100-<100]
AIDS-related deaths (0–14)			
	[]	[]	[]
AIDS-related deaths (women, 15+)			
	[–]	[–]	[–]
AIDS-related deaths (men, 15+)	[]	[]	[]
People living with HIV	4000	4500	4000
People living with HIV (all ages)	1200	1500	1800
	[1000–1300]	[1300–1700]	[1500–2100]
People living with HIV (0–14)			
	[]	[–]	[]
People living with HIV (women, 15+)			
	[]	[–]	[]
People living with HIV (men, 15+)	 [–]	 [–]	[–]
HIV prevalence (15–49) (%)	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, under law covering communicable diseases not specifically mentioning HIV
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	No
Criminalization of transgender people	Data not available
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Data not available
Spousal consent for married women to access sexual and reproductive health services	Data not available
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Data not available

STIGMA A	AND DISCRIMINATION	NC

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV

Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months

Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months

GENDER INEQUALITY AND VIOLENCE


Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months

Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons


EXPENDITURES (in US dollars)

Last available report:


LAI LIADITORLS (III 03 dollars)					
	Fund	ding sources			
Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total




Change in new
HIV infections = -45%
since 2010



Change in AIDSrelated deaths = -24% since 2010



Incidence:
prevalence = 2.6
ratio



Incidence: = 2.8


<0.1%

KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population					
HIV prevalence					
HIV testing and status awareness					
Antiretroviral therapy coverage					
Condom use					
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

Estimated number of incident tuberculosis cases among people living with HIV (2023)	1 [1–2]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TRANSMISSION

	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	% [–%]	% [–%]
Final vertical transmission rate including during breastfeeding	% [–%]	% [–%]
Early infant diagnosis	% [–%]	% [–%]

HIV PREVENTION

HIV COMORBIDITIES

Prev	vale	nce	of adults (1	5+) living	g with	HIV
with	n un	sup	pressed vira	al load		
			£			

Knowledge of HIV prevention among young people aged 15–24 years

— Women	
— Men	

Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years

49 years			
— Womer	n		

Women aged 15–49 years who have their demand for family planning satisfied by modern methods

Voluntary medical male circumcisions	Not
performed according to national standards	applicable

People who received PrEP at least once	550
during the reporting period (2023)	330

Harm reduction

— Men

- Use of sterile injecting equipment at last injection
- Needles and syringes distributed per person who injects
- Coverage of agonist maintenance therapy
- Naloxone available (2024) Data not available


CYPRUS

KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population					
HIV prevalence		2%	5%		
HIV testing and status awareness		100%**			
Antiretroviral therapy coverage		86.3%			
Condom use					
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

^{**} Programme data—not representative.

HIV TESTING AND TREATMENT CASCADE



HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	3 [2–6]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period (2023)	22
Harm reduction	
 Use of sterile injecting equipment at last injection 	
 Needles and syringes distributed per person who injects 	
 Coverage of agonist maintenance therapy 	
— Naloxone available (2024)	Data not available

EXPENDITURES (in US dollars)

Funding sources					
Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total

Last available report:

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, under law covering communicable diseases not specifically mentioning HIV
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	Data not available
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Data not available
Spousal consent for married women to access sexual and reproductive health services	Data not available
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Data not available

STIGMA AND DISCRIMINATION

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV

...

Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months

...

Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months

...

GENDER INEQUALITY AND VIOLENCE

Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months

•••

Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons

...

CZECHIA

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	<200	<200	<200
	[<200-<500]	[<200– <500]	[<100- <500]
New HIV infections (0–14)			
	[]	[–]	[–]
New HIV infections (15-24)	<100	<100	<100
	[<100-<100]	[<100- <100]	[<100-<100]
New HIV infections (women, 15+)	<100	<100	<100
	[<100-<100]	[<100- <100]	[<100-<100]
New HIV infections (men, 15+)	<200	<200	<200
	[<200–<500]	[<200- <500]	[<100- <500]
HIV incidence as new infections per 1000 uninfected population	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]	<0.1 [<0.01-<0.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (0–14)			
	[–]	[–]	[–]
AIDS-related deaths (women, 15+)	<100	<100	<100
	[<100-<100]	[<100- <100]	[<100- <100]
AIDS-related deaths (men, 15+)	<100	<100	<100
	[<100-<100]	[<100- <100]	[<100-<100]
People living with HIV			
People living with HIV (all ages)	2200	3000	4100
	[1800–2400]	[2500–3600]	[3500–4900]
People living with HIV (0–14)			
	[–]	[]	[–]
People living with HIV (women, 15+)	<500	<500	560
	[<500- <500]	[<500–510]	[<500–630]
People living with HIV (men, 15+)	1800	2500	3600
	[1500–2100]	[2100–3000]	[2900–4300]
HIV prevalence (15–49) (%)	<0.1 [<0.1–<0.1]	<0.1 [<0.1– <0.1]	<0.1 [<0.1–<0.1]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	No
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Data not available
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes

STIGMA AND DISCRIMINATION	J
Percentage of women and men aged 15-49	

years who report discriminatory attitudes towards people living with HIV


Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months

Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months

GENDER INEQUALITY AND VIOLENCE

Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months

Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons



^{*} The incidence:mortality in 2023 is not published if the country has not achieved antiretroviral therapy coverage of 91% (95% x 95%) or higher (the testing and treatment target for 2025).

KEY POPULATION	S				
	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population	•••		44 900		19 500
HIV prevalence	0%		0.3%		2%
HIV testing and status awareness	100%**		71.0%		
Antiretroviral therapy coverage		88.1%	55.7%		
Condom use			16%		
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

** Programme	data—not	representative.
--------------	----------	-----------------

HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period (2023)	1317
Harm reduction	
 Use of sterile injecting equipment at last injection (2022) 	93.1%
 Needles and syringes distributed per person who injects (2020) 	183
 Coverage of agonist maintenance therapy 	
— Naloxone available (2024)	No

DENMARK

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	<200	<200	<100
	[<200- <500]	[<200–<200]	[<100- <100]
New HIV infections (0–14)			
	[–]	[–]	[–]
New HIV infections (15-24)	<100	<100	<100
	[<100- <100]	[<100-<100]	[<100- <100]
New HIV infections (women, 15+)			
	[]	[]	[–]
New HIV infections (men, 15+)			
	[–]	[–]	[=]
HIV incidence as new infections per 1000 uninfected population	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]	<0.01 [<0.01–<0.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	<100	<100	<100
	[<100- <100]	[<100–<100]	[<100- <100]
AIDS-related deaths (0–14)			
	[]	[]	[–]
AIDS-related deaths (women, 15+)	 []	 []	[]
AIDS-related deaths (men, 15+)			
	[–]	[–]	[–]
People living with HIV			
People living with HIV (all ages)	5300	5900	6400
	[4500–5900]	[5000–6600]	[5500–7300]
People living with HIV (0–14)			
	[]	[–]	[–]
People living with HIV (women, 15+)			
	[]	[–]	[–]
People living with HIV (men, 15+)			
	[]	[–]	[–]
HIV prevalence (15–49) (%)	0.1 [0.1–0.1]	0.1 [<0.1–0.1]	<0.1 [<0.1–<0.1]

No
Yes
No
Yes
Data not available
No restrictions
Data not available
Data not available
Data not available
1 1

LEN

STIGMA AND DISCRIMINATION


Proportion of ever-married or partnered ... women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months

Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons

EXPENDITURES (in 119	\


Last available report:

EXPENDITORES (in US dollars)					
	Fund	ding sources			
Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total




Change in new
HIV infections = -82%
since 2010


KEY POPULATIONS



Change in AIDSrelated deaths = -21% since 2010



Incidence:
prevalence = 0.5
ratio



Incidence: = 0.41


	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population	•••	60 000			
HIV prevalence					
HIV testing and status awareness					
Antiretroviral therapy coverage					
Condom use					
Coverage of HIV prevention					

Coverage of HIV prevention
programmes

Avoidance of health care
because of stigma and
discrimination

Experience of sexual and/or
physical violence

HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TRANSMISSION		
	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	% [–%]	% [–%]
Final vertical transmission rate including during breastfeeding	% [–%]	% [–%]
Early infant diagnosis	% [–%]	% [–%]

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	6 [2–13]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	<0.1%
Knowledge of HIV prevention among young	

people aged 15–24 years

— Women

Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years

— Men

— Women

— Men

Women aged 15–49 years who have their demand for family planning satisfied by modern methods

Men aged 15–49 years who are circumcised Not applicable

Voluntary medical male circumcisions Not performed according to national standards applicable

during the reporting period

Harm reduction

People who received PrEP at least once

- Use of sterile injecting equipment at last injection
- Needles and syringes distributed per person who injects
- Coverage of agonist maintenance therapy
- Naloxone available (2024)
 Data not available

ESTONIA

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	<500	<200	<100
	[<500-<500]	[<200-<500]	[<100- <200]
New HIV infections (0–14)			
	[–]	[]	[–]
New HIV infections (15-24)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100-<100]
New HIV infections (women, 15+)	<200	<100	<100
	[<100- <200]	[<100-<100]	[<100-<100]
New HIV infections (men, 15+)	<200	<200	<100
	[<200-<500]	[<100- <200]	[<100- <200]
HIV incidence as new infections per 1000 uninfected population	0.24 [0.2–0.27]	0.13 [0.1–0.16]	<0.1 [<0.1–0.12]
AIDS-related deaths			
AIDS-related deaths (all ages)	<100	<100	
	[<100-<100]	[<100- <100]	[–]
AIDS-related deaths (0–14)			
	[–]	[]	[–]
AIDS-related deaths (women, 15+)	<100	<100	
	[<100- <100]	[<100- <100]	[–]
AIDS-related deaths (men, 15+)	<100	<100	
	[<100- <100]	[<100- <100]	[]
People living with HIV			
People living with HIV (all ages)	6200	6900	7300
	[5400–6600]	[6200–7400]	[6400–8100]
People living with HIV (0–14)			
	[–]	[–]	[–]
People living with HIV (women, 15+)	2300	2600	2800
	[2000–2500]	[2300–2900]	[2500–3200]
People living with HIV (men, 15+)	3800	4200	4400
	[3100–4300]	[3600–4700]	[3800–5000]
HIV prevalence (15–49) (%)	0.9 [0.8–0.9]	0.9 [0.9–1.0]	0.8 [0.7–0.9]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	No, but the general law has been used to prosecute cases in the past 10 years
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	No
Criminalization of transgender people	Data not available
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Data not available
Spousal consent for married women to access sexual and reproductive health services	Data not available
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Data not available

	STIGMA A	AND DISCRI	MINATION
--	----------	------------	----------

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV

Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months


Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months

GENDER INEQUALITY AND VIOLENCE

Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months

Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons

** Programme data—not representative.



^{*} The incidence:mortality in 2023 is not published if the country has not achieved antiretroviral therapy coverage of 91% (95% x 95%) or higher (the testing and treatment target for 2025).

KEY POPULATION	IS				
	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population	•••				2300
HIV prevalence					0.4%
HIV testing and status awareness					
Antiretroviral therapy coverage					98.0%**
Condom use					
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

Prevalence of adults (15+) living with HIV with unsuppressed viral load	
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period	
Harm reduction	
 Use of sterile injecting equipment at last injection (2018) 	97.4%
 Needles and syringes distributed per person who injects 	
 Coverage of agonist maintenance therapy 	
— Naloxone available (2024)	Data not available

HIV PREVENTION

FRANCE

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	6800	6100	5500
	[5500–7600]	[4900–6800]	[4400–6300]
New HIV infections (0–14)			
	[–]	[–]	[–]
New HIV infections (15-24)	940	830	810
	[750–1100]	[660–940]	[660–950]
New HIV infections (women, 15+)	2100	2000	1900
	[1800–2500]	[1700–2300]	[1600–2300]
New HIV infections (men, 15+)	4500	4000	3500
	[3300–5300]	[2900–4700]	[2500–4300]
HIV incidence as new infections per 1000 uninfected population	0.11 [<0.1–0.12]	<0.1 [<0.1–0.11]	<0.1 [<0.1–<0.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	<500	510	620
	[<500–630]	[<500–680]	[<500–810]
AIDS-related deaths (0-14)			
	[]	[–]	[–]
AIDS-related deaths (women, 15+)	<200	<200	<200
	[<100- <200]	[<100- <200]	[<200- <500]
AIDS-related deaths (men, 15+)	<500	<500	<500
	[<500-<500]	[<500-<500]	[<500–560]
People living with HIV			
People living with HIV (all ages)	140 000	170 000	200 000
	[120 000–160 000]	[140 000–190 000]	[170 000–230 000]
People living with HIV (0–14)			
	[–]	[–]	[–]
People living with HIV (women, 15+)	45 000	55 000	69 000
	[40 000–52 000]	[48 000–63 000]	[61 000–79 000]
People living with HIV (men, 15+)	95 000	110 000	130 000
	[75 000–110 000]	[89 000–130 000]	[110 000–150 000]
HIV prevalence (15–49) (%)	0.3 [0.3–0.4]	0.3 [0.3–0.4]	0.3 [0.3–0.4]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	No, but the general law has been used to prosecute cases in the past 10 years
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	Data not available
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Data not available
Spousal consent for married women to access sexual and reproductive health services	Data not available
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Data not available

	STIGMA A	AND DISC	CRIMINATIO	NC
--	----------	----------	------------	----

Percentage of women and men aged 15-49 years who report discriminatory attitudes towards people living with HIV


Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months

Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months

GENDER INEQUALITY AND VIOLENCE

Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months

Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons



^{*} The incidence:mortality in 2023 is not published if the country has not achieved antiretroviral therapy coverage of 91% (95% x 95%) or higher (the testing and treatment target for 2025).

KEY POPULATION	IS				
	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population					
HIV prevalence					
HIV testing and status awareness		67.6%	6.0%		
Antiretroviral therapy coverage					
Condom use		25.8%			
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not
wien aged 15–47 years who are circumcised	applicable
Voluntary medical male circumcisions performed according to national standards	applicable Not applicable
Voluntary medical male circumcisions	Not
Voluntary medical male circumcisions performed according to national standards People who received PrEP at least once	Not applicable
Voluntary medical male circumcisions performed according to national standards People who received PrEP at least once during the reporting period (2023)	Not applicable
Voluntary medical male circumcisions performed according to national standards People who received PrEP at least once during the reporting period (2023) Harm reduction — Use of sterile injecting equipment at	Not applicable 52 802
Voluntary medical male circumcisions performed according to national standards People who received PrEP at least once during the reporting period (2023) Harm reduction — Use of sterile injecting equipment at last injection — Needles and syringes distributed per	Not applicable 52 802

HIV PREVENTION


GERMANY

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	2700	2500	
	[1900–3200]	[1700–3000]	[–]
New HIV infections (0–14)			
	[–]	[–]	[–]
New HIV infections (15-24)			
	[–]	[–]	[–]
New HIV infections (women, 15+)	<500	<500	
	[<500- <500]	[<500-<500]	[]
New HIV infections (men, 15+)	2300	2100	
	[1600–2900]	[1400–2600]	[]
HIV incidence as new infections per 1000 uninfected population	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]	[–]
AIDS-related deaths			
AIDS-related deaths (all ages)	<500	<500	
	[<500–<500]	[<200-<500]	[–]
AIDS-related deaths (0–14)			
	[=]	[–]	[–]
AIDS-related deaths (women, 15+)	<100	<100	
	[<100- <100]	[<100- <100]	[–]
AIDS-related deaths (men, 15+)	<500	<500	
	[<200- <500]	[<200-<500]	[]
People living with HIV			
People living with HIV (all ages)	65 000	78 000	
	[52 000–77 000]	[62 000–92 000]	[–]
People living with HIV (0-14)			
	[–]	[–]	[–]
People living with HIV (women, 15+)	11 000	14 000	
	[9200–14 000]	[12 000–17 000]	[–]
People living with HIV (men, 15+)	54 000	64 000	
	[42 000–65 000]	[49 000–77 000]	[]
HIV prevalence (15–49) (%)	0.1 [<0.1–0.1]	0.1 [0.1–0.1]	[]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	No, but the general law has been used to prosecute cases in the past 10 years
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 16 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes

STIGMA AND DISCRIMINATION		
Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV		
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		•••
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		2021 56
GENDER INEQUALITY AND VIC	LEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in		

hitting or beating his wife for specific reasons



^{*} The incidence:mortality in 2023 is not published if the country has not achieved antiretroviral therapy coverage of 91% (95% x 95%) or higher (the testing and treatment target for 2025).

KEY POPULATION	S				
	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population					
HIV prevalence		15%			
HIV testing and status awareness					
Antiretroviral therapy coverage		82.3%			
Condom use					
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

THE TREVEITH ON	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period (2023)	40 000
Harm reduction	
 Use of sterile injecting equipment at last injection (2022) 	91.6%
 Needles and syringes distributed per person who injects 	
 Coverage of agonist maintenance therapy 	
— Naloxone available (2024)	Yes

HIV PREVENTION

GREECE

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	660	790	<500
	[520–760]	[600–920]	[<500–610]
New HIV infections (0–14)			
	[]	[]	[–]
New HIV infections (15-24)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (women, 15+)	<200	<200	<100
	[<100- <200]	[<200– <200]	[<100- <100]
New HIV infections (men, 15+)	550	660	<500
	[<500–650]	[<500–790]	[<500–530]
HIV incidence as new infections per 1000 uninfected population	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100– <100]
AIDS-related deaths (0–14)			
	[]	[–]	[–]
AIDS-related deaths (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (men, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
People living with HIV			
People living with HIV (all ages)	7900	11 000	15 000
	[6400–9000]	[9000–12 000]	[12 000–17 000]
People living with HIV (0-14)			
	[=]	[–]	[–]
People living with HIV (women, 15+)	1400	2000	2700
	[1300–1600]	[1700–2200]	[2300–3000]
People living with HIV (men, 15+)	6500	9100	12 000
	[5100–7500]	[7100–10 000]	[9600–14 000]
HIV prevalence (15–49) (%)	0.1 [<0.1–0.1]	0.1 [0.1–0.2]	0.2 [0.2–0.2]


LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	No, but the general law has been used to prosecute cases in the past 10 years
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	Data not available
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Data not available
Spousal consent for married women to access sexual and reproductive health services	Data not available
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Data not available

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV		
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		•••
GENDER INEQUALITY AND VIC	OLEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate		


STIGMA AND DISCRIMINATION

physical or sexual violence from a male intimate partner in the past 12 months	
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons	


EXPENDITURES (in US dollars)						
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report:						




Change in new
HIV infections = -26%
since 2010



Change in AIDS-related deaths = 60% since 2010



Incidence:
prevalence = 3.2
ratio



Incidence: = 4.03

KEY POPULATIONS Men who People who Transgender People in Sex workers have sex inject drugs people prisons with men Estimated size of population **HIV** prevalence 7.3% HIV testing and status awareness **Antiretroviral therapy** 82.3% 57.9% ... coverage Condom use Coverage of HIV prevention programmes Avoidance of health care because of stigma and discrimination Experience of sexual and/or physical violence

HIV TESTING AND TREATMENT CASCADE 16 000 14 000 Number of people living with HIV 12 000 10 000 8 000 6 000 4 000 2 000 People living with HIV who know People living with HIV who are People living with HIV on their status treatment virally suppressed All ages 90% [73->98%] 72% [58–81%] 70% [56-78%] 13 629 10 878 10 554 Children (0-14) ...% [...–...%] ...% [...-...%] ...% [...–...%] 15 16 Women (15+) 90% [78->98%] 60% [53-68%] 57% [50-64%] 2384 1606 1527 Men (15+) 90% [70->98%] 74% [57-85%] 72% [56-83%] 11 221 9256 9012

ELIMINATION OF VERTICAL TRANSMISSION					
	2015	2023			
Percentage of pregnant women living with HIV accessing antiretroviral medicines	% [–%]	% [–%]			
Final vertical transmission rate including during breastfeeding	% [–%]	% [–%]			
Early infant diagnosis	% [–%]	% [–%]			

Estimated number of incident tuberculosis cases among people living with HIV (2023)	15 [7–25]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C	

Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	
HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	<0.1%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	•••
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period	
Harm reduction	
 Use of sterile injecting equipment at last injection (2022) 	90.1%
 Needles and syringes distributed per person who injects 	
— Coverage of agonist maintenance	
therapy	

ICELAND

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	<100	<100	<100
	[<100-<100]	[<100- <100]	[<100-<100]
New HIV infections (0–14)			
	[–]	[–]	[–]
New HIV infections (15-24)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (women, 15+)	<100	<100	<100
	[<100- <100]	[<100-<100]	[<100- <100]
New HIV infections (men, 15+)	<100	<100	<100
	[<100- <100]	[<100-<100]	[<100- <100]
HIV incidence as new infections per 1000 uninfected population	<0.1 [<0.1–<0.1]	<0.1 [<0.1– <0.1]	<0.1 [<0.1–<0.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (0–14)			
	[–]	[–]	[–]
AIDS-related deaths (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (men, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
People living with HIV			
People living with HIV (all ages)	<200	<500	<500
	[<200- <500]	[<500-<500]	[<500-<500]
People living with HIV (0–14)			
	[–]	[–]	[–]
People living with HIV (women, 15+)	<100	<100	<200
	[<100- <100]	[<100-<100]	[<100- <200]
People living with HIV (men, 15+)	<200	<200	<500
	[<100- <200]	[<200-<500]	[<500-<500]
HIV prevalence (15–49) (%)	<0.1 [<0.1–<0.1]	0.1 [<0.1–0.1]	0.1 [0.1–0.1]


LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, under law covering communicable diseases not specifically mentioning HIV
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	No law requiring parental/guardian consent
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	•••	
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		•••
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND VI	OLEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		
Percentage of women and men aged 15 to 49		

STIGMA AND DISCRIMINATION

years who agree that a husband is justified in hitting or beating his wife for specific reasons

EXPENDITURES (in US dollars)						
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report:						




Change in new -25% **HIV** infections since 2010


because of stigma and discrimination

physical violence

Experience of sexual and/or



Change in AIDS-24% related deaths since 2010



Incidence: = 2.9 prevalence ratio


HIV COMORBIDITIES

Estimated number of incident tuberculosis

cases among people living with HIV (2023)

People living with HIV who started TB

preventive therapy (2023)



Incidence: 4.88 mortality ratio

0

[0-1]

KEY POPULATIONS Men who People who People in Sex workers have sex inject drugs people prisons with men Estimated size of population 2 115 500 **HIV** prevalence HIV testing and status **Antiretroviral therapy** coverage Condom use ... Coverage of HIV prevention programmes Avoidance of health care

HIV TESTING AND TREATMENT CASCADE 400 350 Number of people living with HIV 300 250 200 150 100 50 0 People living with HIV who know People living with HIV on People living with HIV who their status treatment virally suppressed All ages ...% [...-...%] 91% [75->98%] ...% [...-...%] Children (0-14) ...% [...-...%] ...% [...-...%] ...% [...-...%] 91% [76->98%] 91% [76->98% Women (15+) 92% [77->98%] 96 96 Men (15+) 92% [73->98%] 92% [72->98%] 92% [72->98% 254 256 **ELIMINATION OF VERTICAL TRANSMISSION**

2015 ...%

[...-..%] ...%

[...-...%]

...%

[...-...%]

coinfected with HIV and hepatitis C treatment PREVENTION ence of adults (15+) living with HIV asuppressed viral load agged 15–24 years Women Men m use at last sex with a non-marital, habiting partner among people aged years	 <0.1%
PREVENTION ence of adults (15+) living with HIV asuppressed viral load edge of HIV prevention among young aged 15–24 years Women Men m use at last sex with a non-marital, habiting partner among people aged	
ence of adults (15+) living with HIV suppressed viral load edge of HIV prevention among young aged 15–24 years Women Men m use at last sex with a non-marital, habiting partner among people aged	
edge of HIV prevention among young aged 15–24 years Women Men m use at last sex with a non-marital, habiting partner among people aged	
aged 15–24 years Women Men m use at last sex with a non-marital, habiting partner among people aged	
Men muse at last sex with a non-marital, habiting partner among people aged	
m use at last sex with a non-marital, habiting partner among people aged	
habiting partner among people aged	
Women	
Men	
n aged 15–49 years who have their d for family planning satisfied by n methods	
ged 15–49 years who are circumcised	Not applicable
ary medical male circumcisions ned according to national standards	Not applicable
who received PrEP at least once the reporting period (2023)	328
eduction Use of sterile injecting equipment at last injection	
Needles and syringes distributed per person who injects	
Coverage of agonist maintenance therapy	
Naloxone available (2024)	Yes
	d for family planning satisfied by methods led 15–49 years who are circumcised ary medical male circumcisions ned according to national standards who received PrEP at least once the reporting period (2023) eduction Use of sterile injecting equipment at last injection Needles and syringes distributed per person who injects Coverage of agonist maintenance therapy

Percentage of pregnant women living with HIV

Final vertical transmission rate including during

accessing antiretroviral medicines

breastfeeding

Early infant diagnosis

IRELAND


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	<500	<500	<200
	[<500-<500]	[<500-<500]	[<200-<500]
New HIV infections (0–14)			
	[]	[]	[]
New HIV infections (15-24)	<100	<100	<100
	[<100- <200]	[<100-<100]	[<100- <200]
New HIV infections (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (men, 15+)	<500	<500	<200
	[<200-<500]	[<200- <500]	[<100- <500]
HIV incidence as new infections per 1000 uninfected population	<0.1 [<0.1– <0.1]	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	<100	<100	<100
	[<100-<100]	[<100- <100]	[<100- <100]
AIDS-related deaths (0–14)			
	[–]	[–]	[–]
AIDS-related deaths (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (men, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
People living with HIV			
People living with HIV (all ages)	4600	5900	8600
	[4100–5000]	[5200–6400]	[7300–9700]
People living with HIV (0–14)			
	[–]	[–]	[–]
People living with HIV (women, 15+)	1600	1900	2700
	[1500–1800]	[1700–2100]	[2400–3000]
People living with HIV (men, 15+)	2900	4000	5900
	[2500–3300]	[3300–4400]	[4800–6900]
HIV prevalence (15–49) (%)	0.2 [0.2–0.2]	0.2 [0.2–0.2]	0.3 [0.2–0.3]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	No, but the general law has been used to prosecute cases in the past 10 years
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	No law requiring parental/guardian consent
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No


Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV		
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		•••
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND VIC	DLEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		
Percentage of women and men aged 15 to 49		

years who agree that a husband is justified in hitting or beating his wife for specific reasons


EXPENDITURES (i	n US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report:						




Change in new
HIV infections = -37%
since 2010



Change in AIDSrelated deaths = 41% since 2010



Incidence:
prevalence = 2.2
ratio




Incidence: = 5.31

KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population					
HIV prevalence		9%			
HIV testing and status awareness					
Antiretroviral therapy coverage					
Condom use					
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TRANSMISSION

	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	% [–%]	% [–%]
Final vertical transmission rate including during breastfeeding	% [–%]	% [–%]
Early infant diagnosis	% [–%]	% [–%]

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	9 [5–14]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	<0.1%
Knowledge of HIV prevention among young	

— Men

Condom use at last sex with a non-marital,

non-cohabiting partner among people aged 15–49 years — Women

— Men

Women aged 15–49 years who have their demand for family planning satisfied by

modern methods

Men aged 15–49 years who are circumcised applicable

Voluntary medical male circumcisions Not performed according to national standards applicable

People who received PrEP at least once during the reporting period (2023) 5273

Harm reduction

— Women

- Use of sterile injecting equipment at last injection
- Needles and syringes distributed per person who injects
- Coverage of agonist maintenance therapy
- Naloxone available (2024)

Yes

ISRAEL

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	<500	<500	<500
	[<500-<500]	[<500-<500]	[<200- <500]
New HIV infections (0–14)			
	[–]	[–]	[]
New HIV infections (15-24)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100-<100]
New HIV infections (women, 15+)	<100	<100	<100
	[<100-<100]	[<100- <200]	[<100- <200]
New HIV infections (men, 15+)	<500	<500	<500
	[<200- <500]	[<200- <500]	[<200-<500]
HIV incidence as new infections per 1000 uninfected population	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (0–14)			
	[–]	[–]	[–]
AIDS-related deaths (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (men, 15+)	<100	<100	<100
	[<100-<100]	[<100- <100]	[<100-<100]
People living with HIV			
People living with HIV (all ages)	5900	7400	9600
	[5200–6400]	[6500–8000]	[8000–11 000]
People living with HIV (0–14)			
	[–]	[–]	[–]
People living with HIV (women, 15+)	1700	2100	2600
	[1500–1900]	[1900–2300]	[2300–3000]
People living with HIV (men, 15+)	4200	5300	7000
	[3600–4700]	[4500–5900]	[5600–8200]
HIV prevalence (15–49) (%)	0.1 [0.1–0.1]	0.1 [0.1–0.1]	0.1 [<0.1–0.1]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, under law covering communicable diseases not specifically mentioning HIV
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Data not available
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	Require HIV testing or disclosure for some permits
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 14 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes

	STIGMA A	AND DISC	CRIMINATIO	NC
--	----------	----------	------------	----

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV


Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months

Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months

GENDER INEQUALITY AND VIOLENCE

Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months

Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons



^{*} The incidence:mortality in 2023 is not published if the country has not achieved antiretroviral therapy coverage of 91% (95% x 95%) or higher (the testing and treatment target for 2025).

KEY POPULATIONS					
	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population					
HIV prevalence					
HIV testing and status awareness					
Antiretroviral therapy coverage					
Condom use					
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period	
Harm reduction	
 Use of sterile injecting equipment at last injection 	
 Needles and syringes distributed per person who injects 	
 Coverage of agonist maintenance therapy 	
— Naloxone available (2024)	Yes

ITALY

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	4200	3500	1700
	[3400–4800]	[2800–4200]	[1200–2100]
New HIV infections (0–14)			
	[–]	[–]	[–]
New HIV infections (15-24)	<500	<500	<500
	[<500–590]	[<500–530]	[<200-<500]
New HIV infections (women, 15+)	1100	870	<500
	[880–1200]	[680–1100]	[<500-<500]
New HIV infections (men, 15+)	3200	2600	1400
	[2300–3800]	[1900–3200]	[890–1700]
HIV incidence as new infections per 1000 uninfected population	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	830	650	570
	[630–1000]	[<500–830]	[<500–710]
AIDS-related deaths (0–14)			
	[–]	[–]	[–]
AIDS-related deaths (women, 15+)	<200	<200	<200
	[<100- <200]	[<100- <200]	[<100- <200]
AIDS-related deaths (men, 15+)	680	520	<500
	[<500–880]	[<500–680]	[<500–570]
People living with HIV			
People living with HIV (all ages)	120 000	130 000	140 000
	[100 000–130 000]	[120 000–150 000]	[120 000–160 000]
People living with HIV (0–14)			
	[–]	[–]	[–]
People living with HIV (women, 15+)	33 000	37 000	39 000
	[29 000–36 000]	[32 000–41 000]	[33 000–45 000]
People living with HIV (men, 15+)	87 000	97 000	100 000
	[73 000–97 000]	[81 000–110 000]	[84 000–120 000]
HIV prevalence (15–49) (%)	0.3 [0.2–0.3]	0.3 [0.2–0.3]	0.2 [0.2–0.2]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, under law covering communicable diseases not specifically mentioning HIV
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	No
Criminalization of transgender people	Data not available
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Data not available
Spousal consent for married women to access sexual and reproductive health services	Data not available
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Data not available

STIGMA AND DISCRIMINATION

Percentage of women and men aged 15-49 years who report discriminatory attitudes towards people living with HIV

Percentage of people living with HIV who report experienced stigma and discrimination

Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months


in the general community in the last 12 months

GENDER INEQUALITY AND VIOLENCE

Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months

years who agree that a husband is justified in hitting or beating his wife for specific reasons

Percentage of women and men aged 15 to 49



^{*} The incidence:mortality in 2023 is not published if the country has not achieved antiretroviral therapy coverage of 91% (95% x 95%) or higher (the testing and treatment target for 2025).

KEY POPULATIONS					
	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population					
HIV prevalence	21.6%	30%		32.4%	
HIV testing and status awareness					
Antiretroviral therapy coverage					
Condom use					
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period (2023)	11 665
Harm reduction	
 Use of sterile injecting equipment at last injection 	
, , ,	
last injection — Needles and syringes distributed per	

LATVIA


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	<500	<500	<500
	[<500-<500]	[<500–540]	[<500-<500]
New HIV infections (0–14)			
	[]	[]	[]
New HIV infections (15-24)	<100	<100	<100
	[<100–<100]	[<100-<100]	[<100- <100]
New HIV infections (women, 15+)	<200	<200	<100
	[<200– <200]	[<200– <200]	[<100- <200]
New HIV infections (men, 15+)	<500	<500	<200
	[<500- <500]	[<500-<500]	[<200- <500]
HIV incidence as new infections per 1000 uninfected population	0.2 [0.18–0.23]	0.24 [0.21–0.28]	0.15 [0.11–0.19]
AIDS-related deaths			
AIDS-related deaths (all ages)	<500	<500	
	[<200-<500]	[<500-<500]	[–]
AIDS-related deaths (0–14)			
	[]	[–]	[–]
AIDS-related deaths (women, 15+)	<100	<100	
	[<100- <100]	[<100- <100]	[–]
AIDS-related deaths (men, 15+)	<200	<200	
	[<200– <200]	[<200– <200]	[]
People living with HIV			
People living with HIV (all ages)	4600	5400	6800
	[4200–4900]	[5000–5800]	[6300–7300]
People living with HIV (0–14)			
	[–]	[–]	[–]
People living with HIV (women, 15+)	1500	1700	2300
	[1400–1600]	[1600–1900]	[2100–2500]
People living with HIV (men, 15+)	3100	3600	4500
	[2800–3300]	[3300–3900]	[4100–4800]
HIV prevalence (15–49) (%)	0.4 [0.4–0.4]	0.5 [0.5–0.6]	0.6 [0.6–0.7]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Data not available
Spousal consent for married women to access sexual and reproductive health services	Data not available
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Yes


Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months	
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months	
GENDER INEQUALITY AND V	/IOLENCE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months	

STIGMA AND DISCRIMINATION

Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons



HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TR	ANSMISSIO	N
	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	% [–%]	% [–%]
Final vertical transmission rate including during breastfeeding	% [–%]	% [–%]
Early infant diagnosis	%	% [–%]

LITHUANIA

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	<500	<500	<200
	[<500-<500]	[<200– <500]	[<100- <500]
New HIV infections (0–14)			
	[-]	[–]	[–]
New HIV infections (15-24)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (men, 15+)	<200	<200	<200
	[<200- <500]	[<200- <500]	[<100- <500]
HIV incidence as new infections per 1000 uninfected population	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]	<0.1 [<0.1–0.12]
AIDS-related deaths			
AIDS-related deaths (all ages)	<100	<100	<100
	[<100- <200]	[<100- <200]	[<100- <100]
AIDS-related deaths (0–14)			
	[–]	[–]	[–]
AIDS-related deaths (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (men, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
People living with HIV			
People living with HIV (all ages)	2100	2700	3600
	[1900–2300]	[2500–2900]	[3000–4400]
People living with HIV (0–14)			
	[–]	[–]	[–]
People living with HIV (women, 15+)	<500	600	850
	[<500-<500]	[550–650]	[710–1100]
People living with HIV (men, 15+)	1600	2100	2700
	[1500–1800]	[1900–2300]	[2300–3400]
HIV prevalence (15–49) (%)	0.1 [0.1–0.1]	0.2 [0.2–0.2]	0.2 [0.2–0.3]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, under law covering communicable diseases not specifically mentioning HIV
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 16 years
Spousal consent for married women to access sexual and reproductive health services	Yes
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No

ISTIGMA AND DISCRIMINATION	STIGM A	A AND DIS	CRIMINA	MOITA
----------------------------	---------	-----------	---------	-------

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV

Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months

Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months

GENDER INEQUALITY AND VIOLENCE


Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months

Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons


EXPENDITURES (in US dollars)

Last available report:


LAI LIADITORLS (III 03 dollars)					
	Fund	ding sources			
Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total




Change in new -33% **HIV** infections since 2010



Change in AIDS--33% related deaths since 2010



Incidence: = 4.5 prevalence ratio



Incidence: 1.89 mortality ratio

KEY POPULATIONS Men who People who Transgender People in Sex workers have sex inject drugs people prisons with men Estimated size of population **HIV** prevalence 2.9% 13.3% 5.8% HIV testing and status awareness **Antiretroviral therapy** coverage Condom use Coverage of HIV prevention programmes Avoidance of health care because of stigma and discrimination Experience of sexual and/or

physical violence **HIV TESTING AND TREATMENT CASCADE** 3 000 2 500 Number of people living with HIV 2 000 1 500 1 000 500 0 People living with HIV who know People living with HIV who are People living with HIV on their status treatment virally suppressed All ages 68% [57-83%] 47% [39-58%] 45% [37-55%] 2445 1699 1609 Children (0-14) ...% [...-...%] ...% [...–...%] ...% [...–...%] 18 17

ELIMINATION OF VERTICAL TRANSMISSION				
	2015	2023		
Percentage of pregnant women living with HIV accessing antiretroviral medicines	% [–%]	% [–%]		
Final vertical transmission rate including during breastfeeding	% [–%]	% [–%]		
Early infant diagnosis	% [–%]	% [–%]		

56% [47-69%]

44% [37-54%]

472

1209

52% [44-65%]

42% [35-52%]

445

1147

Estimated number of incident tuberculosis cases among people living with HIV (2023)	34 [22–49]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	
HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	<0.1%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period (2023)	20
Harm reduction — Use of sterile injecting equipment at last injection (2023)	79.2%
 Needles and syringes distributed per person who injects 	
 Coverage of agonist maintenance therapy 	
— Naloxone available (2024)	No

71% [59-87%]

67% [56-82%]

601

1825

Women (15+)

Men (15+)

LUXEMBOURG


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	<100	<100	<100
	[<100- <100]	[<100-<100]	[<100- <100]
New HIV infections (0–14)			
	[–]	[–]	[–]
New HIV infections (15-24)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (men, 15+)	<100	<100	<100
	[<100-<100]	[<100- <100]	[<100- <100]
HIV incidence as new infections per 1000 uninfected population	<0.1 [<0.1–0.1]	<0.1 [<0.1–0.11]	<0.1 [<0.1–0.13]
AIDS-related deaths			
AIDS-related deaths (all ages)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (0-14)			
	[–]	[–]	[–]
AIDS-related deaths (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (men, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
People living with HIV			
People living with HIV (all ages)	760	1000	1600
	[660–850]	[910–1200]	[1400–1800]
People living with HIV (0–14)			
	[–]	[–]	[–]
People living with HIV (women, 15+)	<500	<500	<500
	[<200- <500]	[<500-<500]	[<500–520]
People living with HIV (men, 15+)	550	750	1100
	[<500–620]	[620–850]	[950–1300]
HIV prevalence (15–49) (%)	0.2 [0.2–0.2]	0.2 [0.2–0.3]	0.3 [0.3–0.3]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	No, but the general law has been used to prosecute cases in the past 10 years
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	No law requiring parental/guardian consent
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No


STIGMA AND DISCRIMINATION	
Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months	
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months	
GENDER INEQUALITY AND V	/IOLENCE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months	
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in	

hitting or beating his wife for specific reasons


EXPENDITURES (in US dollars)						
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report:						




Change in new
HIV infections = 17%
since 2010



Change in AIDSrelated deaths = 14% since 2010



Incidence:
prevalence = 3.3
ratio



Incidence: = 4.51

KEY POPULATIONS Men who People who Transgender People in Sex workers have sex inject drugs people prisons with men Estimated size of population **HIV** prevalence ... HIV testing and status awareness **Antiretroviral therapy** 88.9% 79.4% 79.4% 74.0% coverage Condom use Coverage of HIV prevention programmes Avoidance of health care because of stigma and discrimination Experience of sexual and/or physical violence

HIV TESTING AND TREATMENT CASCADE 1 600 1 400 Number of people living with HIV 1 200 1 000 800 600 400 200 0 People living with HIV who know People living with HIV who are People living with HIV on their status treatment virally suppressed All ages 90% [78->98%] 80% [69-90%] 76% [66-85%] 1442 1282 1219 ...% [...-...%] Children (0-14) ...% [...-...%] ...% [...-...%] Women (15+) 94% [82->98%] 83% [73-93%] 76% [67-85%] 437 386 355 Men (15+) 88% [74->98%] 78% [66–90%] 76% [63-87%] 997 888 857

ELIMINATION OF VERTICAL TR	ANSMISSIO	N
	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	% [–%]	% [–%]
Final vertical transmission rate including during breastfeeding	% [–%]	% [–%]
Early infant diagnosis	% [–%]	% [–%]

HIV COMORBIDITIES	
Estimated number of incident tuberculosis cases among people living with HIV (2023)	3 [1–9]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	
HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	<0.1%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period (2022)	560
Harm reduction	
 Use of sterile injecting equipment at last injection 	
 Needles and syringes distributed per person who injects 	
 Coverage of agonist maintenance therapy 	

Naloxone available (2024)

Νo

MALTA


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	<100	<100	<100
	[<100-<100]	[<100-<100]	[<100- <100]
New HIV infections (0–14)			
	[]	[]	[]
New HIV infections (15-24)	<100	<100	<100
	[<100-<100]	[<100- <100]	[<100- <100]
New HIV infections (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (men, 15+)	<100	<100	<100
	[<100- <100]	[<100-<100]	[<100- <100]
HIV incidence as new infections per 1000 uninfected population	<0.1 [<0.1– <0.1]	<0.1 [<0.1- <0.1]	<0.1 [<0.1–0.12]
AIDS-related deaths			
AIDS-related deaths (all ages)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (0–14)			
	[–]	[–]	[–]
AIDS-related deaths (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (men, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
People living with HIV			
People living with HIV (all ages)	<500	560	920
	[<500-<500]	[<500–630]	[770–1100]
People living with HIV (0–14)			
	[–]	[–]	[–]
People living with HIV (women, 15+)	<100	<200	<200
	[<100- <100]	[<200– <200]	[<200- <200]
People living with HIV (men, 15+)	<500	<500	750
	[<500-<500]	[<500-<500]	[600–870]
HIV prevalence (15–49) (%)	0.1 [0.1–0.2]	0.2 [0.2–0.2]	0.3 [0.2–0.3]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	No
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	No
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 16 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No


Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	•••	
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		•••
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND V	IOLEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in		

hitting or beating his wife for specific reasons


EXPENDITURES (in	n US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report:						




Change in new
HIV infections = 66%
since 2010



Change in AIDSrelated deaths = 25% since 2010



Incidence:
prevalence = 5.4
ratio




Incidence: = 11.5

KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population					
HIV prevalence					
HIV testing and status awareness					
Antiretroviral therapy coverage		86.2%			
Condom use					
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TRANSMISSION

	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	% [–%]	% [–%]
Final vertical transmission rate including during breastfeeding	% [–%]	% [–%]
Early infant diagnosis	% [–%]	% [–%]

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	4 [1–11]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV PREVENTION

Prevalence of adults (15+) living with HIV with unsuppressed viral load

Knowledge of HIV prevention among young people aged 15–24 years

— Women

Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years

— Women

— Men

— Men

Women aged 15–49 years who have their demand for family planning satisfied by modern methods

Men aged 15–49 years who are circumcised

Not applicable

Voluntary medical male circumcisions performed according to national standards

Not applicable

People who received PrEP at least once during the reporting period (2023) 267

Yes

Harm reduction

- Use of sterile injecting equipment at last injection
- Needles and syringes distributed per person who injects
- Coverage of agonist maintenance therapy
- Naloxone available (2024)

NETHERLANDS

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	940	650	
	[900–980]	[600–700]	[–]
New HIV infections (0–14)			
	[]	[–]	[–]
New HIV infections (15-24)	<500	<200	
	[<200- <500]	[<200- <500]	[–]
New HIV infections (women, 15+)	<200	<200	
	[<200- <200]	[<100- <200]	[–]
New HIV infections (men, 15+)	770	530	
	[730–810]	[<500–560]	[–]
HIV incidence as new infections per 1000 uninfected population	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]	[–]
AIDS-related deaths			
AIDS-related deaths (all ages)	<100	<100	
	[<100- <200]	[<100– <200]	[–]
AIDS-related deaths (0–14)	 []	[]	 [–]
AIDS-related deaths (women, 15+)	<100	<100	
	[<100- <100]	[<100-<100]	[–]
AIDS-related deaths (men, 15+)	<100	<100	
	[<100- <100]	[<100- <100]	[–]
People living with HIV			
People living with HIV (all ages)	19 000	22 000	
	[18 000–21 000]	[20 000–25 000]	[–]
People living with HIV (0–14)			
	[]	[]	[–]
People living with HIV (women, 15+)	3500	4100	
	[3100–3900]	[3700–4600]	[–]
People living with HIV (men, 15+)	16 000	18 000	
	[14 000–17 000]	[16 000–20 000]	[–]
HIV prevalence (15–49) (%)	0.2 [0.1–0.2]	0.2 [0.1–0.2]	[–]

No
Yes
No
No
No
No restrictions
Data not available
Data not available
Data not available

	STIGMA A	AND DISC	RIMINATION
--	----------	----------	------------

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV


Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months

Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months

GENDER INEQUALITY AND VIOLENCE

Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months

Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons



^{*} The incidence:mortality in 2023 is not published if the country has not achieved antiretroviral therapy coverage of 91% (95% x 95%) or higher (the testing and treatment target for 2025).

KEY POPULATIONS					
	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population	•••				8400
HIV prevalence		0.3%		1.4%	
HIV testing and status awareness					
Antiretroviral therapy coverage		91.5%			
Condom use					
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period (2023)	1521
Harm reduction	
 Use of sterile injecting equipment at last injection 	
 Needles and syringes distributed per person who injects 	
 Coverage of agonist maintenance therapy 	
— Naloxone available (2024)	Data not available

HIV PREVENTION


POLAND

KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population					
HIV prevalence			14%		
HIV testing and status awareness		9.0%**	70.0%		
Antiretroviral therapy coverage					
Condom use					
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

^{**} Programme data—not representative.

HIV TESTING AND TREATMENT CASCADE



HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2023)	45 [25–70]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period (2022)	3000
Harm reduction	
 Use of sterile injecting equipment at last injection 	
 Needles and syringes distributed per person who injects 	
 Coverage of agonist maintenance therapy 	
— Naloxone available (2024)	Data not available

EXPENDITURES (in US dollars)					
Funding sources					
Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total

Last available report:

LAWS AND POLICIES

Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	Data not available
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Data not available
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Data not available

STIGMA AND DISCRIMINATION

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV

. ...

Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months

...

Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months

GENDER INEQUALITY AND VIOLENCE

Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months

•••

Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons

...

PORTUGAL

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	1600	1100	<500
	[1300–1800]	[910–1300]	[<500–630]
New HIV infections (0–14)			
	[–]	[–]	[=]
New HIV infections (15-24)	<500	<500	<200
	[<500-<500]	[<200- <500]	[<100- <200]
New HIV infections (women, 15+)	<500	<500	<200
	[<500–500]	[<500- <500]	[<100- <200]
New HIV infections (men, 15+)	1100	820	<500
	[860–1300]	[590–970]	[<500–510]
HIV incidence as new infections per 1000 uninfected population	0.15 [0.12–0.17]	0.11 [<0.1–0.13]	<0.1 [<0.1–<0.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	770	<500	<200
	[590–910]	[<500-<500]	[<200– <500]
AIDS-related deaths (0-14)			
	[–]	[–]	[–]
AIDS-related deaths (women, 15+)	<200	<100	<100
	[<200- <500]	[<100- <200]	[<100- <100]
AIDS-related deaths (men, 15+)	570	<500	<200
	[<500–700]	[<200- <500]	[<200– <200]
People living with HIV			
People living with HIV (all ages)	42 000	44 000	47 000
	[37 000–45 000]	[39 000–48 000]	[41 000–51 000]
People living with HIV (0–14)			
	[–]	[–]	[–]
People living with HIV (women, 15+)	12 000	13 000	14 000
	[11 000–13 000]	[12 000–14 000]	[12 000–16 000]
People living with HIV (men, 15+)	29 000	31 000	33 000
	[25 000–33 000]	[27 000–35 000]	[27 000–37 000]
HIV prevalence (15–49) (%)	0.6 [0.6–0.7]	0.6 [0.6–0.7]	0.5 [0.4–0.5]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, under law covering communicable diseases not specifically mentioning HIV
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	No
Criminalization of transgender people	Data not available
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Data not available
Spousal consent for married women to access sexual and reproductive health services	Data not available
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Data not available

STIGMA AND DISCRIMINATION

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV

Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months


Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months

GENDER INEQUALITY AND VIOLENCE

Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months

Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons

** Programme data—not representative.



^{*} The incidence:mortality in 2023 is not published if the country has not achieved antiretroviral therapy coverage of 91% (95% x 95%) or higher (the testing and treatment target for 2025).

KEY POPULATIONS						
	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons	
Estimated size of population						
HIV prevalence			20.2%		3%	
HIV testing and status awareness	40.0%	72.6%**	75.0%**	74.9%**		
Antiretroviral therapy coverage						
Condom use		32%	30.1%			
Coverage of HIV prevention programmes						
Avoidance of health care because of stigma and discrimination			9%			
Experience of sexual and/or physical violence						

Prevalence of adults (15+) living with HIV with unsuppressed viral load	
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period (2023)	4499
Harm reduction — Use of sterile injecting equipment at last injection	
— Use of sterile injecting equipment at	
Use of sterile injecting equipment at last injection Needles and syringes distributed per	

HIV PREVENTION

ROMANIA


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	560	600	<500
	[<500–660]	[<500–710]	[<500–640]
New HIV infections (0–14)			
	[–]	[]	[]
New HIV infections (15-24)	<200	<200	<200
	[<200- <500]	[<200- <500]	[<200-<500]
New HIV infections (women, 15+)	<200	<200	<200
	[<200- <200]	[<200- <200]	[<100- <200]
New HIV infections (men, 15+)	<500	<500	<500
	[<500-<500]	[<500–530]	[<500-<500]
HIV incidence as new infections per 1000 uninfected population	<0.1 [<0.1– <0.1]	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	<500	<500	<200
	[<500-<500]	[<200- <500]	[<200-<500]
AIDS-related deaths (0–14)			
	[–]	[–]	[–]
AIDS-related deaths (women, 15+)	<200	<200	<100
	[<100- <200]	[<100- <200]	[<100- <100]
AIDS-related deaths (men, 15+)	<200	<100	<100
	[<100- <200]	[<100- <200]	[<100- <200]
People living with HIV			
People living with HIV (all ages)	14 000	15 000	18 000
	[13 000–15 000]	[14 000–17 000]	[16 000–21 000]
People living with HIV (0-14)			
	[–]	[–]	[–]
People living with HIV (women, 15+)	5800	5900	6500
	[5300–6300]	[5300–6500]	[5700–7300]
People living with HIV (men, 15+)	8000	9200	12 000
	[7000–8800]	[8000–10 000]	[9700–13 000]
HIV prevalence (15–49) (%)	0.1 [0.1–0.1]	0.1 [0.1–0.1]	0.2 [0.1–0.2]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	Data not available
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Data not available
Spousal consent for married women to access sexual and reproductive health services	Data not available
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Data not available

STIGMA AND DISCRIMINATION	N	
Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	•••	
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		•••
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND V	IOLEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months		
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in		

hitting or beating his wife for specific reasons


EXPENDITURES (in	n US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report:						



Change in new HIV infections = -14%

** Programme data—not representative.


Men (15+)



Change in AIDSrelated deaths = -39% since 2010




Incidence:
prevalence = 2.7
ratio



Incidence: mortality ratio = 1.81

KEY POPULATIONS					
	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population					
HIV prevalence		1.8%		0.8%	5%
HIV testing and status awareness		100%	54.0%		
Antiretroviral therapy coverage					96.7%**
Condom use					
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TRANSMISSION			
	2015	2023	
Percentage of pregnant women living with HIV accessing antiretroviral medicines	92% [85–100%]	81% [75–90%]	
Final vertical transmission rate including during breastfeeding	% [–%]	% [–%]	
Early infant diagnosis	84.3% [77.5–90.7%]	% [–%]	

9125

79% [67–91%]

73% [62-84%]

8436

THE COMORDIDITIES	
Estimated number of incident tuberculosis cases among people living with HIV (2023)	240 [190–290]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV COMORBIDITIES

Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	
HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	<0.1%
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period	
Harm reduction	
 Use of sterile injecting equipment at last injection (2022) 	84.4%
 Needles and syringes distributed per person who injects 	
 Coverage of agonist maintenance therapy 	
— Naloxone available (2024)	Data not available

84% [70-96%]

9638

SERBIA


EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	<200	<200	<200
	[<200– <200]	[<200- <500]	[<200-<500]
New HIV infections (0–14)			
	[–]	[]	[]
New HIV infections (15-24)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (men, 15+)	<200	<200	<200
	[<100- <200]	[<200- <500]	[<200- <500]
HIV incidence as new infections per 1000 uninfected population	<0.1 [<0.1–<0.1]	<0.1 [<0.1– <0.1]	<0.1 [<0.1–<0.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (0–14)			
	[]	[–]	[–]
AIDS-related deaths (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (men, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
People living with HIV			
People living with HIV (all ages)	2000	2700	4000
	[1600–2300]	[2200–3200]	[3200–4600]
People living with HIV (0–14)			
	[]	[–]	[–]
People living with HIV (women, 15+)	<500	<500	520
	[<500- <500]	[<500–520]	[<500–590]
People living with HIV (men, 15+)	1600	2300	3400
	[1200–1900]	[1800–2700]	[2700–4100]
HIV prevalence (15–49) (%)	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]	<0.1 [<0.1–0.1]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 16 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No

STIGMA AND DISCRIMINATION	
Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months	
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months	
GENDER INEQUALITY AND VIOL	ENCE
Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months	
Percentage of women and men aged 15 to 49 years who agree that a husband is justified in	2019
hitting or beating his wife for specific reasons	1.6

EXPENDITURES (in	US dollars)					
		Fund	ding sources			
	Domestic public	Domestic private	International: PEPFAR	International: Global Fund	International: all others	Total
Last available report: 2022	0	0	0	0	0	0

(Refers to women only)




Change in new 22% HIV infections


Experience of sexual and/or

physical violence


since 2010



Change in AIDSrelated deaths 87% since 2010



Incidence: prevalence ratio



Incidence: 4.17 mortality ratio

KEY POPULATIONS					
	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population				•••	
HIV prevalence	1.5%	6%	2.3%		
HIV testing and status awareness	52.5%	51.5%	12.0%		
Antiretroviral therapy coverage					
Condom use	97.5%	66.3%	34.3%		
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination	2%	1%	7.2%		

1.8%

5%

15%

HIV TESTING AND TREATMENT CASCADE 4 000 3 500 Number of people living with HIV 3 000 2 500 2 000 1 500 1 000 500 0 People living with HIV who know People living with HIV who are People living with HIV on their status treatment virally suppressed All ages 86% [70->98%] 65% [53-75%] ...% [...-...%] 3426 2567 Children (0-14) ...% [...-...%] ...% [...-...%] ...% [...-...%] Women (15+) 88% [77->98%] 63% [55-72%] ...% [...-...%] 458 329 Men (15+) 86% [69->98%] 65% [52-77%] ...% [...-...%] 2234 2962

ELIMINATION OF VERTICAL TRANSMISSION			
	2015	2023	
Percentage of pregnant women living with HIV accessing antiretroviral medicines	% [–%]	% [–%]	
Final vertical transmission rate including during breastfeeding	% [–%]	% [–%]	
Early infant diagnosis	% [–%]	% [–%]	

Estimated number of incident tuberculosis cases among people living with HIV (2023)	3 [2–5]
People living with HIV who started TB preventive therapy (2023)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	


Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	
HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods (2019)	30%
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period	
Harm reduction	
 Use of sterile injecting equipment at last injection (2021) 	65%
 Needles and syringes distributed per person who injects (2021) 	3
 Coverage of agonist maintenance therapy (2021) 	31.6%
— Naloxone available (2024)	No

SLOVAKIA

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	<100	<100	<200
	[<100- <100]	[<100- <200]	[<200- <200]
New HIV infections (0–14)			
	[–]	[]	[–]
New HIV infections (15-24)	<100	<100	<100
	[<100-<100]	[<100-<100]	[<100-<100]
New HIV infections (women, 15+)	<100	<100	<100
	[<100- <100]	[<100-<100]	[<100-<100]
New HIV infections (men, 15+)	<100	<100	<200
	[<100- <100]	[<100- <200]	[<100- <200]
HIV incidence as new infections per 1000 uninfected population	<0.01 [<0.01-<0.1]	<0.1 [<0.1– <0.1]	<0.1 [<0.1–<0.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	<100	<100	<100
	[<100– <100]	[<100- <100]	[<100-<100]
AIDS-related deaths (0–14)			
	[]	[–]	[–]
AIDS-related deaths (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100-<100]
AIDS-related deaths (men, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100-<100]
People living with HIV			
People living with HIV (all ages)	<500	750	1700
	[<500- <500]	[630–870]	[1400–2000]
People living with HIV (0–14)			
	[–]	[–]	[–]
People living with HIV (women, 15+)	<100	<200	<500
	[<100- <100]	[<100- <200]	[<500-<500]
People living with HIV (men, 15+)	<500	650	1500
	[<500-<500]	[530–770]	[1200–1700]
HIV prevalence (15-49) (%)	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, a specific crime
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	Data not available
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Data not available
Spousal consent for married women to access sexual and reproductive health services	Data not available
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Data not available

Percentage of women and men aged 15–49 years who report discriminatory attitudes cowards people living with HIV		
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months		***
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months		
GENDER INEQUALITY AND VIC	DLEN	CE
Proportion of ever-married or partnered women aged 15–49 years who experienced ohysical or sexual violence from a male intimate partner in the past 12 months		
Percentage of women and men aged 15 to 49		



^{*} The incidence:mortality in 2023 is not published if the country has not achieved antiretroviral therapy coverage of 91% (95% x 95%) or higher (the testing and treatment target for 2025).

KEY POPULATIONS					
	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population					
HIV prevalence					
HIV testing and status awareness					
Antiretroviral therapy coverage					
Condom use					
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

Prevalence of adults (15+) living with HIV with unsuppressed viral load	
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions	Not
performed according to national standards	applicable
People who received PrEP at least once during the reporting period	applicable
People who received PrEP at least once	
People who received PrEP at least once during the reporting period	
People who received PrEP at least once during the reporting period Harm reduction — Use of sterile injecting equipment at	
People who received PrEP at least once during the reporting period Harm reduction — Use of sterile injecting equipment at last injection — Needles and syringes distributed per	

HIV PREVENTION

SLOVENIA

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	<100	<100	
	[<100- <100]	[<100- <100]	[–]
New HIV infections (0–14)			
	[]	[–]	[–]
New HIV infections (15-24)	<100	<100	
	[<100- <100]	[<100- <100]	[–]
New HIV infections (women, 15+)	<100	<100	
	[<100- <100]	[<100- <100]	[–]
New HIV infections (men, 15+)	<100	<100	
	[<100- <100]	[<100- <100]	[–]
HIV incidence as new infections per 1000 uninfected population	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]	[–]
AIDS-related deaths			
AIDS-related deaths (all ages)	<100	<100	<100
	[<100- <100]	[<100-<100]	[<100-<100]
AIDS-related deaths (0–14)			
	[–]	[–]	[–]
AIDS-related deaths (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
AIDS-related deaths (men, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
People living with HIV			
People living with HIV (all ages)	<500	670	940
	[<500–530]	[540–780]	[760–1100]
People living with HIV (0–14)			
	[–]	[–]	[–]
People living with HIV (women, 15+)	<100	<100	<200
	[<100- <100]	[<100- <100]	[<100- <200]
People living with HIV (men, 15+)	<500	590	830
	[<500- <500]	[<500–700]	[660–990]
HIV prevalence (15–49) (%)	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	No, but the general law has been used to prosecute cases in the past 10 years
Criminalization of sex work among consenting adults	No
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	No
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Data not available
Spousal consent for married women to access sexual and reproductive health services	Data not available
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Data not available

	STIGMA A	AND DISC	RIMINATION
--	----------	----------	------------

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV

Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months


Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months

GENDER INEQUALITY AND VIOLENCE


Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months

Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons

EPIDEMIC TRANSITION METRICS



HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TR	ANSMISSIO	N
	2015	2023
Percentage of pregnant women living with HIV accessing antiretroviral medicines	% [–%]	% [%]
Final vertical transmission rate including during breastfeeding	% [–%]	% [–%]
Early infant diagnosis	% [–%]	% [–%]

SPAIN

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	3700	3900	2400
	[3000–4200]	[3000–4500]	[1700–3400]
New HIV infections (0–14)			
	[–]	[–]	[–]
New HIV infections (15-24)	<500	<500	<200
	[<200-<500]	[<200-<500]	[<200– <500]
New HIV infections (women, 15+)	<500	<500	<500
	[<500–510]	[<500–560]	[<200-<500]
New HIV infections (men, 15+)	3200	3400	2200
	[2600–3800]	[2600–4000]	[1500–3100]
HIV incidence as new infections per 1000 uninfected population	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	1100	770	610
	[820–1300]	[610–950]	[<500–760]
AIDS-related deaths (0–14)			
	[–]	[–]	[–]
AIDS-related deaths (women, 15+)	<200	<100	<200
	[<100- <200]	[<100- <200]	[<100- <200]
AIDS-related deaths (men, 15+)	940	670	510
	[710–1200]	[510–850]	[<500–640]
People living with HIV			
People living with HIV (all ages)	130 000	140 000	150 000
	[110 000–140 000]	[120 000–150 000]	[130 000–170 000]
People living with HIV (0–14)			
	[–]	[–]	[–]
People living with HIV (women, 15+)	23 000	24 000	26 000
	[20 000–26 000]	[21 000–28 000]	[22 000–31 000]
People living with HIV (men, 15+)	100 000	110 000	120 000
	[92 000–120 000]	[96 000–130 000]	[100 000–140 000]
HIV prevalence (15–49) (%)	0.3 [0.3–0.3]	0.3 [0.3–0.3]	0.2 [0.2–0.3]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	No, but the general law has been used to prosecute cases in the past 10 years
Criminalization of sex work among consenting adults	Yes
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	No
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes, for adolescents younger than 16 years
Spousal consent for married women to access sexual and reproductive health services	No
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No

	STIGMA A	AND DISC	CRIMINATIO	NC
--	----------	----------	------------	----

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV

Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months


Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months

GENDER INEQUALITY AND VIOLENCE

Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months

Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons

EPIDEMIC TRANSITION METRICS



^{*} The incidence:mortality in 2023 is not published if the country has not achieved antiretroviral therapy coverage of 91% (95% x 95%) or higher (the testing and treatment target for 2025).

KEY POPULATIONS					
	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population					
HIV prevalence			32%		3.2%
HIV testing and status awareness			63.2%		
Antiretroviral therapy coverage		90.1%	95.2%		
Condom use					
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
-	
performed according to national standards People who received PrEP at least once	applicable
People who received PrEP at least once during the reporting period (2023)	applicable
People who received PrEP at least once during the reporting period (2023) Harm reduction — Use of sterile injecting equipment at	applicable 23 600
People who received PrEP at least once during the reporting period (2023) Harm reduction — Use of sterile injecting equipment at last injection — Needles and syringes distributed per	applicable 23 600

SWITZERLAND

EPIDEMIC ESTIMATES			
	2010	2015	2023
New HIV infections			
New HIV infections (all ages)	<500	<500	<200
	[<500–580]	[<500–540]	[<100- <500]
New HIV infections (0–14)			
	[–]	[]	[]
New HIV infections (15-24)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100- <100]
New HIV infections (women, 15+)	<200	<200	<100
	[<200- <200]	[<100- <200]	[<100- <100]
New HIV infections (men, 15+)	<500	<500	<200
	[<500-<500]	[<500- <500]	[<100- <200]
HIV incidence as new infections per 1000 uninfected population	<0.1 [<0.1–<0.1]	<0.1 [<0.1–<0.1]	<0.1 [<0.01–<0.1]
AIDS-related deaths			
AIDS-related deaths (all ages)	<100	<100	<100
	[<100- <100]	[<100– <100]	[<100- <100]
AIDS-related deaths (0–14)			
	[–]	[–]	[–]
AIDS-related deaths (women, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100-<100]
AIDS-related deaths (men, 15+)	<100	<100	<100
	[<100- <100]	[<100- <100]	[<100-<100]
People living with HIV			
People living with HIV (all ages)	13 000	16 000	17 000
	[12 000–15 000]	[14 000–18 000]	[15 000–20 000]
People living with HIV (0–14)			
	[–]	[–]	[–]
People living with HIV (women, 15+)	3500	4200	4700
	[3100–3900]	[3700–4700]	[4100–5400]
People living with HIV (men, 15+)	9700	12 000	13 000
	[8100–11 000]	[9600–13 000]	[10 000–15 000]
HIV prevalence (15–49) (%)	0.2 [0.2–0.3]	0.2 [0.2–0.3]	0.2 [0.2–0.2]

LAWS AND POLICIES	
Laws criminalizing HIV non-disclosure, exposure or transmission	Yes, under law covering communicable diseases not specifically mentioning HIV
Criminalization of sex work among consenting adults	No
Criminalization of same-sex sexual acts in private	No
Criminalization of possession of small amounts of drugs	No
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Data not available
Spousal consent for married women to access sexual and reproductive health services	Data not available
Mandatory HIV testing for marriage, work or residence permits or for certain groups	Data not available

	STIGMA A	AND DISC	CRIMINATIO	NC
--	----------	----------	------------	----

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV

Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months


Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings in the last 12 months

GENDER INEQUALITY AND VIOLENCE

Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months

Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons

EPIDEMIC TRANSITION METRICS



^{*} The incidence:mortality in 2023 is not published if the country has not achieved antiretroviral therapy coverage of 91% (95% x 95%) or higher (the testing and treatment target for 2025).

KEY POPULATION	S				
	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	People in prisons
Estimated size of population					
HIV prevalence	0%				
HIV testing and status awareness					
Antiretroviral therapy coverage		90.9%			
Condom use					
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Experience of sexual and/or physical violence					

HIV PREVENTION	
Prevalence of adults (15+) living with HIV with unsuppressed viral load	
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once	5096
during the reporting period (2023)	3076
during the reporting period (2023) Harm reduction	5076
Harm reduction — Use of sterile injecting equipment at	
Harm reduction — Use of sterile injecting equipment at last injection — Needles and syringes distributed per	

ANNEX ON METHODS

Methods for deriving UNAIDS HIV estimates

Introduction

Every year UNAIDS provides revised global, regional and country-specific modelled estimates using the best available epidemiological and programmatic data to track the HIV epidemic. Modelled estimates are required because it is not possible to count the exact number of people living with HIV, people who are newly infected with HIV, or people who have died from AIDS-related causes in any country. Doing so would require regularly testing every person for HIV and investigating all deaths, which is logistically infeasible and ethically problematic. Modelled estimates—and the lower and upper bounds around these estimates—provide a rigorous representation of the HIV pandemic in terms of levels and trends.

Table A1.1 Incidence models used for national HIV estimates collated in the Spectrum software and UNAIDS 2024 estimates round

Incidence model	Countries	HIV prevalence (aged 15–49 years) (median)	Regions
Estimation and Projection Package (EPP), generalized epidemic	38	1.7%	Asia and the Pacific Caribbean Eastern and southern Africa Western and central Africa
EPP, concentrated epidemic	38	0.29%	Asia and the Pacific Caribbean Eastern Europe and central Asia Latin America Middle East and North Africa Western and central Africa
AIDS Epidemic Model	13	0.32%	Asia and the Pacific
Case Surveillance and Vital Registration (CSAVR) or European Centre for Disease Prevention and Control (ECDC) model, fitting deaths or case reports	73	0.13%	Asia and the Pacific Caribbean Eastern Europe and central Asia Latin America Middle East and North Africa Western and central Europe and North America
Other	10	0.30%	Asia and the Pacific Eastern and southern Africa Latin America Western and central Europe and North America
All models	172	0.33%	

Country teams use UNAIDS-supported software to develop estimates annually. The country teams are comprised primarily of national monitoring and evaluation specialists, programme officers, epidemiologists, demographers and other experts from the national ministry of health, national AIDS bodies and technical partners.

The software used to produce the estimates is Spectrum (developed by Avenir Health¹) and its AIDS Impact Model (AIM). Most countries use an incidence model that runs within the AIM module of Spectrum. A few countries use an external model whose incidence estimate is imported into AIM (Table A1.1). The UNAIDS Reference Group on Estimates, Modelling and Projections² provides technical guidance on the development of the AIM module in Spectrum.

Methods and models used by UNAIDS and countries to create estimates³

Countries where HIV transmission sustains an epidemic in the general population use the Estimation and Projection Package (EPP) module of the Spectrum modelling tool, which fits a trend to HIV prevalence data from pregnant women attending antenatal clinics and from nationally representative population-based surveys. Many countries have historically conducted HIV sentinel surveillance among women attending antenatal clinics, which requires collecting data from a selection of clinics for a few months every few years. In recent years, most countries have stopped conducting sentinel surveillance among pregnant women and are now using data from the routine HIV tests conducted when pregnant women attend antenatal clinics and are tested for HIV. These data avoid the need to conduct a separate surveillance effort, and they provide a complete set of data from all clinics across the country instead of samples from selected sites.

The trends from pregnant women at antenatal clinics, whether measured through surveillance or routine data, can be used to inform estimates of national prevalence trends, whereas data from population-based surveys—which are conducted less frequently but include men and ensure coverage of all people, regardless of whether they use health-care services—are representative of national HIV prevalence levels and, if repeated, also inform trends. Data from these surveys also contribute to estimating age-and sex-specific HIV prevalence and incidence levels and trends. A few countries in sub-Saharan Africa that have no population-based surveys used adjusted HIV prevalence levels from comparisons of antenatal clinic surveillance and population-based survey data from other countries in the region. The resulting HIV prevalence trends, in addition to numbers of people on antiretroviral therapy, were then used to estimate the national HIV incidence trend, accounting for effects of antiretroviral therapy on survival.

¹ www.avenirhealth.org

² www.epidem.org

The methods are described in detail in Volume 33 (Suppl 3) of AIDS (2019); and Advancing methods for global HIV estimates. Maheu-Giroux M, Ciaranello AL, Salomon JA, Sohn AH, guest editors. J Int AIDS Soc. 2021;24(S5).

Countries where HIV transmission occurs largely among people from key populations at higher risk of HIV and the epidemic is low-level or concentrated use the AIDS Epidemic Model—a variant of the EPP model that fits to high-quality surveillance prevalence data and population size estimates for each of several key populations and the lower-risk general population.

To estimate HIV prevalence in the remaining lower-risk general population, these countries generally input surveillance data from pregnant women and account for people who cease behaviours that put them at increased risk for HIV acquisition—for example, women who cease selling sex will be included among the remaining population of people living with HIV. The resulting HIV prevalence curve and number of people on antiretroviral therapy are then used to derive a national HIV incidence trend.

Most countries in western and central Europe and North America use AIDS-related mortality data from vital registration and HIV case reports and the delay from infection to diagnosis to estimate national HIV prevalence and incidence trends. These countries use the Case Surveillance and Vital Registration (CSAVR) model within Spectrum, or the European Centre for Disease Prevention and Control (ECDC) model or, in a few instances, a country-specific model. The CSAVR model is also used by some countries in Latin America, the Caribbean, and the Middle East and North Africa that have robust disease reporting systems but limited HIV surveillance or survey data.

All countries that use UNAIDS-supported methods for their estimates share common assumptions about the effectiveness of HIV treatment and disease progression by sex and age. These assumptions are based on systematic literature reviews and meta-analyses of study data by scientific experts.

Demographic population data, including fertility, mortality and migration, are derived from the United Nations Population Division World Population Prospects 2022 estimates or recent census data and reflect the *de facto* population (current residents, regardless of nationality) of each country.

Country teams update the data in their Spectrum files every year with the latest available data on numbers of people receiving antiretroviral therapy, pregnant women receiving antiretroviral therapy, and HIV surveillance data, among other data. The model is run, and results are reviewed by country teams before sharing with UNAIDS.

Final country-submitted files containing the modelled outputs are reviewed at UNAIDS to ensure results are comparable across regions and countries and over time. Selected inputs into the model—including numbers of people on antiretroviral therapy and numbers of women accessing services to prevent vertical transmission of HIV—are further reviewed and validated in partnership with the United Nations Children's Fund (UNICEF), the World Health Organization (WHO), the United States President's Emergency Plan for AIDS Relief (PEPFAR) and its agencies, the Global Fund to Fight AIDS, Tuberculosis and Malaria (Global Fund), and other partners.

In the 2024 round of estimates, subnational estimates were created and used by 35 countries (34 in sub-Saharan Africa, one in the Caribbean). Methods for creating these subnational estimates are described later in this annex.

Uncertainty bounds around UNAIDS estimates

The estimation software calculates uncertainty bounds around each estimate. These bounds define the range within which the true value lies in 95% of cases (if it could be measured). Narrow bounds indicate that an estimate is precise, while wide bounds indicate greater uncertainty regarding the estimate, given the data and assumptions.

In countries using HIV surveillance data, the quantity and source of the available data partly determine the precision of the estimates. Countries with more HIV surveillance data have smaller ranges than countries with less surveillance data or smaller sample sizes. Countries in which one or more national population-based surveys have been conducted generally have smaller ranges around estimates than countries where such surveys have not been conducted. In countries using HIV case reporting and AIDS-related mortality data, the number of years of data and the magnitude of the cases reported or AIDS-related deaths observed will contribute to determine the precision of the estimate.

The assumptions required to arrive at the estimate also contribute to the extent of the ranges around the estimates. In brief, the more assumptions, the wider the uncertainty range, since each assumption introduces additional uncertainties. For example, the ranges around the estimates of adult HIV prevalence are smaller than those around the estimates of HIV incidence among children, which require additional data on prevalence among pregnant women and the probability of mother-to-child HIV transmission that have their own additional uncertainty.

UNAIDS is confident that the actual numbers of people living with HIV, people who are newly infected with HIV and people who have died from AIDS-related causes lie within the reported ranges. With more years of good-quality surveillance data over successive estimation rounds, the uncertainty on a country's estimate will typically decrease.

Improvements included in the 2024 UNAIDS estimates model

Country teams create new Spectrum files every year. The files may differ from one year to the next, for two reasons. First, new surveillance and programme data are entered into the model; this can change HIV prevalence and incidence trends over time or antiretroviral therapy coverage rates, including for past years. Second, improvements are incorporated into the model based on new science and statistical methods, which lead to the creation of more accurate trends in HIV incidence. Occasionally, countries change the incidence modelling option within Spectrum based on improvements in the data available in the country.

Due to these improvements to the model and the addition of new data to create the estimates, the results from previous estimation rounds cannot be compared with the results from the current round. Full historical estimates are created at each round, however, and these enable evaluation of trends over time.

Between the 2023 and 2024 estimates, the following key changes were made to the models, following guidance from the UNAIDS Reference Group on Estimates, Modelling and Projections.

Treatment interruption

Estimates for all countries now include treatment interruption, for both adults and children on treatment. Where available, the interruption rates were informed by representative national program data. For years without data, most countries adopted typical default rates, set at 1.6% for high-income countries and 5% elsewhere (adults and children alike).

Knowledge of status for children


In view of scarce data on children knowing their status, Spectrum now offers the option to estimate this indicator, based on user-entered children on ART and treatment interruption rates as well as allowing for ageing-out and deaths among children on ART. This helped to obtain more realistic and standardized child knowledge of status estimates.

On-ART mortality

The time trend in adult on-ART mortality for ART duration longer than 12 months was updated to remain constant after 2018, instead of an earlier assumed decline ongoing until 2021. On-ART mortality rates for the Asia-Pacific and Caribbean regions were updated to reflect effects of improved antiretroviral regimens, based on multi-center cohort studies, and extrapolated to Latin America, Eastern Europe and the Middle East and North Africa.

Figure A1.1 presents the 2024 estimates compared with the 2023 estimates. Shifts in the curves are the combined effect of the updated country data and the changes to model structure and assumptions described above. At the global level, trends in new HIV infections, AIDS-related deaths and people living with HIV are like those estimated in the preceding round, although there are shifts within some regions.

Figure A1.1 Comparison of 2023 and 2024 UNAIDS estimates: new HIV infections, AIDS-related deaths and people living with HIV, global, 1990–2023



Source: UNAIDS epidemiological estimates, 2023 and 2024 rounds.

Publication of country-specific estimates

UNAIDS aims to publish estimates for all countries with populations of 250 000 or more people (according to the United Nations Population Division World Population Prospects 2022, for year 2021). For countries with populations of 250 000 or more people that did not submit estimates, UNAIDS developed estimates using the Spectrum software, based on published or otherwise available information. These estimates contributed to regional and global totals but were not published as country estimates on AIDSinfo.

If there are not enough historical data to determine incidence trends, UNAIDS does not publish historical incidence:

- EPP-based incidence trends are published only if there are four or more prevalence data points including at least one in the past four years for the most important subpopulation.
- For low-level epidemics that rely on case and death surveillance data, incidence trends are published if the input data include at least eight data points on both AIDS-related deaths and new HIV diagnoses within 1990–2023. These incidence estimates are anchored in a back-calculation from reported AIDS-related deaths, and they are not highly sensitive to decreases in testing volumes and new diagnoses that some countries experienced in 2020 or 2021 due to COVID-19-related health service disruptions.

In the 2024 round, incidence was not published for 7 of 147 countries that published estimated numbers of people living with HIV (of which 146 published estimated numbers of adults living with HIV). Two of these seven, published incidence up to 2022, another two up to 2021 and one country up to 2020 only.

Additionally, formal evaluation and rankings of the magnitude of incidence change are limited to countries with at least 200 new infections in 2023, in view of increased uncertainty in lower-level epidemics.

Beyond the above incidence restrictions, UNAIDS does not publish country estimates for any indicator when available data are insufficient to justify them. In the 2024 round, estimates were not published for 24 countries, either because of insufficient data or because of no country submission.

Lastly, in countries with low-level epidemics, the number of pregnant women living with HIV is difficult to estimate. Many women living with HIV in these countries are sex workers or people who use drugs—or they are the sexual partners of people who use drugs, gay men and other men who have sex with men, or sex workers—with possibly different fertility levels than the general population. UNAIDS therefore does not present estimates of vertical HIV transmission or child infections in many countries with concentrated epidemics, unless adequate data are available to inform these estimates. Estimates related to children are not published for countries where the estimated number of pregnant women living with HIV is fewer than 50.

More information on the UNAIDS estimates and the individual Spectrum files for most countries can be found at https://hivtools.unaids.org. Data from the estimates can be found at https://aidsinfo.unaids.org.

Methods for deriving the 95-95-95 testing and treatment targets

Introduction

Since 2015, UNAIDS has reported estimates of global, regional and country-specific progress against the testing and treatment targets. In the United Nations Political Declaration on HIV and AIDS: Ending Inequalities and Getting on Track to End AIDS by 2030, testing and treatment targets were set to reach 95–95. These targets refer to three indicators:

- Indicator 1 (the first 95): the percentage of people living with HIV who know their HIV status.
- Indicator 2 (the second 95): the percentage of people living with HIV who know their HIV-positive status and are accessing treatment.
- Indicator 3 (the third 95): the percentage of people living with HIV on treatment who have suppressed viral loads.

Indicators 2 and 3 can also be expressed as a percentage of all people living with HIV. When numbers or coverage of the treatment target are expressed relative to total numbers of people living with HIV, this is called the HIV testing and treatment cascade.

Data sources for constructing country measures

Country-level progress against the 95–95–95 targets was constructed using reported data from Spectrum and Global AIDS Monitoring. Estimates are published for all people and separately for children (aged 0–14 years), men (aged 15+ years) and women (aged 15+ years). Corresponding upper and lower bounds were based on uncertainty ranges on estimated numbers of people living with HIV for each country, population group and year. These target-related indicators and their data sources are described in the UNAIDS Global AIDS Monitoring 2024 guidelines (1).

Table A1.2 summarizes the number of countries that have reported each measure in each region over the past eight years.

The final set of country measures of progress against the 95–95–95 targets for 2015 through 2023 are available at http://aidsinfo.unaids.org. Not all countries were able to report against all three targets. In the 2024 estimates round, complete treatment cascades for 2023 were published for 79 countries, an increase from 79 and 68 countries in the 2023 and 2022 estimates rounds, respectively.

Table A1.2 Data available for constructing UNAIDS measures of progress against the 95–95–95 targets, 2015–2023

Number	Year	Asia and the Pacific	Caribbean	Eastern and southern Africa	Eastern Europe and central Asia	Latin America	Middle East and North Africa	Western and central Africa	Western and central Europe and North America	Global
Countries		39	16	21	16	17	19	25	39	193
Countries in UNAIDS global estimates		30	10	20	16	17	18	25	36	172
Countries with pu estimate of adults with HIV in 2023		24	10	20	11	16	18	22	23	147
Countries	2015	15	7	20	11	11	15	21	12	113
with publicly available data	2016	18	7	20	11	13	15	21	18	124
on adults living with	2017	19	7	20	14	14	15	21	20	131
HIV who know	2018	20	7	20	14	14	15	21	21	133
their status	2019	21	7	20	14	15	15	21	18	132
_	2020	21	6	20	14	15	16	21	19	133
	2021	22	7	20	14	15	16	21	19	135
-	2022	22	6	20	13	14	16	21	19	132
	2023	19	6	20	13	12	16	21	11	119
Countries	2015	23	9	20	14	16	17	20	26	146
with publicly available data on adults living with HIV	2016	23	9	20	14	16	17	20	26	146
	2017	23	9	20	14	16	17	20	26	146
who are on	2018	23	9	20	14	16	17	20	25	145
treatment	2019	23	9	20	14	16	17	20	24	144
	2020	23	9	20	14	16	17	20	24	144
	2021	22	9	20	13	16	17	20	23	141
_	2022	22	9	20	12	16	17	20	18	135
	2023	20	9	20	12	15	17	20	14	128
Countries with publicly available data on adults living with HIV who were tested for viral load and found to be virally suppressed	2015	4	2	2	5	6	7		7	33
	2016	5	4	5	6	9	8	1	12	50
	2017	6	7	6	10	10	9	2	16	66
	2018	9	8	12	11	12	10	5	18	86
	2019	11	8	17	12	11	11	7	16	94
	2020	10	8	16	12	11	10	9	17	94
	2021	13	8	16	11	12	8	12	17	98
_	2022	14	8	17	11	12	10	11	14	98
_	2023	17	9	17	11	10	10	13	11	98

Source: UNAIDS epidemiological estimates, 2015–2023.

Note: Not counting countries that published numbers of adults living with HIV who knew their status, were on treatment or virally suppressed but missing a corresponding estimate of numbers of adults living with HIV.

Estimates of people living with HIV

All progress measures in this report are based on national estimates of people living with HIV that used the Spectrum model. In the 2024 round, people living with HIV were estimated for 172 of 193 countries and territories. These 172 countries represent 99% of the total global population. Estimates of adults living with HIV in 2023 were published for 146 of these 172 countries.

Knowledge of HIV status among people living with HIV

Numbers of people living with HIV who know their status were estimated over time using HIV case surveillance, programme data and nationally representative population-based survey data. Where data were available separately for children (aged 0–14 years) and adults (aged 15+ years, by sex), age- and sex-specific measures were calculated and then aggregated to national measures.

Countries outside of sub-Saharan Africa without national household surveys estimated the number of people living with HIV who knew their HIV status based on HIV case notification data and programme registers. Some concentrated epidemic countries used notification data directly, if their HIV surveillance system had been functioning since 2015 or longer and they were able to subtract from cumulative diagnosed people those who had died, emigrated or were otherwise lost to follow-up. If this calculation estimated the number of people with HIV who knew their HIV status as fewer than those on antiretroviral therapy, however, the reported value was excluded, as it was potentially incorrect due to one of several common biases. For example, a country may underestimate the number of people living with HIV who are aware of their HIV status if not all people diagnosed are reported to the surveillance system in a timely manner. Conversely, the measure is overestimated if people are registered or reported more than once and such duplicates are not detected, or if people die or emigrate but are not removed from the system. Such overestimation of the number of people living with HIV who are aware of their HIV status was common before 2015.

Alternatively, concentrated epidemic countries could estimate knowledge of status as part of their overall epidemic estimation through the CSAVR model, which estimated incidence of infection, knowledge of status and antiretroviral therapy coverage from case and death notifications.

Most countries in eastern and southern Africa and western and central Africa estimated knowledge of status in adults using the UNAIDS-supported Shiny90 tool (2), which is part of the Spectrum software. This mathematical model fits data from national population-based surveys on proportions of respondents living with and without HIV who had ever tested for HIV, in addition to HIV testing services programme data on the annual number of HIV tests conducted and the number of positive tests, and Spectrum model results (2).

Knowledge of HIV status estimates from Shiny90 have strengths over those drawn directly from population surveys or programme records. By constructing the population's HIV incidence and testing history over time, the resulting trend in HIV status awareness is adjusted for known reporting biases in awareness of HIV status in household surveys and accounts for retesting and repeat diagnoses among routine programme data on annual HIV diagnoses (3, 4). The Shiny90 estimates distinguish people living with HIV who had an HIV test after seroconversion and so are aware of their HIV status from those who seroconverted after their last HIV-negative test. The distinction is informed by the national incidence trend calculated in Spectrum. Shiny90 estimates knowledge of status by sex and age, assuming adult male/female testing rate ratios have remained relatively constant since 2010. Results include additional indicators such as the percentage of people diagnosed within a year and the numbers of people (by HIV status) retesting.

Caution is warranted with knowledge of status estimates if the last population-based survey was conducted more than five years ago, or if there are concerns about the accuracy of self-reported testing history in the survey.

Both Shiny90 and the CSAVR estimate of knowledge of HIV status only cover adults aged 15 years and older. UNAIDS recommends that countries conservatively estimate knowledge of status among children as the proportion of children living with HIV on treatment, unless reliable numbers from case surveillance (cumulative diagnoses and deaths, emigrations and losses to follow-up) are available.

People accessing antiretroviral therapy

Global and regional measures of antiretroviral therapy numbers are calculated from data entered by country teams into the Spectrum software or the Global AIDS Monitoring reporting tool. In the 2024 round, 139 countries reported treatment numbers for 2023 (covering 86% of the estimated people on treatment). Between 2015 and 2023, 160 countries had at least one publicly available estimate of the number of people on treatment. For a few countries that did not report numbers of people on treatment for all years—primarily high-income countries in western and central Europe and North America, and Asia and the Pacific—people on treatment were estimated either in consultation with the public health agency responsible for monitoring the national treatment programme or from published and online sources.

In partnership with UNICEF, WHO, PEPFAR and its agencies, the Global Fund and other partners that support treatment service delivery in countries, UNAIDS annually reviews and validates treatment numbers that countries have reported to UNAIDS. The number of people on treatment may be overestimated if people who transfer from one facility to another are reported by both facilities, or if people who have died, disengaged from care or emigrated are not identified and removed from treatment registries. Conversely, treatment numbers are sometimes underestimated if not all clinics report the numbers of people on treatment completely or in a timely manner.

UNAIDS and other international partners support countries to verify the accuracy of numbers of people reported to be currently on treatment.

People who have achieved viral suppression

Progress towards the viral suppression target among people on treatment and as a percentage of all people living with HIV was estimated from data reported in Spectrum and through the Global AIDS Monitoring reporting tool. For reporting, the threshold for suppression is a viral load below 1000 copies/mL. Some countries set lower thresholds to identify a person as having achieved an undetectable viral load. Where a country uses a lower threshold, Spectrum applies an adjustment to estimate the percentage suppressed at 1000 copies/mL. The Global AIDS Monitoring guidance describes this adjustment in detail. The guidance also specifies that only routine viral load tests should be reported and only a person's last test result from the reporting year should be submitted, so reported numbers represent people tested and suppressed rather than tests performed (1).

Countries are asked to report viral load suppression outcomes for all years, regardless of testing coverage. However, UNAIDS publishes viral load testing results only for countries and for each year where at least 50% of people treated are tested for viral load. For countries and years with nationally representative but not universal viral suppression data, the reported proportion suppressed among people tested for viral load (the third "95") was multiplied by the total number of people on treatment to estimate overall viral suppression numbers.

Table A1.2 shows numbers of countries with a reliable estimate of viral load suppression. This increased from 64 countries in 2017 to 87 by 2023. Some countries had lower viral load testing coverage for 2020 or 2021 compared with 2019 or 2022/2023, often due to the COVID-19 pandemic and related disruptions or delays in health service provision and reporting.

Some challenges exist in using country-reported data to monitor the viral load suppression target. First, routine viral load testing may not be offered at all treatment facilities. The facilities that do test may not be representative of facilities without viral load testing. Despite this uncertainty, we assume that the percentage of people suppressed among those accessing viral load testing is representative of all people on treatment.

Second, UNAIDS requests countries to only report results from routine viral load testing. If countries report test results primarily performed because of suspected treatment failure, then the number of people virally suppressed in these countries will be underestimated. UNAIDS validates country submissions for quality, but it is not always possible to identify cases where both routine and other types of testing are occurring.

Third, UNAIDS guidance recommends reporting viral load test results only for people on antiretroviral therapy. People who are not on treatment and who naturally suppress the virus will not be included in this measure.

Methods for constructing regional and global results towards the 95-95-95 targets

All programme data submitted to UNAIDS were validated by UNAIDS and its partners before publication. Country-submitted data that did not meet quality standards, either at the indicator level or across the treatment cascade, were not included in the calculation of regional or global estimates. These included, for example, viral load suppression results for years when less than 50% of people on treatment were tested for viral load.

To estimate regional and global progress against the 95–95–95 targets for adults, UNAIDS imputed missing country data for the first and third 95 targets using a Bayesian hierarchical model. This uses regional trends—or global trends, when regional trends are sparse—sex differences and patterns over time from countries with good-quality data and coherent cascade estimates. Upper and lower bounds around global and regional estimates of the HIV testing and treatment cascade reflect uncertainty in the number of people living with HIV and uncertainty from missing country data in numbers of people who know their HIV status or who are virally suppressed. These ranges do not capture uncertainty in country-reported people who know their HIV status, were tested for viral load or are virally suppressed. Details on the model's methods and assumptions are available elsewhere (5).

Table A1.3 shows the proportions of people living with HIV for whom knowledge of HIV status and viral load suppression were imputed, as opposed to reported or estimated by the country, from 2015 to 2023. Generally, the proportion imputed decreased over time, as more countries reported good-quality data. Some regions (e.g. Asia and the Pacific, western and central Europe and North America) have an increased proportion of countries with imputed knowledge of status or viral load suppression in 2023 compared with earlier years, as the latest data were still being reviewed.

Some countries are still not able to report on the testing and treatment cascade or elements of the cascade. Although the percentage of people tested for viral load has increased in many countries, knowledge of status remains difficult to estimate, especially in countries without population-based surveys that measure HIV serostatus alongside respondents' testing history. Limited data are available to inform knowledge of status in Asia and the Pacific, western and central Europe and North America, and Latin America.

Table A1.3 Proportion of estimated people living with HIV for whom knowledge of status was imputed, and proportion of estimated people on treatment for whom viral suppression was imputed, 2015–2023

Indicator	Year	Asia and the Pacific	Caribbean	Eastern and southern Africa	Eastern Europe and central Asia	Latin America	Middle East and North Africa	Western and central Africa	Western and central Europe and North America	Global
Proportion	2015	24	0	0	2	13	8	<0.08	36	7
of estimated people living	2016	23	0	0	2	10	7	0	3	4
with HIV for whom	2017	24	0	<0.08	1	5	7	<0.08	16	5
knowledge	2018	13	0	0	1	1	7	<0.08	11	3
of status was imputed	2019	12	0	<0.08	1	1	6	<0.08	22	3
•	2020	12	0	<0.08	1	1	5	<0.08	74	6
	2021	7	0	<0.08	2	1	5	1	15	2
	2022	7	0	<0.08	1	1	4	1	33	3
	2023	7	2	<0.08	2	11	4	1	96	8
Proportion of estimated people on treatment for whom viral suppression status was imputed	2015	77	89	58	71	23	42	100	26	60
	2016	97	82	47	72	19	39	100	12	55
	2017	96	3	41	71	14	39	99	16	51
	2018	53	2	33	69	10	39	73	21	38
	2019	52	2	2	4	12	36	40	9	14
	2020	18	11	2	5	11	58	29	62	12
	2021	18	3	9	4	11	61	12	10	11
	2022	16	3	1	1	12	46	24	41	9
	2023	8	0	1	1	25	45	23	97	12

Source: UNAIDS epidemiological estimates, 2016–2023.

New infections among key populations

New HIV infections by subpopulation

New HIV infections among key populations globally and by region were estimated for 172 countries for the years 2010 and 2022. Multiple sources were synthesized to estimate the numbers of new infections among key populations within each country's overall Spectrum estimate of new infections among men and women aged 15–49 years.

For some countries that modelled their historic HIV epidemic based on data from subpopulations including one or more key populations using the EPP-concentrated or Aids Epidemic Model (6) or Thembisa (7), new infection trends among key populations were extracted from Spectrum 2023 estimates. This source provided data for sex workers from 33 countries, for people who inject drugs from 20 countries, for gay men and other men who have sex with men from 33 countries, and for transgender people from 24 countries (in Latin America, the Caribbean, western and central Europe and North America, Asia and the Pacific, the Middle East and North Africa, and South Africa).

For most countries in sub-Saharan Africa, and in other countries without a national Spectrum model including all key populations, estimates from the Goals (8) and Optima (9, 10) transmission dynamics and programme impact models were used. These were calibrated to country-owned 2023 Spectrum models for overall epidemic trends, and results were standardized to these by importing proportions (not numbers) of overall adult infections in each key population. Goals- and Optima-estimated proportions of adult infections were also used to estimate new infections among clients of female sex workers and non-client, non-key population male and female sex partners of people from key populations to complement national estimates of key populations where available.

For countries without a national epidemic model that distinguished key populations, proportions of new infections were approximated from proportions of national new adult case diagnoses if recorded by mode of transmission. This was done for most countries in western and central Europe, and for countries with strong case-based HIV surveillance in eastern Europe and central Asia, Latin America, the Caribbean, and Asia and the Pacific. In these countries, as a proxy for new infection estimates in 2010 we used diagnoses reported in 2012 and 2013, while new infections in 2022 were inferred from diagnoses from 2019–2022, depending on each country's data availability (11).

Some models and some case surveillance systems did not cover all key populations or clients and partner groups. For these, new infections were approximated using median proportions of infections in the group across countries within the region with an estimate. This helped to complete estimates notably for transgender people, clients of sex workers, and other sex partners of people from key populations.

Sex partners were considered to include non-injecting sex partners of people who inject drugs, female sex partners of gay men and other men who have sex with men, and spouses and steady sexual partners of sex workers.

2023 was the first year that UNAIDS estimated trends in new HIV infections among key populations from 2010, the baseline of the global AIDS strategy, through 2022. The analysis was limited by missing data on some or all key populations from many countries. Results should be interpreted as indicating broad patterns and trends rather than precise estimates. For this reason, the results presented focus on proportional changes over time in new infections among each group rather than on underlying numbers of infection or distributions.

Compared with earlier published estimates of distributions, the new estimated proportions of new infections among key populations were lower. This mainly reflects a change from using outdated static models such as modes of transmission and incidence patterns analyses, mostly conducted more than a decade ago, to using transmission-dynamic models.

The methods are described in detail in Korenromp et al (12). Further updates of these estimates are expected later in 2024to reflect the 2024 country estimates and cover the period 2010 to 2023.

Calculation of pre-exposure prophylaxis (PrEP) coverage for HIV-negative people

Global and regional PrEP targets for gay men and other men who have sex with men, people who inject drugs, and transgender people were set by the UNAIDS 2025 Target Setting Group, with support from Avenir Health. Targets were established using available data on the size of key populations and their relative vulnerability for 118 countries. Additional country targets were included to reach a maximum of 166 countries for gay men and other men who have sex with men, 123 for people who inject drugs and 132 for transgender people (12).

Global and regional PrEP targets for sex workers were calculated for 193 countries based on the population size estimates reported through Global AIDS Monitoring in recent years, from which sex workers living with HIV were subtracted. Each size estimate was categorized regarding recency, geographical location and methods adequacy using the criteria described previously (13). Nationally adequate estimates were used to determine median proportions among adults (aged 15-49 years) for each UNAIDS region. The regional median proportions were used to calculate countryspecific values that were summed to regional total size estimates. The number of people living with HIV by country was calculated by multiplying the most recently reported HIV prevalence (2019–2023) through Global AIDS Monitoring to each country's population size estimate. For countries that did not report HIV prevalence among sex workers in recent years, a regional median prevalence was applied. The PrEP target for sex workers was calculated by subtracting regional numbers of sex workers living with HIV from the total estimated number of sex workers in the region.

For all key populations, current PrEP coverage was estimated using nationally reported PrEP use for the specific key population (number of people who received any PrEP product at least once during the reporting period) divided by the estimated target size of the population that would benefit from PrEP use.

Quality of population size estimates

The regional sections of this report include tables of the estimated size of key populations. The estimated size of key populations refers to reported values through Global AIDS Monitoring since 2019 only. A comprehensive review of the data was conducted during these reporting rounds, and therefore estimates should not be compared with data presented in previous UNAIDS reports. Submitted estimates are reviewed as they are reported and categorized for appropriate use. The categories are as follows:

- National population size estimate refers to estimates that have been empirically derived using one of the following methods: multiplier, capture-recapture, mapping/enumeration, network scale-up method, population-based survey, or respondent-driven sampling successive sampling. Estimates must be national or from a combination of multiple sites with a clear approach to extrapolating to a national estimate.
- Local population size estimate refers to estimates that have been empirically derived using one of the previously mentioned methods, but only for subnational sites that are insufficient for national extrapolation.
- Insufficient data refers either to estimates derived from expert opinions, Delphi, wisdom of crowds, programmatic results or registry, regional benchmarks or unknown methods. Estimates may or may not be national.

Subnational HIV estimates for sub-Saharan Africa

Subnational HIV estimates were generated using the Naomi model for 35 countries in sub-Saharan Africa and one in the Caribbean that had conducted one or more representative population-based serosurveys (see Table A1.4).

The Naomi model uses small area estimation to jointly model HIV prevalence and people living with HIV, antiretroviral therapy coverage and HIV incidence (14). The model combines subnational-level data about multiple outcomes from several sources in a Bayesian statistical model. It uses national population-based survey data and antiretroviral therapy and antenatal clinic testing data to provide robust indicators of subnational HIV burden. It provides estimates and uncertainty ranges for several indicators (including HIV prevalence, people living with HIV, antiretroviral therapy coverage, HIV incidence and new infections) by sex, five-year age groups and subnational level.

The model produces estimates at three time points: the year of the most recent population-based survey, the year of the last round of HIV national estimates (2023), and short-term projections for HIV programme planning purposes. Subnational population estimates by sex and age group are sourced from consensus sources in each country and adjusted to match the populations used within Spectrum by sex and age group.

Cross-sectional estimates for HIV prevalence, antiretroviral therapy coverage and HIV incidence are produced at the midpoint of the most recent nationally representative household survey. For HIV prevalence, the model is calibrated to survey data on HIV prevalence by subnational level, sex and five-year age group from the most recent population-based survey (Demographic and Health Survey or Population-based HIV Impact Assessment). Since the survey sample size in each subnational area is relatively small, routinely reported data about HIV prevalence among pregnant women attending their first antenatal care visit, extracted from the national health information system, are used to improve estimates of the spatial pattern of HIV.

Antiretroviral therapy coverage by subnational area, age and sex is estimated from population-based survey data about the presence of antiretroviral biomarkers in survey respondents living with HIV. Routinely reported antiretroviral therapy coverage among pregnant women before their first antenatal care visit is used as a covariate for the spatial pattern of antiretroviral therapy coverage. The antiretroviral therapy coverage and HIV prevalence are calibrated so that the total number of people on antiretroviral therapy matches the report in the Spectrum national file.

A challenge for estimating treatment coverage for subnational areas is that people may access antiretroviral therapy services in a different district from their residence (e.g. if facilities are closer or perceived to provide better

Table A1.4 Countries using the Naomi model to generate subnational estimates

Country	Country	Country
Angola	Gabon	Namibia
Benin	Gambia	Niger
Botswana	Ghana	Nigeria
Burkina Faso	Guinea	Rwanda
Burundi	Guinea–Bissau	Sierra Leone
Chad	Haiti	South Africa
Congo	Kenya	Tanzania
Côte d'Ivoire	Lesotho	Togo
Democratic Republic of the Congo	Liberia	Uganda
Eritrea	Malawi	Zambia
Eswatini	Mali	Zimbabwe
Ethiopia	Mozambique	

services). The model allows for a probability that people living with HIV access antiretroviral therapy in a neighbouring subnational area. The prior assumption was that most people living with HIV will access antiretroviral therapy in their area of residence, but this probability can vary based on subnational area data about the number of people receiving antiretroviral therapy compared with HIV prevalence, antiretroviral therapy coverage and population.

Direct estimates of HIV incidence are not available at the subnational level. Although some recent household surveys have measured HIV incidence at the national level based on biomarker measures for recent HIV infections, too few recent infections are observed in any district to make a robust estimate. Therefore, to estimate HIV incidence at the subnational level, the HIV transmission rate from Spectrum estimates is calculated and applied to small area estimates of HIV prevalence and antiretroviral therapy coverage in each subnational area. The sex and age distribution in each subnational area are based on incidence rate ratios from a country's national Spectrum file, applied to the population structure in each area.

The model projects from the most recent household survey to the current period by creating a one-step projection of the population to 2023. Population estimates are updated with official population estimates. The number of people living with HIV is projected forward based on survival estimates by province, sex and age group from Spectrum over the same period (which accounts for HIV disease progression and the effects of antiretroviral therapy coverage reducing AIDS-related mortality). Antiretroviral therapy coverage is updated based on the number of people on treatment in 2023 from service provision data.

Estimates of HIV risk group proportions for adolescent girls and young women

The occurrence of HIV risk behaviours and associated HIV incidence at subnational levels among adolescent girls and young women was estimated for 34 countries in sub-Saharan Africa (15). Geospatially referenced national household survey data from 1999–2019 across 30 countries in sub-Saharan Africa were analysed. Female survey respondents aged 15–24 years were classified into four risk groups (not sexually active, cohabiting, non-regular or multiple partner(s), and female sex workers) based on reported sexual behaviours in a Bayesian spatiotemporal multinomial regression model to estimate the proportion of adolescent girls and young women in each risk group stratified by district, year and five-year age group. Estimates of HIV prevalence and incidence at subnational levels from the Naomi model were used along with incidence rate ratios for each risk group to estimate the number of new infections and incidence rate for each district, age and risk population.

Laws and policies scorecards

The regional laws and policies scorecards were constructed based on validated data reported by countries through the National Commitments and Policy Instrument, a component of Global AIDS Monitoring (1), between 2018 and 2023 and complementary sources, including national legal and policy documents and other global databases.

Data submitted by countries through the National Commitments and Policy Instrument are reviewed by UNAIDS. During this review process, information reported are compared with available primary sources and other related publicly available information. UNAIDS also liaises with national Global AIDS Monitoring focal points to request clarification or revise data submitted through the Global AIDS Monitoring online reporting tool.

UNAIDS regional definitions

All presentations of data, including historic trends, use the UNAIDS regional definitions, listed below.

Asia and the Pacific

Afghanistan Australia Bangladesh Bhutan

Brunei Darussalam

Cambodia China

Democratic People's Republic of

Korea Fiji India Indonesia

Iran (Islamic Republic of)

Japan

Lao People's Democratic Republic

Malaysia Maldives Mongolia Myanmar Nepal New Zealand Pakistan

Papua New Guinea

Philippines Republic of Korea

Singapore Sri Lanka Thailand Timor-Leste Viet Nam

Caribbean

Bahamas Barbados

Belize Cuba

Dominican Republic

Guyana Haiti Jamaica

Suriname

Trinidad and Tobago

Eastern and southern Africa

Angola
Botswana
Comoros
Eritrea
Eswatini
Ethiopia
Kenya
Lesotho
Madagascar
Malawi
Mauritius
Mozambique
Namibia
Rwanda
South Africa

United Republic of Tanzania

Zambia Zimbabwe

Uganda

South Sudan

Eastern Europe and central Asia

Albania Armenia Azerbaijan Belarus

Bosnia and Herzegovina

Georgia Kazakhstan Kyrgyzstan Montenegro

North Macedonia Republic of Moldova Russian Federation

Tajikistan Turkmenistan Ukraine Uzbekistan

Latin America

Argentina

Bolivia (Plurinational State of)

Brazil
Chile
Colombia
Costa Rica
Ecuador
El Salvador
Guatemala
Honduras
Mexico
Nicaragua
Panama
Paraguay
Peru

Venezuela (Bolivarian Republic of)

Middle East and North Africa

Algeria Bahrain Djibouti Egypt Iraq Jordan Kuwait Lebanon Libya Morocco

Uruguay

Oman Qatar Saudi Arabia Somalia Sudan

Syrian Arab Republic

Tunisia

United Arab Emirates

Yemen

Western and central Africa

Benin Burkina Faso Burundi Cabo Verde Cameroon

Central African Republic

Chad Congo Côte d'Ivoire

Democratic Republic of the Congo

Equatorial Guinea

Gabon Gambia Ghana Guinea Guinea-Bissau

Liberia Mali

Mauritania Niger Nigeria

Sao Tome and Principe

Senegal Sierra Leone Togo

Western and central Europe and North America

Belgium Bulgaria Canada Croatia Cyprus Czechia Denmark Estonia Finland France Germany Greece Hungary Iceland Ireland Israel

Austria

Iceland
Ireland
Israel
Italy
Latvia
Lithuania
Luxembourg

Malta
Netherlands
Norway
Poland
Portugal
Romania
Serbia
Slovakia
Slovenia
Spain
Sweden
Switzerland

Turkey

United Kingdom of Great Britain

and Northern Ireland United States of America

References

- Global AIDS Monitoring 2024: indicators and questions for monitoring progress on the 2021 Political Declaration on Ending AIDS. Geneva: Joint United Nations Programme on HIV/AIDS; 2023 (https://www.unaids.org/sites/default/files/ media_asset/global-aids-monitoring_en.pdf, accessed 10 July 2024).
- Maheu-Giroux M, Marsh K, Doyle C, et al. National HIV testing and diagnosis coverage in sub-Saharan Africa. AIDS. 2 2019;33:S255-S269.
- Soni S, Giguère K, Boily M-C, et al. Under-reporting of known HIV-positive status among people living with HIV: a systematic review and meta-analysis. AIDS Behav. 2021;25(12):3858–3870. 3
- Yiqing Xia Y, Milwid RM, Godin Á, Boily M-C, Johnson LF, Marsh K et al. Accuracy of self-reported HIV-testing history and awareness of HIV-positive status in four sub-Saharan African countries. AIDS. 2021;35(3):503-10. 4
- 5 Marsh K, Eaton JW, Mahy M, et al. Global, regional and country-level 95-95-95 estimates for 2018. AIDS. 2019;33:S213-S226.
- Brown T, Peerapatanapokin W. The Asian Epidemic Model: a process model for exploring HIV policy and programme alternatives in Asia. Sex Transm Infect. 2004;80(Suppl 1 1):i19–i24.

 Johnson L, Dorrington R. Thembisa. Version 4.1: a mathematical model of HIV transmission and epidemic spread in 6
- South Africa, 2018.
- Stover J, Glaubius R, Teng Y, et al. Modeling the epidemiological impact of the UNAIDS 2025 targets to end AIDS as a public health threat by 2030. PLoS Med. 2021;18(10):e1003831.

 Kerr CC, Stuart RM, Gray RT, et al. Optima: a model for HIV epidemic analysis, program prioritization, and resource
- optimization. J Acquir Immune Defic Syndr. 2015;69(3):365-376.
- Allocation of HIV resources towards maximizing the funding in selected Eastern European and Central Asian countries: findings from Optima HIV modeling analyses across 12 countries in Eastern Europe and Central Asia. Melbourne: 10
- Burnet Institute; 2023 (http://optimamodel.com/pubs/Regional_HIV_EECA_2023.pdf, accessed 10 July 2023). HIV/AIDS surveillance in Europe 2021: 2020 data. Stockholm: European Centre for Disease Prevention and Control 11 and World Health Organization Regional Office for Europe; 2021 (https://www.ecdc.europa.eu/sites/default/files/documents/2021-Annual_HIV_Report_0.pdf, accessed 10 July 2023).
- Sabin, Loo, Jacobson, Mar (publication pending)
 Sabin K, Zhao J, Garcia Calleja JM, et al. Availability and quality of size estimations of female sex workers, men who 13 have sex with men, people who inject drugs and transgender women in low- and middle-income countries. PLoS One. 2016:11(5):e0155150.
- Eaton J, Dwyer-Lindgren L, et al. Naomi: a new modelling tool for estimating HIV epidemic indicators at the district level in sub-Saharan Africa. J Int AIDS Soc. 2021;24(S5):e25788.

 Howes A, Risher K, Nguyen V, et al. Spatio-temporal estimates of HIV risk group proportions for adolescent girls and 14
- young women across 13 priority countries in sub-Saharan Africa. PLOS Glob Public Health. 3(4):e0001731.



UNAIDS Joint United Nations Programme on HIV/AIDS

20 Avenue Appia 1211 Geneva 27 Switzerland

+41 22 791 3666

unaids.org